

Cambridge IGCSE[™]

CO-ORDINATED SCIENCES

Paper 1 Multiple Choice (Core)

0654/12 May/June 2024 45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

INSTRUCTIONS


- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages. Any blank pages are indicated.


- 1 Which two characteristics of living organisms are demonstrated by gravitropism?
 - **A** growth and nutrition
 - B growth and sensitivity
 - **C** respiration and nutrition
 - **D** respiration and sensitivity
- 2 By which process does oxygen pass from the alveoli to the blood capillaries in the lungs?
 - A diffusion
 - B osmosis
 - **C** secretion
 - **D** transpiration
- 3 What are the products when oils are digested?
 - A amino acids and glycerol
 - B fats and amino acids
 - **C** fatty acids and glycerol
 - **D** fatty acids and sugars
- 4 The diagram shows part of the human alimentary canal and associated organs.



Which labels identify the liver, pancreas and stomach?

	liver	pancreas	stomach
Α	2	1	3
в	2	3	1
С	4	2	3
D	4	2	1

5 The diagram shows the cross-section of part of a leaf with cells labelled W, X, Y and Z.



Which cells lose most water and which cells absorb most carbon dioxide during the daytime?

A W and X **B** X and Y **C** Y and Z **D** W and Z


6 A scientist places equal volumes of starch and saliva into a test-tube.

After 30 minutes, the mixture in the test-tube is tested with iodine solution.

The iodine solution remains brown.

Which process does this experiment demonstrate?

- **A** absorption
- **B** assimilation
- **C** digestion
- **D** ingestion
- 7 The diagram shows some blood viewed under a light microscope.



How many red blood cells are shown?


A 1 **B** 2 **C** 5 **D** 7

- 8 Which statement about the composition of expired air, compared with inspired air, is correct?
 - **A** The percentage of carbon dioxide is decreased and the percentage of water vapour is increased.
 - **B** The percentage of carbon dioxide is increased and the percentage of water vapour is increased.
 - **C** The percentage of oxygen is decreased and the percentage of carbon dioxide is decreased.
 - **D** The percentage of oxygen is increased and the percentage of carbon dioxide is decreased.
- 9 Which row about hormones is correct?

	means of transport	where produced	site of action
Α	alimentary canal	glands	target organs
В	alimentary canal	organs	all organs
С	blood	glands	target organs
D	blood	organs	all organs


10 The diagram shows the human female reproductive system.

Where is the embryo normally implanted to enable it to develop into a healthy fetus?



- 11 Which statement describes a heterozygous genotype?
 - A not pure breeding with two different alleles
 - **B** not pure breeding with two identical alleles
 - **C** pure breeding with two different alleles
 - **D** pure breeding with two identical alleles

- 12 Which statement about organisms in a food chain is correct?
 - **A** A carnivore is an organism that gets its energy by eating plants.
 - **B** A consumer is an organism that gets its energy by eating other organisms.
 - **C** A herbivore is an organism that gets its energy by eating animals.
 - **D** A producer is an organism that gets its energy from dead or waste matter.
- **13** The diagram shows gas exchange by two groups of organisms during the hours of darkness.



Which letters represent gases that are part of the carbon cycle?


A P and Q **B** P and R **C** P and S **D** Q and S

- **14** Which statement about atoms is correct?
 - **A** All atoms contain equal numbers of neutrons and protons.
 - **B** All atoms of the same element have the same number of neutrons.
 - **C** The Periodic Table lists atoms in order of increasing mass number.
 - **D** The smallest unit of an element is an atom.


15 Which substances exist as covalent molecules?

- 1 helium
- 2 chlorine
- 3 sodium chloride
- 4 ethanol
- **A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

- 6
- 16 Which diagram shows the structure of graphite?



17 Which oxides of nitrogen have the same ratio of nitrogen atoms to oxygen atoms?



18 Hydrogen gas is given off when zinc reacts with dilute sulfuric acid.

Which piece of apparatus is used to collect the hydrogen gas and measure its volume?

A balance

Α

- **B** gas syringe
- **C** pipette
- D test-tube
- **19** The equation for the reaction between iron(III) oxide, Fe_2O_3 , and carbon is shown.

 $2\text{Fe}_2\text{O}_3 \ \text{+}\ 3\text{C} \ \rightarrow \ 4\text{Fe} \ \text{+}\ 3\text{CO}_2$

Which statement about this reaction is correct?

- A C is oxidised.
- **B** CO₂ is reduced.
- C Fe is oxidised.
- **D** Fe_2O_3 is oxidised.

20 The waste from a factory is acidic. The factory treats the waste with limestone.

Which row shows the pH of the waste before and after treatment?

	before	after
Α	6	5
в	6	7
С	8	7
D	8	9

21 White solid X reacts with dilute hydrochloric acid. A gas is produced which turns limewater milky.

A flame test is done on solid X and produces a red coloured flame.

What is X?

- **A** lithium carbonate
- **B** lithium chloride
- **C** potassium carbonate
- D potassium chloride
- 22 Different minerals contain different elements.

Which mineral contains three non-metallic elements?

	mineral	formula
Α	chalcopyrite	CuFeS ₂
В	cryolite	Na_3AlF_6
С	gypsum	CaSO ₄ •2H ₂ O
D	ilmenite	FeTiO ₃

23 Manganese is a transition element.

What is a property of manganese?

- A high melting point
- B low density
- **C** thermal insulator
- **D** transparent


- 24 Which process is used to increase the hardness of a metal?
 - A Mix the metal with a gas.
 - **B** Mix the metal with another element.
 - **C** Mix the metal with a polymer.
 - **D** Mix the metal with its ore.
- 25 Which compound contains two of the three elements needed in a fertiliser used for plant growth?
 - A potassium carbonate
 - **B** potassium chloride
 - C potassium nitrate
 - D potassium sulfate
- 26 Which type of reaction is used to manufacture lime from limestone?
 - A addition polymerisation
 - **B** cracking
 - C neutralisation
 - **D** thermal decomposition
- 27 Poly(ethene) is made from ethene by addition polymerisation.

Which word describes ethene in this process?

- A fuel
- B catalyst
- **C** monomer
- D solvent

28 The graph shows how the speed of an object varies with time.


The speed of the object is *v* at time *t*.



Which expression gives the distance travelled by the object in time *t*?



29 The diagram shows a block of metal of mass 72 g.




What is the density of the metal?

A 3.0 g/cm^3 **B** 6.0 g/cm^3 **C** 9.0 g/cm^3 **D** 12 g/cm^3

- 30 Which statement about a resultant force is correct?
 - **A** An object must have a resultant force acting on it if it is moving.
 - **B** An object must have a resultant force acting on it if it is slowing down.
 - **C** Two forces must be in the same direction to produce a resultant force.
 - **D** Two forces must have the same magnitude to produce a resultant force.
- 31 What is the energy source for a wind turbine that is producing electricity?
 - A chemical potential energy of wind
 - B gravitational potential energy of wind
 - C kinetic energy of wind
 - D thermal energy of wind


32 A copper disc has a hole at its centre that is slightly too small to fit over a copper cylinder.




How can the disc be fitted over the cylinder?

- **A** Cool the disc and then fit it over the cylinder.
- **B** Cool the disc, heat the cylinder and then fit the disc over the cylinder.
- **C** Heat the cylinder and then fit it through the hole in the disc.
- **D** Heat the disc and then fit it over the cylinder.
- **33** The diagram shows a ray of light travelling from glass into air.

Which labelled arrow shows the path of the light in the air?



34 The diagrams represent two different sound waves, P and Q, drawn to the same scale.



How do the loudness and the pitch of the sounds compare?


	louder sound	higher- pitched sound
Α	Р	Р
В	Р	Q
С	Q	Р
D	Q	Q

35 When two different, uncharged, insulating materials are rubbed together, one becomes positively charged and the other becomes negatively charged.

What happens to cause the materials to become charged?

	positively charged material	negatively charged material
Α	gains protons	gains electrons
в	gains protons	loses protons
С	loses electrons	gains electrons
D	loses electrons	loses protons

- 36 For which quantities is the unit the volt?
 - A current and potential difference (p.d.)
 - **B** electromotive force (e.m.f.) and potential difference (p.d.)
 - **C** electromotive force (e.m.f.) and resistance
 - **D** potential difference (p.d.) and resistance
- **37** A 2.0 Ω resistor and a 1.0 Ω resistor are connected in series with a cell.



Which statement about current in the circuit is correct?


- **A** The current in the 2.0 Ω resistor is double the current in the 1.0 Ω resistor.
- **B** The current in the 2.0 Ω resistor is equal to the current in the 1.0 Ω resistor.
- **C** The current in the 2.0Ω resistor is half the current in the 1.0Ω resistor.
- **D** The current in the cell is larger than the current in either resistor.
- **38** A coil lies between the poles of a magnet. There is a current in the coil and this causes a turning effect.

Which change does not increase the turning effect on the coil?

- A changing the direction of the current
- **B** increasing the current
- C using a stronger magnet
- **D** using more turns in the coil
- 39 An atom of an isotope of strontium (Sr) has a proton number of 38 and contains 52 neutrons.What is the nuclide notation for this isotope?



40 The graph shows the decay curve for a radioactive substance.



What is the half-life of this substance?

- **A** 2.0 hours
- B 3.2 hours
- **C** 5.0 hours
- D 10 hours

BLANK PAGE

BLANK PAGE

15

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

© UCLES 2024

The Periodic Table of Elements

	Group					
Key 1 1 atomic number atomic number atomic symbol neme relative atomic ass *Mor Fe Co Ti V Cr Mn Fe Co 1 22 23 24 25 56 56 27 Nb Mo TC Ru Rh Rh 40 41 42 43 56 56 59 56 56 59 56 56 59 56 56 59 56 56 59 56 56 59 56 <th></th> <th>=</th> <th>≥</th> <th>></th> <th>VI VI</th> <th>≡></th>		=	≥	>	VI VI	≡>
Key Tatomic number atomic number atomic symbol Pytriagen atomic number atomic symbol atomic number atomic symbol Pytriagen Ti V Cr Min Fe 27 Ti V Cr Min Fe 27 Ti V Cr Min Fe 27 Ti V R A4 45 76 Ti V R A4 45 76 Ti Ti A4 A4 45 76 Ti Ti R A4 45 76 171 A4 Ti R Ti 76 171 703 Ti R V R R 76 171 Mutheridum 181 184 186 190 190 190 Ti Ti Ti Ti 106 107 108 109 Mutheridum Ti Ti Ti Ti						He ~
atomic number atomic symbol name relative atomic mass atomic symbol name relative atomic mass atomic symbol name relative atomic mass Ti V Cr Min Fe Co 22 23 24 25 26 27 21 7 7 Min Fe Co 40 41 42 43 44 45 21 73 74 75 76 77 173 74 75 76 77 173 74 75 76 77 173 74 75 76 77 174 184 186 190 192 178 181 184 186 190 178 181 184 186 190 178 106 107 108 109 178 106 107 108 109 178 104 106 107 190 178 106 106 107 190 179 144 25 66 67 170 106 107 108 109 170 144 26						helium 4
atomic symbol name name relative atomic mass relative atomic mass relative atomic mass relative atomic mass 22 27 Ti V Cr Min Fee Col 40 41 42 43 44 45 21 Zr Nb Mo Tc Ru Rh 91 93 96 T 75 76 Tr 72 73 74 75 76 Tr 103 72 73 74 75 76 Tr 103 71 113 118 118 118 103 103 178 118 118 118 103 103 103 171 118 118 118 118 103 103 178 Nd Rel OS 11 103 101 103 106 17 103 103 114 15 16 16 103 103 114 12 106 17 103 103		5	9			
name relative attornic mase Ti V Cr Min Fe Co 1Ti V Cr Min Fe Co 44 81 22 23 24 45 27 1Ti V Cr Min Fe Co Co 43 74 73 74 75 76 17 103 27 T3 74 75 76 76 77 103 178 181 181 184 166 05 17 103<		Ш	U			
22 23 24 25 26 27 1Ti V Cr Mn Fe Co 48 51 X Cr Mn Fe Co 48 51 X Cr Mn Fe Co 59 50 50 50 50 50 50 50 50 50 50 50		boron 11	carbon 12	nitrogen 14	oxygen fluorine 16 19	
22 23 24 25 26 27 Ti V Cr Mn Fe 20 27 48 51 V Cr Mn Fe 26 26 40 41 42 Cr Mn Fe Co 27 40 41 42 51 55 56 56 59 59 27 Nb Mo Tc Ru Mn Fe Co 21conium nobium molydenum chomium maganese ion cobatt 59 50 50 50 50 50 50 76 77 103 103		13	14		-	
22 23 24 25 26 27 Ti V Cr Mn Fe Co 40 41 42 A 44 45 27 Nb Mo Tc Ru Rh 27 73 74 75 76 17 178 181 184 186 05 190 178 181 186 107 108 190 178 181 186 107 108 190 178 184 186 05 190 192 178 184 186 05 190 192 178 184 186 05 190 192 178 186 196 </td <td></td> <td>Al</td> <td>N.</td> <td></td> <td></td> <td></td>		Al	N.			
22 23 24 25 26 27 Ti V Cr Mn Fe Co ttentum sint 55 55 56 59 59 40 41 42 A 44 45 56 59 59 27 Nb Mo T Rb Mo T 44 45 56 56 59 59 59 27 Nb Mo T A4 45 56 59 50 50 59 59 59 59 59 50 50 59 59 59 59 50 50 50 59 50 50 50 50 50 50 50 50 50 50 100 <td></td> <td>aluminum 27</td> <td>silicon 28</td> <td></td> <td></td> <td></td>		aluminum 27	silicon 28			
TiVCrMnFeCottentum 410 511 52 55 56 59 59 40 41 42 42 43 44 45 59 27 NbMoTCRuRh 21conium 100 100 TCRuRh 21conium 100 100 TCRuRh 21conium 100 102 101 103 103 21 11 11 11 11 21 21 21 21 11 11 11 11 11 21 21 21 11 11 11 11 11 11 21 21 11 11 11 11 11 11 21 21 11 <	28 29		32			
tranium varactium chromium chromium manganese iron cobatt 59 56 56 56 56 56 55 56 59 50 101 103 103 113<	Ni		Ge			
40 41 42 43 44 45 Zr Nb Mo Tc Ru Rh 45 Zroonium nobium molydenum technetum tuthenium 44 45 Zroonium j03 93 96 - - 101 103 Zroonium j03 96 - - 101 103 Zroonium j03 96 - - 101 103 Zroonium j03 96 - - 101 103 Tradition tantatum tungsten rhenium annientum induum 178 181 186 0 190 192 Rf Db Sg Bh HS Mt utherfordium seaborgium borrum passium meinterium L - - - - - - L - - - -	nickel copper 59 64	zinc gallium 65 70	germanium 73			
Zr Nb Mo Tc Ru Rh afronium alobium molybdenum technetum tutentum authentum tutentum tutenum tutentum </td <td>46 47</td> <td></td> <td>50</td> <td></td> <td></td> <td></td>	46 47		50			
Zirconium Inolution molydenum technetium tuthentium	Pd Ag		Sn			
72 73 74 75 76 77 Hf Ta W Re OS Ir hanium tantalum tungstan trantalum tungstan trantalum tungstan renium 33 74 75 76 77 hanium tantalum tungstan tungstan trantalum tungstan trantalum tungstan renium 330 190 322 104 105 Sg Bh HS Mt 390 392 109 392 104 U 368 Bh HS Mt metherium 109 100 25 59 60 61 Bm Sm 20 152 150 152 58 59 60 61 Bm Sm C 51 53 53 54 95 58 59 60 61 Bm Sm Eu 26 63 63 <	palladium silver 106 108		tin 119			
Hf Ta W Re OS Ir hahtum tantatum tungsten thenium tungsten thenium 178 tantatum tungsten thenium tungsten thenium osmium iteluium 178 tantatum tungsten thenium tungsten thenium osmium iteluium 104 105 106 107 108 190 192 utherfordium dubnium seabogium botrium assium iteluium - - - - - - - - 58 59 60 61 62 63 63 63 140 141 - - - - - - - 140 91 92 93 94 95 95 95 90 91 90 94 95 95 95 95	78 79		82			
hafmun tantalum tungsten thenium tungsten thenium tindium 178 161 184 105 106 190 192 104 105 106 107 108 190 192 104 105 106 107 108 109 192 104 105 83 Bh HS 108 109 104 258 59 60 61 62 63 64 58 59 60 61 62 63 63 64 140 144 140 141 144 - 150 152 63 90 91 92 93 94 95 95	Pt Au		Pb			
104 105 106 107 108 109 Rf Db Sg Bh HS Mt nutherfordium dubnum seaborgum bohrium hs 108 109 dubnum seaborgum bohrium hss.ium matherium 109 <	platinum gold 195 197		lead 207			
Rf Db Sg Bh Hs Mt Intherfordium dubnium seaborgium bohnium seaborgium bohnium mitherfordium Mt - - - - - - - - Mt - </td <td>110 111</td> <td></td> <td>114</td> <td></td> <td></td> <td></td>	110 111		114			
utherfordium dubnium seabogium bohrium dubnium seabogium bohrium seabogium bohrium lassium meitrerium meitrerium lassium bohrium bohrium bohrium bohrium lassium lassi	Ds Rg		Fl			
58 59 60 61 62 63 Ce Pr Nd Pm Sm 63 cenum praseodymium neodymium promethium samarium samarium 140 141 144 - 150 152 63 90 91 92 93 94 95 95 Th Pu Np Pu Am	darmstadtium roentgenium -		flerovium -	_		ne oganesson
58 59 60 61 62 63 63 Ce Pr Nd Pm Sm Eu easy time strain europtum centum praseodymium neodymium promethium smantum europtum europtum 140 141 144 - 150 152 152 152 90 91 92 93 94 95 95 95	-	-	-	-	-	_
Ce Pr Nd Pm Sm Eu centum preseodymium neodymium preseodymium samarium europium 140 144 - 1150 152 152 90 91 92 93 94 95 95 Th Pa U Np Pu Am Am	64 65	-			-	
Centum praseodymium neodymium promethium samarium europium g 140 141 144 – 150 152 152 90 91 92 93 94 95 95 Th Pa U Np Pu Am Am	Gd Tb					
⁹⁰ ⁹¹ ⁹² ⁹³ ⁹⁴ ⁹⁵ ⁹⁵ ⁹⁴ ⁹⁵	gadolinium terbium 157 159	dysprosium holmium 163 165	erbium 167	thulium 169	ytterbium lutetium 173 175	
Pa U Np Pu Am	96 97	-				
	Cm Bk					
protactinium uranium neptunium plutonium americium	curium berkelium					щ.

0654/12/M/J/24

16