



**Cambridge International Examinations**  
Cambridge International General Certificate of Secondary Education

CANDIDATE  
NAME

CENTER  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--

\* 6 4 4 4 4 4 5 8 7 2 2 \*

**CO-ORDINATED SCIENCES (DOUBLE)(US)**

**0442/33**

Paper 3 (Extended)

**May/June 2014**

**2 hours**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Center number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.


A copy of the Periodic Table is printed on page 32.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This document consists of **32** printed pages.

- 1 (a) Wind farms are areas of land containing many wind turbines. Four thousand wind turbines can produce the same power as one coal-fired power station.



- (i) State **one** advantage and **one** disadvantage of using wind, rather than coal, to generate electrical power.

advantage .....

.....

disadvantage .....

..... [1]

- (ii) On a particular day, the power input to a wind turbine is 1500 kW. The turbine produces 900 kW of electrical power.


Calculate the efficiency of the wind turbine.

State any formula that you use and show your working. State your answer as a percentage.

formula

working

..... % [2]



(b) Nuclear power stations generate electricity using energy released by the nuclei of atoms.

(i) Describe the process that transforms this energy into electrical energy.

.....  
.....  
.....  
..... [3]

(ii) Energy is released in the Sun by a different nuclear process.

Name this process.

..... [1]

(c) A wind farm generates 33MW of electrical power. The wind farm is connected to a transmission line at a potential difference of 132 kV.

Calculate the current produced by the wind farm.

State the formula that you use and show your working.

formula

working

..... A [2]

- (d) Fig. 1.1 shows how the electricity cables carrying electricity from a wind farm are supported by pylons.

The cables hang loosely in hot weather.




Fig. 1.1

Explain why the cables must hang loosely in hot weather.

.....

.....

..... [2]

- (e) A scientist investigates six different wires used in making these cables. He wants to determine the resistance of each piece of wire.


wire	metal composition	length / m	cross-sectional area / cm <sup>2</sup>
<b>A</b>	copper	10	0.1
<b>B</b>	nichrome	10	0.1
<b>C</b>	copper	20	0.1
<b>D</b>	nichrome	20	0.1
<b>E</b>	copper	10	0.2
<b>F</b>	nichrome	20	0.2

- (i) Which wire, **A** or **E**, will have the greater resistance?

Explain your answer.

wire ..... because .....

..... [1]



(ii) Wire **B** has a greater resistance than wire **A**.

Which wire, **B**, **C**, **D**, **E** or **F**, has the greatest resistance?

Explain your answer.

wire .....

explanation .....

..... [2]

(iii) The resistance of wire **B** is  $0.15\Omega$ .

Calculate the current passing through the wire when a voltage of 12V is applied across it.

State the formula that you use and show your working.

formula

working

..... A [2]

2 (a) Fig. 2.1 shows some of the cells that line the trachea.




Fig. 2.1

(i) Name the structures labeled X.

..... [1]

(ii) Explain how these structures, and the cells labeled Y, protect the gas exchange system from pathogens.

.....  
.....  
.....  
..... [3]

(b) Tobacco smoke can have a damaging effect on the working of the cells in Fig. 2.1.

(i) Name a component of tobacco smoke that damages these cells.

..... [1]

(ii) Describe how this component of tobacco smoke affects the structures labeled X and the cells labeled Y.

structures labeled X

.....  
.....

cells labeled Y

.....  
.....

[2]

**Please turn over for Question 3.**

- 3 (a) Dutch metal is an alloy of copper and zinc that has been formed into very thin sheets. When a small piece of Dutch metal is dropped into a container filled with chlorine, it goes into flame and two compounds are produced as shown in Fig. 3.1.




Fig. 3.1

- (i) State the meaning of the term *alloy*.

..... [1]

- (ii) State the physical property of metals that allows them to be formed into very thin sheets.

..... [1]

- (iii) Suggest the names of the **two** compounds formed when Dutch metal reacts with chlorine.

1 .....

2 ..... [1]



- (b) Sodium burns in oxygen gas to produce a white solid that contains the ions of sodium and oxygen. This white solid is sodium oxide.

Fig. 3.2 shows a sodium atom and an oxygen atom.




Fig. 3.2

Predict and explain, in terms of changes in electronic structure, the chemical formula of sodium oxide. You may wish to draw diagrams to help you to answer this question.

.....  
 ..... [3]

- (c) Phosphorus is a non metallic element containing molecules that have the formula  $P_4$ .

The chemical formula of phosphorus oxide shows four phosphorus atoms bonded with ten oxygen atoms.

Construct a balanced symbolic equation for the reaction between phosphorus and oxygen gas to form phosphorus oxide.

..... [3]

- 4 Fig. 4.1 shows a river with nearby agricultural land. Large amounts of artificial fertiliser have been sprayed onto the agricultural land.




Fig. 4.1

- (a) Name a mineral ion that would be present in the fertilizer.

..... [1]

- (b) Describe how mineral ions in the fertilizer might reach the river.

.....  
 ..... [1]

- (c) When large amounts of mineral ions are added to a river a sequence of effects on the living organisms can take place.


Explain the effects on the following organisms

- (i) algae (photosynthesizing microorganisms),

.....  
 ..... [1]

- (ii) submerged aquatic plants,

.....  
 .....  
 ..... [2]



(iii) bacteria,

.....  
.....  
..... [2]

(iv) fish.

.....  
..... [1]

(d) If the farmer uses artificial fertilizer, suggest **two** ways in which the effect of the fertilizer on the river could be reduced.

1 .....  
.....  
2 .....  
..... [2]

5 (a) Two bar magnets **A** and **B** are shown in Fig. 5.1. Magnet **A** is moved towards magnet




Fig. 5.1

(i) Describe and explain what happens to magnet **B** as magnet **A** is moved towards it.

.....  
 ..... [1]

(ii) Magnet **A** is replaced by a piece of unmagnetized iron **C**.

Predict what happens as the unmagnetized iron **C** is moved towards **B**.

Explain your prediction.

.....  
 .....  
 ..... [2]

(b) Fig. 5.2 shows two plastic balls hanging from threads. Both balls are electrically charged.




Fig. 5.2

Ball Y is negatively charged.

(i) State the charge on ball X. Give a reason for your answer.

.....  
..... [1]

(ii) Describe and explain how ball Y has been given a negative charge.

.....  
..... [2]

(iii) There is an electric field between ball X and ball Y.

State what happens to an electrical charge placed in this field.

.....  
..... [1]

- (c) The mass of ball **X** is 3.97 g ( $3.97 \times 10^{-3}$  kg). The volume of ball **X** is 4.17 cm<sup>3</sup> (4.17 × 10<sup>-6</sup> m<sup>3</sup>).

Calculate the density of the plastic used to make ball **X**.

State the formula that you use and show your working. State the units of your answer.

formula

working

density = ..... unit = ..... [3]

**Please turn over for Question 6.**

- 6 (a) Fig. 6.1 shows diagrams **P**, **Q** and **R**, of three molecules containing carbon atoms.




Fig. 6.1

- (i) Using the Periodic Table on page 32, state the number of electrons in one atom of carbon.

Explain how you obtained your answer.

number of electrons .....

explanation .....

..... [2]

- (ii) State and explain which diagram, **P**, **Q** or **R**, represents one molecule of ethane.

diagram .....

explanation .....

.....

..... [2]

- (iii) Name the type of chemical bonding found in all of the compounds shown in Fig. 6.1.

Give a reason for your answer.

type of bonding .....

reason .....

..... [2]



- (b) Methane hydrate is a solid mixture in which methane molecules are contained within ice crystals.

Large amounts of methane hydrate exist under the oceans and in the cold polar regions of the Earth.

Table 6.1 shows the relative numbers of moles of methane and water in a typical sample of methane hydrate.

**Table 6.1**

substance	chemical formula	relative number of moles
methane	CH <sub>4</sub>	1.00
water (ice)	H <sub>2</sub> O	5.75

- (i) The mass of 1.00 moles of methane is 16.0g.

Calculate the mass of 5.75 moles of water.

Show your working.

..... [2]

- (ii) Calculate the mass of methane hydrate that contains 1.00 moles of methane.

..... [1]

- (iii) When the temperature of methane hydrate increases, the ice melts and releases the methane.

Some scientists think that methane hydrate might have a serious effect on global warming.

Suggest how the breakdown of methane hydrate might affect global warming.

.....

.....

.....

..... [2]

7 An electric motor inflates a car tire by pumping air into it.

(a) Explain, in terms of particles, how the air causes the tire to inflate.

.....

.....

.....

..... [3]

(b) Fig. 7.1 shows a simple electric motor.




Fig. 7.1

Explain why the coil turns when an electric current passes through it.

.....

.....

.....

.....

..... [4]

**Please turn over for Question 8.**

- 8 After its flowers have been pollinated, a sweetcorn (maize) plant produces a corncob. Fig. 8.1.




Fig. 8.1

Each of the individual grains on the corncob results from the fertilization of a different egg cell in the female parent. The pollen all came from the same (male) parent.

Some of the grains are purple (dark) in color and others yellow (light) in color.

- (a) The variation in grain color is an example of discontinuous variation.

Explain why this variation is described as *discontinuous*.

.....  
 .....  
 ..... [2]

- (b) (i) In the row of grains labeled X to Y, count the number of purple (dark) grains and the number of yellow (light) grains.

number of purple (dark) grains .....

number of yellow (light) grains ..... [1]

- (ii) State, to the nearest whole number, the ratio of purple grains to yellow grains.

..... [1]


- (c) The allele for purple color (**G**) is dominant and the allele for yellow color (**g**) is recessive.

- (i) What would be the color of a sweetcorn grain with the genotype **Gg**?


..... [1]

- (ii) Use the ratio of purple grains and yellow grains in (b)(ii) to state the genotypes of the parents.

genotypes ..... and ..... [2]



(d) Complete the genetic diagram below to show the result of crossing a purple-grained sweetcorn plant with a yellow-grained sweetcorn plant.



<b>offspring</b>		
genotype	.....	.....
grain color	.....	.....
ratio	.....	

[5]

- 9 (a) Fig. 9.1 shows air passing into the engine of a car, and a mixture of exhaust (waste) gas being released.




Fig. 9.1

- (i) Complete the table in Fig. 9.1 to show the name and percentage of the main gas in air. [2]

- (ii) Name **one** gas, other than carbon dioxide, in the mixture of exhaust gases which causes air pollution.


State **one** harmful effect that this gas has in the environment.

gas .....

harmful effect .....

..... [2]

- (b) Hydrogen gas is released when magnesium reacts with dilute hydrochloric acid.



- (i) Describe the test for hydrogen gas.

..... [2]

- (ii) State the **word** equation for the reaction between magnesium and dilute hydrochloric acid.

..... [1]

- (c) Fig. 9.2 shows the apparatus a student used to measure the temperature of the reaction mixture when magnesium powder reacted with dilute hydrochloric acid.




Fig. 9.2

The student repeated the experiment using different masses of magnesium powder.

After each experiment he rinsed out the insulated beaker and then refilled it using the same volume of  $1.0 \text{ mol/dm}^3$  hydrochloric acid. His results are shown in Fig. 9.3.




Fig. 9.3


- (i) Explain, in terms of energy, why the temperature of the reaction mixture increases when magnesium powder is added to dilute hydrochloric acid.

.....

.....

.....

..... [2]



(ii) Suggest why in this experiment the graph eventually became horizontal.


.....

.....

..... [2]




**Please turn over for Question 10.**



10 (a) Draw lines to link the waves in the electromagnetic spectrum to their uses. One line has already been drawn for you.

electromagnetic wave

use



[1]

(b) Different waves in the electromagnetic spectrum have different wavelengths and frequencies.

State the meaning of the terms *frequency* and *wavelength*.

You may use diagrams to help your explanation.

frequency

.....

.....

.....

wavelength

.....

.....

.....

[2]

(c)  $\alpha$ -radiation,  $\beta$ -radiation and  $\gamma$ -radiation are three radioactive emissions.

(i) Place the three radiations in order of their ionizing ability, placing the most ionizing

most ionizing .....

.....

least ionizing .....

[1]

(ii) Fig. 10.1 shows  $\alpha$ ,  $\beta$ , and  $\gamma$  radiations passing through a magnetic field.




Fig. 10.1

Explain the results.

.....

.....

.....

.....

.....

.....

[3]

11 (a) Define *osmosis*.

.....  
 .....  
 .....  
 ..... [3]

(b) A piece of plant tissue was placed in a concentrated sugar solution on a microscope slide. Fig. 11.1 shows the appearance of three of the cells from this tissue after they had been in the sugar solution for one hour.




Fig. 11.1

(i) Describe the effect, as shown in Fig. 11.1, that the sugar solution has had on the cells.

.....  
 ..... [1]

(ii) Explain this effect in terms of osmosis.

.....  
 .....  
 ..... [2]

(iii) Complete Fig. 11.2, to show how the cells would appear if they had been placed in water, instead of in a concentrated sugar solution.





Fig. 11.2

[2]



(c) Plants absorb water by osmosis into their root hair cells.

(i) Explain how the structure of the root hair cells is related to this function.

.....

.....

..... [2]

(ii) State **one** other function of root hair cells.

..... [1]

12 (a) Fig. 12.1 shows some of the particles present in a mixture of gases.




Fig. 12.1

(i) State the number of different gases that are contained in the mixture shown in Fig. 12.1.

..... [1]

(ii) On Fig. 12.1 draw a label line to a molecule of a **compound**. Label this molecule **C**. [1]

(iii) Explain your answer to (ii).

.....  
 ..... [1]

(b) Name the family of metals that includes cobalt (proton number 27) and nickel (proton number 28).

..... [1]

(c) Fig. 12.2 shows a simplified diagram of the industrial process used to produce aluminium.




Fig. 12.2

(i) Name the **two** substances that are melted together to form the electrolyte.

1 .....

2 .....

[2]

(ii) Name **one** gas that bubbles from the surface of the anode.

..... [1]

(iii) Describe what happens on the surface of the cathode to convert aluminium ions,  $Al^{3+}$ , to aluminium atoms.

.....

.....

..... [2]

**DATA SHEET**  
**The Periodic Table of the Elements**

		Group										
		I	II	III	IV	V	VI	VII	VIII	IX	X	
		1 <b>H</b> Hydrogen 1										
		4 <b>He</b> Helium 2										
7	3	9 <b>Li</b> Lithium 4	24 <b>Be</b> Beryllium 4		11 <b>B</b> Boron 5	12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 <b>O</b> Oxygen 8	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon 10		
23	11	13 <b>Na</b> Sodium 11	12 <b>Mg</b> Magnesium 12		13 <b>Al</b> Aluminium 13	14 <b>Si</b> Silicon 14	15 <b>P</b> Phosphorus 15	16 <b>S</b> Sulfur 16	17 <b>Cl</b> Chlorine 17	18 <b>Ar</b> Argon 18		
39	19	20 <b>K</b> Potassium 19	21 <b>Ca</b> Calcium 20		31 <b>Ga</b> Gallium 31	32 <b>Ge</b> Germanium 32	33 <b>As</b> Arsenic 33	34 <b>Se</b> Selenium 34	35 <b>Br</b> Bromine 35	36 <b>Kr</b> Krypton 36		
85	37	38 <b>Rb</b> Rubidium 37	39 <b>Sr</b> Strontium 38		49 <b>In</b> Indium 49	50 <b>Sn</b> Tin 50	51 <b>Sb</b> Antimony 51	52 <b>Te</b> Tellurium 52	53 <b>I</b> Iodine 53	54 <b>Xe</b> Xenon 54		
133	55	56 <b>Cs</b> Caesium 55	57 <b>Ba</b> Barium 56		81 <b>Tl</b> Thallium 81	82 <b>Pb</b> Lead 82	83 <b>Bi</b> Bismuth 83	84 <b>Po</b> Polonium 84	85 <b>At</b> Astatine 85	86 <b>Rn</b> Radon 86		
226	87	88 <b>Ra</b> Radium 88	89 <b>Ac</b> Actinium 89		65 <b>Zn</b> Zinc 30	64 <b>Cu</b> Copper 29	65 <b>Ni</b> Nickel 28	66 <b>Co</b> Cobalt 27	67 <b>Fe</b> Iron 26	68 <b>Mn</b> Manganese 25	69 <b>Cr</b> Chromium 24	70 <b>V</b> Vanadium 23
					71 <b>Ti</b> Titanium 22	72 <b>V</b> Vanadium 23	73 <b>Cr</b> Chromium 24	74 <b>Mn</b> Manganese 25	75 <b>Fe</b> Iron 26	76 <b>Co</b> Cobalt 27	77 <b>Ni</b> Nickel 28	78 <b>Cu</b> Copper 29
					89 <b>Y</b> Yttrium 39	90 <b>Zr</b> Zirconium 40	91 <b>Nb</b> Niobium 41	92 <b>Mo</b> Molybdenum 42	93 <b>Tc</b> Technetium 43	94 <b>Ru</b> Ruthenium 44	95 <b>Rh</b> Rhodium 45	96 <b>Pd</b> Palladium 46
					101 <b>Ru</b> Ruthenium 44	102 <b>Rh</b> Rhodium 45	103 <b>Pd</b> Palladium 46	104 <b>Ag</b> Silver 47	105 <b>Cd</b> Cadmium 48	106 <b>In</b> Indium 49	107 <b>Sn</b> Tin 50	108 <b>Sb</b> Antimony 51
					137 <b>La</b> Lanthanum 57	138 <b>Ce</b> Cerium 58	139 <b>Pr</b> Praseodymium 59	140 <b>Nd</b> Neodymium 60	141 <b>Pm</b> Promethium 61	142 <b>Sm</b> Samarium 62	143 <b>Eu</b> Europium 63	144 <b>Gd</b> Gadolinium 64
					178 <b>Hf</b> Hafnium 72	179 <b>Ta</b> Tantalum 73	180 <b>W</b> Tungsten 74	181 <b>Re</b> Rhenium 75	182 <b>Os</b> Osmium 76	183 <b>Ir</b> Iridium 77	184 <b>Pt</b> Platinum 78	185 <b>Au</b> Gold 79
					201 <b>Hg</b> Mercury 80	202 <b>Tl</b> Thallium 81	203 <b>Pb</b> Lead 82	204 <b>Bi</b> Bismuth 83	205 <b>Po</b> Polonium 84	206 <b>At</b> Astatine 85	207 <b>Rn</b> Radon 86	208 <b>Fr</b> Francium 87
					159 <b>Tb</b> Terbium 65	160 <b>Dy</b> Dysprosium 66	161 <b>Ho</b> Holmium 67	162 <b>Er</b> Erbium 68	163 <b>Tm</b> Thulium 69	164 <b>Yb</b> Ytterbium 70	165 <b>Lu</b> Lutetium 71	166 <b>Lr</b> Lawrencium 103
					97 <b>Bk</b> Berkelium 97	98 <b>Cf</b> Californium 98	99 <b>Es</b> Einsteinium 99	100 <b>Fm</b> Fermium 100	101 <b>Md</b> Mendelevium 101	102 <b>No</b> Nobelium 102	103 <b>Lr</b> Lawrencium 103	104 <b>U</b> Uranium 92
					94 <b>Pu</b> Plutonium 94	95 <b>Am</b> Americium 95	96 <b>Cm</b> Curium 96	97 <b>Bk</b> Berkelium 97	98 <b>Cf</b> Californium 98	99 <b>Es</b> Einsteinium 99	100 <b>Fm</b> Fermium 100	101 <b>Md</b> Mendelevium 101
					91 <b>Pa</b> Protactinium 91	92 <b>Th</b> Thorium 90	93 <b>U</b> Uranium 92	94 <b>Np</b> Neptunium 93	95 <b>Pm</b> Promethium 61	96 <b>Sm</b> Samarium 62	97 <b>Eu</b> Europium 63	98 <b>Gd</b> Gadolinium 64
					141 <b>Pr</b> Praseodymium 59	142 <b>Nd</b> Neodymium 60	143 <b>Pm</b> Promethium 61	144 <b>Sm</b> Samarium 62	145 <b>Eu</b> Europium 63	146 <b>Gd</b> Gadolinium 64	147 <b>Tb</b> Terbium 65	148 <b>Dy</b> Dysprosium 66
					140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	142 <b>Nd</b> Neodymium 60	143 <b>Pm</b> Promethium 61	144 <b>Sm</b> Samarium 62	145 <b>Eu</b> Europium 63	146 <b>Gd</b> Gadolinium 64	147 <b>Tb</b> Terbium 65
					232 <b>Th</b> Thorium 90	233 <b>Pa</b> Protactinium 91	234 <b>U</b> Uranium 92	235 <b>Np</b> Neptunium 93	236 <b>Pm</b> Promethium 61	237 <b>Sm</b> Samarium 62	238 <b>Eu</b> Europium 63	239 <b>Gd</b> Gadolinium 64

\*58-71 Lanthanoid series  
†90-103 Actinoid series

	a	X	a = relative atomic mass X = atomic symbol b = proton (atomic) number
Key	b	X	

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).