



CANDIDATE NAME					
CENTRE NUMBER			NDIDATE IMBER		

BIOLOGY 5090/03

Paper 3 Practical Test

October/November 2007

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

## Answer both questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

Do **not** write in the grey areas between the pages.

For Exam	iner's Use
1	
2	
Total	

This document consists of **6** printed pages and **2** blank pages.



3.0	
and the not the sample.	
E.	
 and the no. 77th.	

[5]

1 You are provided with three maize seedlings.

was taken.

- select one of the seedlings that shows clearly the remains of the grain and the pargrowing from it.
- (a) (i) Make a large, labelled drawing to show the structure of the seedling.

size of part of drawing =
size of part of specimen =
show your working clearly.

magnification = ......[3]

Measure a suitable part of both specimen and drawing, and calculate the magnification of your drawing. Indicate on your drawing where the measurement

**(b)** Read carefully all the instructions before starting this section.

(i) State the results of the test for

(c)

- cut off all parts that have grown from the three grains,
- chop the remains of the grains as finely as possibly on the tile,
- approximately half fill one of the large test-tubes with water,
- place starch solution in the Visking tubing up to a depth of approximately 4 cm using the pipette or syringe provided. You may find it helpful to stand the Visking tubing in the empty large test-tube to support it whilst filling it,
- add the chopped grains to the starch solution in the Visking tubing,
- using the funnel and thin rod, or folded card, to help you, rinse the white tile so that it is clean for later use,
- gently rinse the lower part of the Visking tubing under the tap to clean it,
- transfer the Visking tubing into the large test-tube containing water. Use the clip or peg to attach the Visking tubing to the top of the large test-tube so that the contents of the tubing are below the water level,
- place a drop of the water from the large test-tube on a clean white tile and test it for the presence of starch,
- test another sample of the water from the large test-tube for reducing sugar. Do not throw this away until after you have completed **(c)**.

` '		
	starch,	
	reducing sugar[2]	]
(ii)	Describe how you carried out the test for reducing sugar.	
	[3]	]
	Leave the experiment for about 30 minutes before carrying out (c).	
	Begin question 2 while you wait.	
Rep	peat the same two tests on the water in the test-tube.	
Sta	te the results of the test for	
star	rch,	
red	ucing sugar[2	1

www.PapaCambridge.com (d) Explain what has happened in the apparatus during this experiment to product results. (e) Describe a plan for a similar experiment to allow you to make a valid comparison between maize seedlings and rice seedlings. Give full practical details.

[Total: 22]

- measure the length of the leaf, specimen W1. (Do not include the petiole), 2
  - measure the width across the leaf at its widest part.


	1.1.1
length =	width =
1011901	WIGHT =

www.PapaCambridge.com (a) (i) Estimate the surface area on one side of the leaf by multiplying its length by its width and dividing the product by two.

Showing your working and your answer clearly.

[3]

- Place the leaf on the grid below and, with a pencil, trace its outline.
- (ii) Calculate the surface area of the leaf by counting the squares.



Show your working and your answer clearly.

				200
(iii	Sugg (a) (i	gest one advantage and one d ).  ntage  dvantage	isadvantage of the method of	estima Cann
	adva	ntage		
	disad	dvantage		[2]
) (i		e what further information is requ		
				[1]
(ii		gest and explain some advantaç ne ratio.	ges of leaves having a large su	rface area to
				[2]
С	ompare	specimen W1 with specimen W2	2	
(i	by lis	sting three visible features that ar	re the same in both specimens	
	1			
	2			
	3			[3]
(ii	-	ompleting Table 2.1 with three pwo specimens.	airs of contrasting features that	are visible in
		Table 2	.1	
		specimen <b>W1</b>	specimen <b>W2</b>	
	1	1	I .	

[3]

[Total : 18]

7 BLANK PAGE www.PapaCambridge.com

8

## **BLANK PAGE**

www.PapaCambridge.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.