CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

www.PapaCambridge.com

MARK SCHEME for the May/June 2014 series

5090 BIOLOGY

5090/62

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus r
	GCE O LEVEL – May/June 2014	5090
		S
Mark scheme	s will use these abbreviations:	13/
o ;	separates marking points	OH.
o /	alternatives	
o ()	contents of brackets are not required but should be i	mplied
∘ R	reject	On
• A	accept (for answers correctly cued by the question, or	or guidance for examiners)
o la	ignore (for incorrect but irrelevant responses)	

Mark schemes will use these abbreviations:

_		congrated marking	nainta
0	_	separates marking	DOMES

ignore (for incorrect but irrelevant responses) lg 0

AW alternative wording (where responses vary more than usual) 0

alternative valid point (where a greater than usual variety of responses is expected) **AVP**

ORA or reverse argument

underline actual word underlined must be used by candidate (grammatical variants excepted)

indicates the maximum number of marks that can be given max 0 statements on both sides of the + are needed for that mark

Question		on	Expected Answer	Additional Guidance	Mark
1	(a)	(i)	cell membrane ; chloroplast ;	labelling line must end precisely on the cell membrane labelling line may end in middle of chloroplast or end on the outer membrane	2
		(ii)	(membranes) destroyed/damaged/ broken/no longer only partially permeable/ AW ;	Ig damage to cell wall	2
			chlorophyll/green contents leak out/ AW (into water)/chloroplast damaged;	A chlorophyll diffuses out idea of chlorophyll leaving cells required	
	(b)	(i)	boiling time on x axis + vitamin C content on y + both axes fully labelled; scales linear using more than half of grid on both axes; correct plots;	minimum labels: t/min R m vit C/mg per 100 g	5
			2 lines drawn – either by straight lines between points or lines of best fit;	R thick or 'fuzzy' lines	
			both lines identified ;	lines may be labelled 'cabbage', 'water' or a key given	
		(ii)	correct answer + units ;;	A answers written on graph, e.g. 2.8 mins if not in (b)(ii) A e.g. 3.5 min or 3 min 30 sec award one mark for correct working or method indicated on graph	2

		my
Page 3	Mark Scheme	Syllabus
	GCE O LEVEL – May/June 2014	5090

			3
(iii)	cabbage vitamin C decreases; rapidly then more slowly/AW; water vitamin C increases to 4 minutes/ 26.0 mg per 100 g; then decreases;		ambrio
(c)	temperature – boiling or 100 °C; mass/weight/volume of cabbage; feature of cabbage – age/type/variety/healthy/from same plant; size of leaf pieces/surface area of cabbage;	A same temperature for water and oil Ig amount or quantity unless qualified	4
	volume/mass of oil (= volume/mass of water); (boiling/cooking) time; samples taken at same time intervals; same volume/size of sample taken for testing; same method for testing for vitamin C used;	A volume of liquids	
(d)	take more vitamin C measurements between 4 to 8 minutes/decrease time intervals for taking samples/samples at regular intervals; use larger sample of/more cabbage; repeat experiment + mean/average; use a water bath;		2
		Total	21

		my
Page 4	Mark Scheme	Syllabus
	GCE O LEVEL – May/June 2014	5090

	T		· O.
(a) (i)	only rose hip in 'box' drawn + good size;	at least 70 mm at widest	Mon
	body of fruit drawn with clear continuous outline + line delimiting body of fruit and sepals + no shading anywhere;	R any leaves etc. drawn/two fruits drawn	ambri
	top of fruit flattened + body of fruit wider than high;		
	at least 4 sepals realistically shaped, all longer than the depth of the fruit;		
	a sepal correctly labelled ;		
(ii)	X – X measurement + units ;	A 41 – 45 mm	5
	drawing measurement + units ;	A measurements in cm tolerance ± 1 mm	
	formula ;		
	allowance for x2 in Fig. 2.1;		
	magnification ;	R if any units given	
(iii)	contains seed(s)/ AW ;		1
(b)	thin/aerodynamic/flat/disc-shape;		2
	large surface area (to volume ratio);	A large lamina/winged	
(c) (i)	to avoid competition/overcrowding;	A idea of competition e.g. if not dispersed new plant will tap nutrients in same soil as parent	
	to colonise new areas/increase range;	nutrients in same soil as parent	2
(ii)	seeds evenly spread over surface in one + close together in the other dish;	R different numbers with no reference to spacing	4
	same number of seeds in each dish;		
	left for same time ;	lg few/several days	
	same volume/mass of water (at start);	lg amount or quantity unless	
	same (environmental) conditions given to both;	qualified e.g. pH, temperature, light, oxygen	
	both dishes covered to prevent loss of water/kept watered;		
	measurement/comparison of growth;		