Name

www.PapaCambridge.com UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

5070/02 **CHEMISTRY** 

Paper 2 Theory

October/November 2006

1 hour 30 minutes

Candidates answer on the Question Paper. Additional Materials: Answer Paper

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

Do not use staples, paper clips, highlighters, glue or correction fluid.

#### Section A

Answer all questions.

Write your answers in the spaces provided on the Question Paper.

#### Section B

Answer any **three** questions.

Write your answers on any lined pages and/or separate answer paper.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [ ] at the end of each question or part question.

A copy of the Periodic Table is printed on page 20.

For Exam	iner's Use
Section A	
В7	
В8	
В9	
B10	
Total	

[1]

**A1** The diagram shows the structures of various compounds.



(a) Use the letters A to F to answer the following. Each compound may be used once, more than once or not at all.

(i)	Which <b>one</b> of these compounds is most likely to contribute to acid rain?	
		[1]
(ii)	Which <b>one</b> of these compounds is an amphoteric oxide?	
		[1]
(iii)	Which two of these compounds have giant structures?	
	and	[1]
(iv)	Which <b>one</b> of these compounds when molten, releases a reddish brown gas a anode on electrolysis?	at the

					3	· Q
	(b)	Wha	at is	s the empirical formula of compo	ound <b>F</b> ?	A CA
	(c)			n monoxide is a poisonous atmo now this gas gets into the air.	spheric pollutant.	·
						[1]
A2	The	table	e sl	hows the decomposition tempera	atures of some metal carbonate	s.
				metal carbonate	decomposition temperature / °C	
				magnesium carbonate	540	
				calcium carbonate	900	
				strontium carbonate	1280	
				barium carbonate	1360	_
	(a)	(i)		escribe how the decomposition t the reactivity series.	emperature depends on the pos	
		(ii)	W 	rite an equation for the thermal o	decomposition of magnesium ca	
	(b)	Petr	role	eum fractions need to be cracked	I.	
		(i)	W	hy do oil companies need to cra	ck petroleum fractions?	

(ii) State the conditions needed for cracking.

.....[2]

(iii) Complete the following equation for the cracking of tetradecane.

$${\rm C}^{}_{14}{\rm H}^{}_{30} \, \to \, {\rm C}^{}_{10}{\rm H}^{}_{22} \, + \, ......$$


[1]

A3 A student investigated the reaction of calcium carbonate with hydrochloric acid.

$$\mathsf{CaCO}_3 \ + \ \mathsf{2HC}l \ \rightarrow \ \mathsf{CaC}l_2 \ + \ \mathsf{CO}_2 \ + \ \mathsf{H}_2\mathsf{O}$$

www.PapaCambridge.com The student used large pieces of calcium carbonate and carried out the reaction at 20 °C. The concentration of hydrochloric acid was 1.0 mol/dm<sup>3</sup>.

The results of the experiment were plotted as a graph which is shown below.



(a) After how many seconds did the reaction stop?

(b) Calculate the number of moles of carbon dioxide released during the reaction. [The volume of one mole of any gas at r.t.p. is 24 dm<sup>3</sup>]

(c) The student repeated the experiment using the same mass of calcium carbon. the same concentration of acid at 20 °C.


www.PapaCambridge.com This time the student used small pieces of calcium carbonate. On the grid opposite, sketch the graph for the reaction of small pieces of calcium carbonate with hydrochloric acid.

		[2]
(d)	When the student repeated the experiment using hydrochloric acid of concentra 2.0 mol/dm <sup>3</sup> , the speed of reaction increased.	tion
	Use the kinetic particle theory to explain why the speed of this reaction increased.	
		[2]

**A4** 


Heli	um, neon, argon	, krypton and xen	on are noble gas	ses.	ASC	Use
(a)	State a use for a				[1	January of Use Standard of Connection of Con
(b)	Use ideas about	t electronic struct	ure to explain wh	ny the noble gas	es are unreactive.	NA SAN
					[1]	
(c)	Complete the ta	ble to show the n	umber of particle	es in two isotope	es of argon.	
	isotope	number of protons	number of electrons	number of neutrons		
	<sup>36</sup> <sub>18</sub> Ar					
	<sup>40</sup> <sub>18</sub> Ar					
					_ [2	1
(d)		tassium comes a nass which is low			even though it has a	a
					[1]	]
(e)	Xenon reacts wi	kenon with fluoring ith fluoring at 400 equation for this re	°C to form xeno		⟨eF <sub>4</sub> .	

(f) Balloons filled with helium, neon, argon and krypton were tied to a bar. They were held horizontally at the same height and then released. The position of three of the balloons 5 seconds after release is shown in the diagram.



Predict the position of the balloon filled with krypton.	
	•
	1

# **A5** The diagram shows the stages in water purification.



- (a) After the air is blown in, the impure water contains iron(III) ions.
  - (i) What is the approximate percentage of oxygen in the air?

[1]

(ii) Describe a test for iron(III) ions.

- (b) Aluminium sulphate is added to clump tiny particles of clay together to form larger particles of solid.
  - Suggest how the solids are separated from the water.

[1]
-----

(ii) Aluminium sulphate contains  $Al^{3+}$  ions and  $SO_4^{2-}$  ions. Deduce the formula of aluminium sulphate.

[1]
-----

For Examiner's Use ambridge.com

		9  y are the following added during the water purification process?
		9
(c)	Why	y are the following added during the water purification process?
	(i)	carbon
		[1]
	(ii)	chlorine
		[1]
(d)		cium hydroxide is added to neutralise the acidic solution formed after chlorine has n added. This solution contains hydrochloric acid.
	(i)	Write an equation for the reaction of calcium hydroxide with hydrochloric acid.
		[1]
	(ii)	Write the ionic equation for this reaction.
		***

[1]

**A6** Methane, CH<sub>4</sub>, is the major constituent of natural gas.

www.PapaCambridge.com (a) Draw a dot-and cross-diagram to show how the outer shell electrons are arranged methane.

show hydrogen electrons as • show carbon electrons as x

	ge quantities of methane hydrate have been found underground.
(i)	Describe the arrangement and motion of the particles in solid methane hydrate.
	[2]
(ii)	The methane hydrate underground has not yet been extracted in large amounts. When it is extracted, large volumes of methane are released.
	Suggest <b>two</b> reasons why methane hydrate decomposes when it is extracted.
	[2]
(iii)	Describe how the presence of methane in the atmosphere may affect the environment.
	[1]

(b) At a temperature of −5 °C and a pressure of 26 atmospheres, methane combines with

(c) A very small quantity of methane is present in the atmosphere.

State another source of this gas.

www.PapaCambridge.com

(d) State a use of methane.

.....[1]

**(e)** In the presence of light methane reacts with chlorine.

$$CH_4 + Cl_2 \rightarrow CH_3Cl + HCl$$
  $\Delta H = -99.5 \text{ kJ}$ 

Draw an energy profile diagram for this reaction.

Show:

- the reactants and products,
- · the activation energy,
- the enthalpy change.



reaction pathway ----


### Section B

Answer three questions from this section on the lined pages at the end of this booklet.

Tie any extra sheets loosely to this booklet.

The total mark for this section is 30.

B7 A simplified diagram of the nitrogen cycle is shown below.



(a) Although certain bacteria in the soil convert nitrogen gas into nitrates, other bacteria convert nitrogen into ammonium salts. The ionic equation for this second reaction is

$$\mathrm{N_2}$$
 + 8H $^+$  + 6e $^ \rightarrow$  2NH $_4^+$ 

Explain why this is a reduction reaction.

(b) In the presence of hydrogen ions, a different type of bacterium converts nitrate ions into nitrogen gas and water.
 Give the ionic equation for this reaction.

(c) Ammonia is synthesized by the Haber process.

$$N_2 + 3H_2 \rightleftharpoons 2NH_3$$

- (i) State the sources of both the nitrogen and hydrogen needed for the Haber process. [2]
- (ii) State the essential conditions for the Haber process. [2]

this booklet.

[1]

(d) Fertilisers are added to the soil to improve crop yields.


A farmer has the choice of two fertilisers, ammonium nitrate, NH<sub>4</sub>NO<sub>3</sub>, or dialent hydrogen phosphate, (NH<sub>4</sub>)<sub>2</sub>HPO<sub>4</sub>.

Show by calculation which of these fertilisers contains the greater percentage of nitrogen mass.

You must show your working.

(e) State one major problem caused when the nitrates from fertilisers leach from the soil into streams and rivers. [1]

**B8** The diagram shows the stages in the manufacture of sulphuric acid.



(a) In the furnace, an ore containing zinc sulphide, ZnS, is heated in oxygen to make zinc oxide, ZnO, and sulphur dioxide.

Write an equation for this reaction.

[1]

(b) In the converter, sulphur dioxide and oxygen are passed over a series of catalyst beds at a temperature of about 420 °C.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$
  $\Delta H = -196 \text{ kJ}$ 

- An increase in pressure increases the yield of sulphur trioxide. Explain the reason for this effect. [1]
- Even though an increase in pressure increases the yield of sulphur trioxide, the reaction in the converter is carried out at atmospheric pressure. Suggest a reason for this. [1]
- In some sulphuric acid plants, the gases are cooled when they pass from one catalyst bed to the next. Use the equation to explain why the gases need to be cooled. [2]
- (c) When sulphuric acid is reacted with excess iron powder, iron(II) sulphate and hydrogen are produced.

Suggest how crystals of iron(II) sulphate could be prepared from this reaction mixture.

[2]

(d) 12.0 cm<sup>3</sup> of an aqueous solution of sulphuric acid exactly neutralised 20.0 cm<sup>3</sup> of a solution of sodium hydroxide of concentration 0.150 mol/dm<sup>3</sup>.

$$\rm H_2SO_4 \ + \ 2NaOH \ \rightarrow \ Na_2SO_4 \ + \ 2H_2O$$

Calculate the concentration, in mol/dm<sup>3</sup> of the aqueous sulphuric acid.

[3]

- **B9** Both ethanoic acid and butanoic acid are found in some plants and bacteria.
  - (a) Draw the structure of butanoic acid showing all atoms and bonds.
  - (b) Explain:
    - (i) what is meant by a weak acid,

www.PapaCambridge.com

(ii) how you could show that butanoic acid is a weak acid.

[2]

**(c)** Butanoic acid can be converted into an ester by heating it with an alcohol and a few drops of concentrated sulphuric acid.


A sample of an ester contains 0.18 g of carbon, 0.03 g of hydrogen and 0.08 g of oxygen. The relative molecular mass of the ester is 116.

Calculate both the empirical and molecular formulae of this ester.

[3]

- (d) Ethanoic acid can be produced by the bacterial fermentation of glucose, C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>. During this process glucose is first oxidised to ethanol.
  - (i) Write an equation for the fermentation of glucose to form ethanol and carbon dioxide. [1]
  - (ii) State the reagents and conditions required for ethanol to be oxidised to ethanoic acid in the laboratory. [2]

**B10** The diagram shows a cell for purifying copper.



- (a) Describe what you would observe during this electrolysis and write the equations for the reactions at the electrodes. [3]
- **(b)** The electrodes and the electrolyte conduct electricity.
  - (i) Explain how the structure of metals allows copper electrodes to conduct electricity. [1]
  - (ii) Explain why solid copper(II) sulphate does not conduct electricity but an aqueous solution of copper(II) sulphate does conduct. [2]
- (c) Describe how the apparatus shown in the diagram could be modified in order to electroplate an iron object, such as a knife, with nickel. [2]
- (d) Bronze is an alloy of copper and tin. Bronze is less malleable than pure copper. Use ideas about the structure of metals and alloys to explain why bronze is less malleable than pure copper. [2]

1	For
L	Examiner's
٦	1100

The state of the s	
17 MANN, DADACAN	For Examiner's
TaCan	Use
	Orido
	Se. COL

	For
L	Examiner's
٦	I Ico

42	
18 MANN, PARIS CAR	For Examiner's
ac <sup>al</sup>	A OSE
Name of the state	Tide
	.co

- All	
14.	
19  For Examiner's Use  Use	1
	OM

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a

	Elements
DATA SHEET	The Periodic Table of the

								Gro	Group									
_	=								-			≡	≥	>	>	<b>=</b>	0	
							1 Hydrogen										4 <b>He</b> lium	
Lithium Lithium 23	Beryllium 4 24 Magnassium							1				11 <b>B</b> Boron 5  27 <b>A1</b>	Carbon 6 Carbon 8 28 Silings	Nitrogen 7 7 31 31	0 Oxygen 32 S	19 Fluorine 9 35.5 A CL	Neon 10 A 40 A 7	
39 X X X X X X X X X X X X X X X X X X X	12 40 <b>Ca</b> Calcium 20 88 <b>Sr</b> Strontium 38	Scandium 21 89 89 Yttrium 39 Yttrium 39	48 Ti Titanium 22 91 Zr Zirconium 40	51 Vanadium 23 83 Nobium 41	52 Cr Chromium 24 96 Molybdenum 42	55 Mn Manganese 25 TC Technetium 43	56 Fe Iron 26 101 Ru Ruthenium 44	Cobalt 27 103 Rhodium 45	Nickel 28 106 Pd Palladium 46	64 Cu Copper 29 108 Ag Silver	65 <b>Zn</b> Znc 30 L12 <b>Cd</b> Cadmium 48	13 70 <b>Ga</b> Sallium 31 115 <b>In</b> Indium 49	73 Germanium 32 119 Sn Tin 50	15	16 Se Selenium 34 128 Tellurium 52	17 Caroline 80 Br 80 Bromine 35 127 I I I I I I I I I I I I I I I I I I I	18 84 84 Krypton 36 Xenon 54 Xenon 54	20
Caesium	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57	178 <b>Hf</b> Hafnium * 72	181 <b>Ta</b> Tantalum	184 <b>W</b> Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold	201 <b>Hg</b> Mercury 80	204 <b>T1</b> Thallium	207 <b>Pb</b> Lead	209 <b>Bi</b> Bismuth 83	<b>Po</b> Polonium 84	At Astatine 85	Radon 86	
Fr Francium 3-71 La 0-103 /	Radium Radium Radium 88 Actinoid	Actinium 89 acties a series	+	140 Cerium	141 Praseodymium	Neodymium	Pm Promethium	Samarium	162 <b>Eu</b>	Gadolinium	159 <b>T.b</b>	162 Dysprosium	165 <b>Ho</b> Holmium	167 <b>Er</b> bium		173 <b>Yb</b> Ytterbium	175 <b>Lu</b>	
ے ح	a ×	a = relative atomic mass <b>X</b> = atomic symbol  b = proton (atomic) number	mic mass nbol mic) number	232 <b>Th</b> Thorium	Pa Protactinium 91	238 <b>C</b> Uranium	Neptunium 93	Pu Plutonium 94	Am Ameridum 95	Curium	Berkelium 97	Californium 98	Einsteinium 99	Fermium 100	Md Mendelevium 101	Nobelium 102	Lawre 103	Mun Par
				The	The volume of one mole of any gas is $24\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).	one mole	of any ge	1s is 24 dn	m³ at roon	n tempera	ature and	pressure	(r.t.p.).			age con	Cannot.	Cambridge com

The volume of one mole of any gas is  $24\,\mathrm{dm}^3$  at room temperature and pressure (r.t.p.).