



## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

Se.com

CHEMISTRY 5070/01

Paper 1 Multiple Choice October/November 2007

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.


A copy of the Periodic Table is printed on page 16.



What is the boiling point of liquid X?

- **A** 100 °C
- **B** above 100 °C
- **C** between 0 °C and room temperature
- **D** between room temperature and 100 °C
- 2 Solid ammonium chloride decomposes on heating according to the following equation.

$$NH_4Cl(s) \rightarrow NH_3(g) + HCl(g)$$



Which change occurs to the damp red litmus paper in the experiment above?

- A remains red
- **B** turns blue and is then bleached
- C turns blue and remains blue
- **D** turns blue and then turns red
- 3 Compound **X** reacts with some metals to liberate hydrogen and is used to make fertilisers.

It gives a white precipitate when added to aqueous barium nitrate.

What is X?

- A ammonium sulphate
- **B** hydrochloric acid
- C potassium nitrate
- **D** sulphuric acid

www.PapaCambridge.com

**4** An aqueous solution of zinc chloride is tested with various reagents.

Which observation is correct?

- A Acidified barium nitrate solution gives a white precipitate.
- **B** Aqueous ammonia gives a white precipitate soluble in excess of the reagent.
- **C** Copper turnings precipitate zinc.
- **D** Sodium hydroxide solution gives a white precipitate insoluble in excess of the reagent.
- 5 What correctly describes the molecules in **very dilute** sugar solution at room temperature?

	sugar molecules	water molecules
Α	widely separated, moving at random	close together, moving at random
В	widely separated, moving at random	close together, not moving
С	widely separated, not moving	widely separated, moving at random
D	close together, moving at random	close together, moving at random

- **6** Which statement is correct about sulphur, atomic number 16?
  - A Sulphur can form the ion  $S^{2-}$ .
  - **B** Sulphur dissolves in water to form sulphuric acid.
  - **C** Sulphur forms ionic oxides.
  - **D** Sulphur will react with metals to produce S<sup>6+</sup> ions.
- 7 A researcher notices that atoms of an element **X** are releasing energy.


Why does this happen?

- A The atoms are absorbing light.
- **B** The atoms are radioactive.
- **C** The atoms react with argon in the air.
- **D** The atoms are evaporating.
- 8 Which material has the highest melting point?
  - A ammonia
  - **B** methane
  - C sodium chloride
  - **D** water

9 The table shows some properties of diamond and graphite.

		iamond and graphite.	
The ta	able shows some properties of d	iamond and graphite.	
	hich property is the reason corre	ect?	Mide
	property	reason	Se.Co.
Α	diamond cuts glass	the bonds in glass are stronger than those in diamond	13
В	diamond is a hard substance	there are many ionic bonds in diamond	
С	graphite is a lubricant	there are weak bonds between graphite layers	
D	graphite conducts electricity	graphite contains freely moving ions	_


10 An electrical circuit is set up using copper wire.



Which process takes place in the copper wire?

- Electrons move along the wire to the negative terminal, positive ions stay in position.
- В Electrons move along the wire to the positive terminal, positive ions move to the negative terminal.
- С Electrons move along the wire to the positive terminal, positive ions stay in position.
- Negative ions move along the wire to the positive terminal, positive ions move to the negative terminal.

**11** A molecule of arsenic bromide, AsBr<sub>3</sub>, has the structure shown.



Which properties could be correct for arsenic bromide?

	melting point/°C	electrical conductivity at room temperature
Α	28	does not conduct
В	39	conducts
С	650	conducts
D	755	does not conduct

12 The equation represents the action of dilute nitric acid on copper.

$$x$$
Cu +  $y$ HNO<sub>3</sub>  $\rightarrow x$ Cu(NO<sub>3</sub>)<sub>2</sub> + 4H<sub>2</sub>O + 2NO

What are the values of x and y?

**A** 
$$x = 1, y = 4$$

**B** 
$$x = 1, y = 8$$

**C** 
$$x = 3, y = 4$$


**D** 
$$x = 3, y = 8$$

**13** Which statement about the substance formed when a given mass of an element burns in excess oxygen is **always** correct?

The substance formed is

- A denser than the element.
- **B** greater in mass than the element.
- **C** soluble in water.
- **D** white in colour.

- n of copper and control of copper and control of copper and control of copper and copper
- 14 Which statement is correct about the electrolysis of an aqueous solution of copper with platinum electrodes?
  - A Oxygen is given off at the positive electrode.
  - **B** The mass of the negative electrode remains constant.
  - **C** The mass of the positive electrode decreases.
  - **D** There is no change in the colour of the solution.
- **15** The diagram shows a simple cell.




Which two metals produce the highest reading on the voltmeter?

	X	Y
Α	magnesium	copper
В	magnesium	iron
С	zinc	copper
D	zinc	iron

- **16** In which process is energy released?
  - A electrolysis of water to form hydrogen and oxygen
  - **B** forming a hydrogen molecule from two hydrogen atoms
  - C fractional distillation of crude oil
  - **D** photosynthesis

WILL CAMBRIDGE COM

17 The energy profile diagram for the reaction between hydrogen and chlorine is shown.



What information about this reaction does the diagram show?

	type of reaction	sign of enthalpy change, $\Delta H$
Α	endothermic	negative
В	endothermic	positive
С	exothermic	negative
D	exothermic	positive

**18** Carbon dioxide was produced when a given mass of zinc carbonate reacted with excess hydrochloric acid.

Which result shows what would happen if the reaction were repeated at a higher temperature?

	volume of carbon dioxide	rate of reaction
Α	same	faster
В	same	slower
С	greater	same
D	greater	faster

19 The reaction between hydrogen sulphide and sulphur dioxide is represented by shown.

$$2H_2S(g) + SO_2(g) \rightarrow 2H_2O(I) + 3S(s)$$
 reactants products

What occurs in this reaction?

- A Both reactants are reduced.
- **B** The two reactants are neither oxidised nor reduced.
- **C** Hydrogen sulphide is oxidised and sulphur dioxide is reduced.
- **D** Sulphur dioxide is oxidised and hydrogen sulphide is reduced.
- **20** In which compound does the element *X* have the highest oxidation state?
  - **A** X<sub>2</sub>O
- **B** X<sub>4</sub>O
- $\mathbf{C}$   $XO_2$
- $D XO_4$
- 21 Which pair of substances reacts to form a salt and water only?
  - A sodium chloride solution and silver nitrate solution
  - **B** sodium hydroxide solution and dilute ethanoic acid
  - C sodium carbonate solution and dilute sulphuric acid
  - **D** zinc and dilute hydrochloric acid
- 22 Which reaction does **not** involve neutralisation?

**A** 
$$H_2SO_4(aq) + 2NH_3(aq) \rightarrow (NH_4)_2SO_4(aq)$$

**B** 
$$H_2SO_4(aq) + BaCl_2(aq) \rightarrow BaSO_4(s) + 2HCl(aq)$$

C 
$$H_2SO_4(aq) + CuO(s) \rightarrow CuSO_4(aq) + H_2O(l)$$

**D** 
$$H_2SO_4(aq) + 2NaOH(aq) \rightarrow Na_2SO_4(aq) + 2H_2O(I)$$

www.PapaCambridge.com 23 The table gives information about the solubilities of the hydroxides, carbonates and calcium, sodium and zinc.

	hydroxide	carbonate	sulphate
calcium	slightly soluble	insoluble	slightly soluble
sodium	soluble	soluble	soluble
zinc	insoluble	insoluble	soluble

What is the best way of making zinc carbonate?

- Shake aqueous zinc sulphate with aqueous sodium carbonate.
- Shake aqueous zinc sulphate with solid calcium hydroxide and bubble in carbon dioxide. В
- Shake solid zinc hydroxide with aqueous sodium hydroxide and bubble in carbon dioxide. C
- Shake solid zinc sulphate and solid calcium carbonate with water.
- 24 In the Periodic Table, how many periods are needed to accommodate the elements of atomic numbers 1-18?
  - 2 8 Α В 3 C D
- 25 Which pair of properties are **both** correct for a typical transition element?

	property 1	property 2
Α	forms coloured compounds	soluble in water
В	high density	has variable oxidation states
С	low melting point	can act as a catalyst
D	low density	high melting point


26 Sodium, aluminium and sulphur are in the same period of the Periodic Table.

Which trend in types of oxide occurs across this period?

	left		right
Α	acidic	amphoteric	basic
В	amphoteric	basic	acidic
С	basic	acidic	amphoteric
D	basic	amphoteric	acidic

www.PapaCambridge.com

- 27 Which substance leaves a black solid when heated?
  - A calcium carbonate
  - **B** copper(II) carbonate
  - C potassium carbonate
  - D zinc carbonate
- 28 The diagram shows apparatus for measuring the volume of hydrogen given off when an excess of dilute hydrochloric acid is added to powdered metal. The volume of gas is measured at room temperature and pressure.



The experiment is carried out three times, using the same mass of powder each time but with different powders:

- pure magnesium
- pure zinc
- a mixture of magnesium and zinc

Which powder gives the greatest volume of hydrogen and which the least volume?

	greatest volume of H <sub>2</sub>	least volume of H <sub>2</sub>
Α	magnesium	zinc
В	magnesium	the mixture
С	zinc	magnesium
D	zinc	the mixture


is correct?

- 29 Which metal can react rapidly with steam, but reacts only very slowly with cold water
  - A calcium
  - **B** copper
  - C iron
  - **D** potassium
- 30 Which statement about the extraction of aluminium from aluminium oxide is correct?
  - **A** Aluminium is extracted by heating its oxide with carbon.
  - **B** Aluminium is extracted using electrolysis and is collected at the anode (positive electrode).
  - **C** Aluminium is extracted using platinum electrodes and direct current.
  - **D** Molten cryolite is used as a solvent for aluminium oxide.
- 31 All ammonium salts on heating with sodium hydroxide produce ammonia gas.

From which ammonium salt can the greatest mass of ammonia be obtained?

- **A** 0.5 mol (NH<sub>4</sub>)<sub>3</sub>PO<sub>4</sub>
- **B** 0.5 mol (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>
- **C** 1.0 mol NH<sub>4</sub>C*l*
- **D** 1.0 mol NH<sub>4</sub>NO<sub>3</sub>
- 32 Which is a use of sulphuric acid?
  - A as a bleach
  - **B** in the manufacture of ammonia
  - **C** in the manufacture of fertilisers
  - **D** in the manufacture of sulphur trioxide
- 33 Why are catalytic converters fitted to car exhausts?
  - A to decrease the amount of carbon dioxide emitted
  - **B** to decrease the amount of nitrogen oxides emitted
  - **C** to improve energy conservation
  - **D** to reduce global warming

34 Which type of water in the left hand column is linked correctly to a statement in the column?



35 When cracked, one mole of a compound X produces one mole of propene and one mole of hydrogen.

$$X \rightarrow C_3H_6 + H_2$$

What type of compound is **X**?

- an alcohol
- В an alkane
- C an alkene
- a carboxylic acid D

**36** When ethanol is left standing in the air for some time it becomes acidic.

Which equation represents this change?

A 
$$CH_3CH_2OH + CO \rightarrow CH_3CH_2CO_2H$$

**B** 
$$CH_3CH_2OH + O_2 \rightarrow CH_3CO_2H + H_2O$$

C 
$$CH_3CH_2OH + 3O_2 \rightarrow 2CO_2 + 3H_2O$$

$$\textbf{D} \quad 2CH_3CH_2OH + O_2 \quad \rightarrow 2CH_3CO_2H + 2H_2$$

37 A 10 cm<sup>3</sup> sample of a gaseous hydrocarbon is completely burnt in oxygen. The total volume of the products is 70 cm<sup>3</sup>.

Which equation represents the combustion of the hydrocarbon?

**A** 
$$CH_4(g) + 2O_2(g) \rightarrow CO_2(g) + 2H_2O(g)$$

**B** 
$$C_2H_4(g) + 3O_2(g) \rightarrow 2CO_2(g) + 2H_2O(g)$$

**C** 
$$C_3H_8(g) + 5O_2(g) \rightarrow 3CO_2(g) + 4H_2O(g)$$

**D** 
$$2C_2H_6(g) + 7O_2(g) \rightarrow 4CO_2(g) + 6H_2O(g)$$

- 38 What is produced when proteins are hydrolysed?
  - A alcohols
  - **B** amides
  - C amino acids
  - **D** sugars
- **39** Methane is the first member of the alkane series of hydrocarbons. The second member is ethane which
  - 1 has the formula  $C_2H_4$ .
  - 2 has a higher boiling point than that of methane.
  - 3 has the same empirical formula as methane.
  - 4 has chemical properties very similar to those of methane.

Which statements are correct?

- **A** 1, 2 and 3
- **B** 1 and 4
- **C** 2 and 4
- **D** 3 only

**40** The diagrams show four structures.

1

2

3

4

Which structures are isomeric butenes?

- **A** 1 and 2
- **B** 2 and 3
- **C** 3 and 4
- **D** 2 and 4

**BLANK PAGE** 

www.PapaCambridge.com

15

## **BLANK PAGE**

www.PapaCambridge.com

The Periodic Table of the Elements **DATA SHEET** 

								Gre	Group								
_	=											≡	≥	>	>		0
							Hydrogen 1										4 <b>He</b> Helium
7 E Lithium	Beryllium					_						11 Boron	12 Carbon 6	14 <b>N</b> itrogen 7	16 Oxygen	19 <b>T</b> Fluorine	20 <b>Ne</b> on 10
23 <b>Na</b> Sodium	24 Magnesium											27 <b>A1</b> Aluminium 13	28 <b>Si</b> Silicon	31 <b>P</b> Phosphorus 15	32 <b>S</b> Sulphur 16	35.5 <b>C1</b> Chlorine	40 <b>Ar</b> Argon
39 <b>K</b> Potassium	40 <b>Ca</b> Calcium	Scandium	48 <b>T</b> Titanium 22	51 V Vanadium 23	Cr Chromium	Mn Manganese	56 Fe Iron	59 <b>Co</b> Cobalt	59 Nickel	64 Cu Copper	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>AS</b> Arsenic	79 Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36
Rb Rubidium 37	Strontium	89 <b>≺</b>	2r Zirconium 40	Nobium 41	96 <b>Mo</b> Molybdenum 42	Tc Technetium	Ruthenium 44	Rhodium 45	106 Pd Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium	119 <b>Sn</b> Tin	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium	127 <b>I</b> lodine	X <b>e</b> Xenon Xenon
Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57 *	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tananum	184 <b>W</b> Tungsten	186 <b>Re</b> Rhenium 75			195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold	201 <b>Hg</b> Mercury	204 <b>T1</b> Thallium	207 <b>Pb</b> Lead	209 <b>Bi</b> Bismuth		At Astatine 85	Radon 86
<b>Fr</b> Francium 87	226 <b>Ra</b> Radium 88	Ac Actinium +															
*58-71 L; 190-103 ,	*58-71 Lanthanoid series 190-103 Actinoid series	l series eries		140 <b>Cer</b> ium	141 <b>Pr</b> Praseodymium	144 <b>Na</b> Neodymium	<b>Pm</b> Promethium	150 <b>Sm</b> Samarium	152 <b>Eu</b> Europium	157 <b>Gd</b> Gadolinium	159 <b>Tb</b> Terbium	162 <b>Dy</b> Dysprosium	165 <b>Ho</b>	167 <b>Er</b> Erbium	169 <b>Tm</b> Thulium	173 <b>Yb</b> Ytterbium	175 <b>Lu</b> Lutetium

noid series id series	140 <b>Ce</b>	Pr Praseodymium 59	144 <b>Nd</b> Neodymium 60	Pm Promethium 61	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 Dy Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	Lu Lutetium 71
<ul> <li>a = relative atomic mass</li> <li>X = atomic symbol</li> <li>b = proton (atomic) number</li> </ul>	232 <b>Th</b> Thorium	<b>Pa</b> Protactinium	238 <b>U</b>	Neptunium	<b>Pu</b> Plutonium	Am	<b>Cm</b> Curium	<b>BK</b> erkelium	Californium	Es	<b>Fm</b> Fermium	<b>Md</b> Mendelevium	Nobelium	NO Lr Nobelium Lawrencium
J b = protori (atomic) riumber	06	91	92	93	94	95	96	97	86	66	100	101	102	103
	The v	The volume of one mole of any gas is 24 dm $^{\rm 3}$ at room temperature and pressure (r.t.p.).	one mole	of any ga	ıs is 24 dr	n³ at roor	n tempera	ature and	pressure	; (r.t.p.).				
														1
														Mor
														ida
													CON	1
											ľ		-	

Key