



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
General Certificate of Education Ordinary Level

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--



**CHEMISTRY**

**5070/02**

Paper 2 Theory

**October/November 2009**

**1 hour 30 minutes**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

**Section A**

Answer **all** questions.

Write your answers in the spaces provided in the Question Paper.

**Section B**

Answer any **three** questions.

Write your answers in the spaces provided in the Question Paper.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
Section A	
B7	
B8	
B9	
B10	
Total	

This document consists of **18** printed pages and **2** blank pages.



## Section A

Answer **all** the questions in this section in the spaces provided.

The total mark for this section is 45

**A1 (a)** Choose from the following compounds to answer the questions below.

**ammonium sulfate**  
**calcium oxide**  
**copper(II) chloride**  
**ethanoic acid**  
**ethene**  
**nitrogen dioxide**  
**sodium iodide**  
**sulfur dioxide**

Each compound can be used once, more than once or not at all.

Which compound

**(i)** may be formed when alkanes are cracked,  
..... [1]

**(ii)** forms a yellow precipitate with aqueous silver nitrate,  
..... [1]

**(iii)** is used as a fertiliser,  
..... [1]

**(iv)** is a pollutant arising from lightning activity,  
..... [1]

**(v)** is used by farmers to reduce soil acidity,  
..... [1]

**(vi)** forms an alkaline solution when it reacts with water?  
..... [1]


**(b)** Define the term *compound*.

.....  
..... [1]

(c) Explain why sodium iodide will **not** conduct electricity when solid but will conduct electricity when dissolved in water.

.....  
..... [2]

[Total: 9]



**A2** In the presence of yeast, aqueous glucose,  $C_6H_{12}O_6$ , is changed into carbon dioxide and ethanol.

**(a)** Write the equation for this reaction.

..... [1]


**(b)** Name this reaction.

..... [1]

**(c)** Suggest how the speed of this reaction varies as the temperature changes from 20 to 60°C.

..... [2]


**(d)** Carbon dioxide is also formed when calcium carbonate reacts with hydrochloric acid.



The graph shows how the volume of carbon dioxide changes when calcium carbonate powder reacts with excess 0.5 mol/dm<sup>3</sup> hydrochloric acid.

On the same axes, sketch the curve you would expect when the experiment is repeated using the same amount of calcium carbonate and excess 1.0 mol/dm<sup>3</sup> hydrochloric acid.

[2]




**Fig. 1**

[Total: 6]



- A4** Methylamine,  $\text{CH}_3\text{NH}_2$ , is a base which has similar properties to ammonia. When methylamine dissolves in water, the following equilibrium is set up.



- (a) Explain why methylamine behaves as a base in this reaction.

.....[1]


- (b) When aqueous methylamine is added to aqueous iron(III) chloride, a red-brown precipitate is observed. Suggest what you would observe when aqueous methylamine is added to aqueous iron(II) chloride.

.....  
 .....[1]

- (c) Methylamine is a gas. Calculate the volume occupied by 6.2 g of methylamine at room temperature and pressure.

[2]

- (d) Methylamine is made by reacting methanol with excess ammonia under pressure in the presence of a catalyst.



- (i) Define the term *catalyst*.

.....[1]

- (ii) Calculate the theoretical yield of methylamine that can be obtained from 240 kg of methanol.

[2]

[Total: 7]

**A5** Bromine is extracted by reacting the potassium bromide in seawater with chlorine.

(a) Write an equation for this reaction.

.....[1]

(b) The bromine is purified by treatment with sulfur dioxide.  
Describe a test for sulfur dioxide.

test .....


result ..... [2]

(c) Bromine is a halogen.  
Complete the table to estimate both the density and boiling point of bromine.

halogen	density of solid halogen in $\text{g/cm}^3$	boiling point / $^\circ\text{C}$
fluorine	1.51	-188
chlorine	1.56	-35
bromine		
iodine	4.93	184

[2]

(d) Bromine is a liquid with a low boiling point and a strong smell.  
A technician spilt some bromine in the corner of a room which is free of draughts. After thirty seconds the bromine could be smelt on the other side of the room.



**Fig. 2**

Use the kinetic particle theory to explain why the bromine could be smelt on the other side of the room.

.....  
 .....  
 .....  
 ..... [3]

**A6** A thin layer of ozone,  $O_3$ , is present high in the Earth's atmosphere.


(a) Explain why the ozone layer is important in terms of human health.

.....  
 .....  
 ..... [2]

(b) Chlorofluorocarbons, CFCs, catalyse the conversion of ozone to oxygen.  
 Write the equation for this reaction.

..... [1]

(c) The graphs show how both the world CFC production and the amount of high level ozone at the South Pole have changed over the last 26 years.




**Fig. 3**

(i) Describe how the world production of CFCs has changed over the last 26 years.

.....  
 ..... [2]





- (ii) What evidence, if any, is there to indicate a link between the world CFC production and the amount of high-level ozone in the atmosphere at the South Pole?

Explain your answer.

.....

.....

.....

.....

.....

.....

.....

[2]


[Total: 7]




(ii) Other than acting as catalysts state **two** properties which are specific to transition elements.

.....  
..... [2]

[Total: 10]







(c) Suggest the type of condensation polymer which is made when fumaric acid reacts with ethane-1,2-diol, HO—CH<sub>2</sub>—CH<sub>2</sub>—OH

..... [1]

(d) Nylon is a condensation polymer.  
State **one** use of nylon.

..... [1]

(e) Describe **two** pollution problems caused by the disposal of non-biodegradable plastics.

.....  
.....  
.....  
..... [2]

[Total: 10]

B9 The diagram shows the carbon cycle.




Fig. 5

(a) Describe the process of photosynthesis in simple terms.

.....  
.....  
..... [2]

(b) Draw a dot-and-cross diagram for carbon dioxide showing the outer electrons only.

[1]

(c) Many scientists think that the burning of hydrocarbons such as octane, C<sub>8</sub>H<sub>18</sub>, contributes to climate change.


(i) Write an equation for the complete combustion of octane.

.....[1]

(ii) Why do some scientists think that the burning of hydrocarbons contributes to climate change?

.....  
.....[1]

(d) In the oceans carbon dioxide reacts with carbonate ions in seawater to form hydrogencarbonate ions.



(i) Microscopic plants remove carbon dioxide from the surface waters of the oceans. What effect does this have on the reaction above? Explain your answer.

.....  
.....  
.....  
.....[2]

(ii) Name a carbonate compound which is soluble in water.

.....[1]

(e) Calcium carbonate is used in flue gas desulfurisation. Describe this process and explain why it is important for the environment.

.....  
.....  
.....  
.....  
.....[2]

[Total: 10]

**B10** Iron is extracted by reducing iron ore in a blast furnace. The raw materials used are iron ore, coke, air and limestone.

(a) Name an ore of iron.

..... [1]

(b) Explain, by reference to the chemical reactions involved, why limestone is used in the blast furnace.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
..... [3]

(c) Coke burns in oxygen to form carbon dioxide.  
Explain, in terms of bond breaking and bond making, why this reaction is exothermic.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
..... [3]

(d) In the centre of the blast furnace iron(III) oxide,  $\text{Fe}_2\text{O}_3$ , is reduced by carbon monoxide to form iron and carbon dioxide. Near the bottom of the blast furnace the remaining iron(III) oxide is reduced by carbon to form iron and carbon monoxide.  
Write equations for both of these reactions.


.....  
..... [2]



- (e) When cold, the iron obtained from the blast furnace is brittle.  
How can this iron from the blast furnace be converted to mild steel?

.....  
..... [1]

[Total: 10]







**DATA SHEET**  
**The Periodic Table of the Elements**

		Group																								
I	II	III	IV	V	VI	VII	0																			
7 <b>Li</b> Lithium 4	9 <b>Be</b> Beryllium 4	1 <b>H</b> Hydrogen 1	11 <b>B</b> Boron 5	12 <b>C</b> Carbon 6	13 <b>Al</b> Aluminium 13	14 <b>Si</b> Silicon 14	15 <b>P</b> Phosphorus 15	16 <b>S</b> Sulfur 16	17 <b>Cl</b> Chlorine 17	18 <b>Ar</b> Argon 18	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon 10	2 <b>He</b> Helium 2													
23 <b>Na</b> Sodium 12	24 <b>Mg</b> Magnesium 12	27 <b>Co</b> Cobalt 27	28 <b>Ni</b> Nickel 28	29 <b>Cu</b> Copper 29	30 <b>Zn</b> Zinc 30	31 <b>Ga</b> Gallium 31	32 <b>Ge</b> Germanium 32	33 <b>As</b> Arsenic 33	34 <b>Se</b> Selenium 34	35 <b>Br</b> Bromine 35	36 <b>Kr</b> Krypton 36															
39 <b>K</b> Potassium 20	40 <b>Ca</b> Calcium 20	45 <b>Sc</b> Scandium 21	46 <b>Ti</b> Titanium 22	47 <b>V</b> Vanadium 23	48 <b>Cr</b> Chromium 24	51 <b>Mn</b> Manganese 25	55 <b>Fe</b> Iron 26	56 <b>Ni</b> Nickel 28	59 <b>Co</b> Cobalt 27	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	76 <b>Se</b> Selenium 34	79 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36									
85 <b>Rb</b> Rubidium 38	88 <b>Sr</b> Strontium 38	89 <b>Y</b> Yttrium 39	90 <b>Zr</b> Zirconium 40	91 <b>Nb</b> Niobium 41	92 <b>Mo</b> Molybdenum 42	93 <b>Tc</b> Technetium 43	101 <b>Ru</b> Ruthenium 44	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium 49	119 <b>Sn</b> Tin 50	122 <b>Sb</b> Antimony 51	127 <b>I</b> Iodine 53	128 <b>Te</b> Tellurium 52	131 <b>Xe</b> Xenon 54										
133 <b>Cs</b> Caesium 56	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57	140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	147 <b>Pm</b> Promethium 61	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71	181 <b>Ta</b> Tantalum 73	186 <b>Re</b> Rhenium 75	192 <b>Ir</b> Iridium 77	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80	204 <b>Tl</b> Thallium 81	207 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83	210 <b>At</b> Astatine 85	222 <b>Rn</b> Radon 86	
223 <b>Fr</b> Francium 88	226 <b>Ra</b> Radium 88	227 <b>Ac</b> Actinium 89	140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	147 <b>Pm</b> Promethium 61	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71	232 <b>Th</b> Thorium 90	238 <b>U</b> Uranium 92	243 <b>Np</b> Neptunium 93	247 <b>Pu</b> Plutonium 94	252 <b>Es</b> Einsteinium 99	257 <b>Fm</b> Fermium 100	262 <b>Md</b> Mendelevium 101	268 <b>Lr</b> Lawrencium 103				

8–71 Lanthanoid series  
90–103 Actinoid series

$a$  = relative atomic mass  
 $X$  = atomic symbol  
 $b$  = atomic (proton) number

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).