



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
General Certificate of Education Ordinary Level

CANDIDATE  
NAME

CENTRE  
NUMBER

--	--	--	--	--

CANDIDATE  
NUMBER

--	--	--	--



**CHEMISTRY**

**5070/22**

Paper 2 Theory

**October/November 2011**

**1 hour 30 minutes**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

**Section A**

Answer **all** questions.

Write your answers in the spaces provided in the Question Paper.

**Section B**

Answer any **three** questions.

Write your answers in the spaces provided in the Question Paper.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use	
<b>Section A</b>	
<b>B6</b>	
<b>B7</b>	
<b>B8</b>	
<b>B9</b>	
<b>Total</b>	

This document consists of **17** printed pages and **3** blank pages.



## Section A

Answer **all** the questions in this section in the spaces provided.

The total mark for this section is 45.

**A1** Choose from the following list of elements to answer the questions below.

**calcium**

**chlorine**

**hydrogen**

**iodine**

**nickel**

**sodium**

**vanadium**

**zinc**

Each element can be used once, more than once, or not at all.

Which element

**(a)** forms an oxide which is amphoteric,

..... [1]

**(b)** is a catalyst in the hydrogenation of alkenes,

..... [1]

**(c)** oxidises aqueous bromide ions to bromine,

..... [1]

**(d)** is used in water purification to kill bacteria,

..... [1]

**(e)** is formed at the cathode when a dilute aqueous solution of sodium chloride is electrolysed,

..... [1]

**(f)** can be used in the sacrificial protection of iron?

..... [1]

[Total: 6]

**A2** Pure oxygen for industrial use is obtained from the air.

**(a) (i)** State the percentage by volume of oxygen in clean air.

..... [1]

**(ii)** Explain how fractional distillation is used to obtain oxygen from the air.

.....  
.....  
.....  
..... [2]

**(b)** When acetylene,  $C_2H_2$ , burns in oxygen it produces a very hot flame.  
State one industrial use for this oxyacetylene flame.

..... [1]

**(c)** Acetylene has a triple covalent bond between its carbon atoms.  
Draw a 'dot-and-cross' diagram for acetylene.  
You need only show the outer electrons.

[1]

- (d) Oxygen reacts with magnesium to form magnesium oxide.  
Draw diagrams to show the complete electronic structure and charges of both present in magnesium oxide.

[2]

- (e) Oxygen,  $O_2$ , in the atmosphere can react to form ozone,  $O_3$ .

- (i) Write an equation for this reaction.

..... [1]

- (ii) In the **upper** atmosphere there is a layer of ozone surrounding the Earth.  
Explain the importance of this layer in terms of human health.

.....  
..... [1]

[Total: 9]

**A3** The alkanes are an homologous series of saturated hydrocarbons with the general formula  $C_nH_{2n+2}$ .


(a) What do you understand by the term *hydrocarbon*?

..... [1]


(b) Write the molecular formula for the alkane containing seven carbon atoms.

..... [1]

(c) Two different structural formulae can be written for the alkane having the molecular formula  $C_4H_{10}$ .



butane




methylpropane

What term is given to compounds with the same molecular formula but different structural formulae?

..... [1]

(d) A student ignites a mixture of  $15\text{ cm}^3$  of propane and  $100\text{ cm}^3$  of oxygen. The oxygen is in excess. All measurements of volume are taken at room temperature and pressure.



Calculate

the volume of carbon dioxide formed,

.....  $\text{cm}^3$  [1]

the volume of unreacted oxygen remaining.

.....  $\text{cm}^3$  [1]

(e) Explain why the **incomplete** combustion of an alkane in an enclosed space is hazardous.


.....

..... [2]

[Total: 7]


**A4** Coal is largely carbon.

**(a)** Carbon burns in excess air to form carbon dioxide.



**(i)** Draw an energy profile diagram for this reaction on the axes below.  
On your diagram label

- the reactants and products
- the enthalpy change for the reaction
- the activation energy



[3]

**(ii)** Give a test for carbon dioxide.

test .....

observation ..... [2]

(b) Coal contains a small amount of sulfur.

(i) Explain how the burning of coal results in the formation of acid rain.

.....  
.....  
.....  
.....  
..... [3]

(ii) State one effect of acid rain.

..... [1]

(c) Oxides of nitrogen also contribute to acid rain. They can be formed naturally in the atmosphere from nitrogen and oxygen.

(i) What condition is needed to allow nitrogen and oxygen to combine in the atmosphere?

..... [1]

(ii) Nitric acid in the atmosphere can chemically erode buildings made from carbonate rocks.

Write an equation for the reaction of nitric acid,  $\text{HNO}_3$ , with calcium carbonate,  $\text{CaCO}_3$ .

[2]

[Total: 12]

**A5** Bromine is a halogen. It has two naturally-occurring isotopes.

**(a)** Define the term *isotopes*.

.....  
 ..... [1]

**(b)** One isotope of bromine has the symbol  ${}_{35}^{81}\text{Br}$ .

State the number of protons, neutrons and electrons in this isotope of bromine.

protons .....


neutrons .....

electrons .....

[2]


**(c)** Bromine is a liquid at room temperature.

**(i)** Draw a diagram to show the arrangement of the molecules in liquid bromine.

Show a bromine molecule as .

[2]

**(ii)** A small amount of liquid bromine was placed in the bottom of a sealed flask. After thirty minutes the brown colour of the bromine had spread throughout the flask.



Use the kinetic particle theory to explain these observations.

.....  
 .....  
 .....  
 .....



(d) Bromine forms a variety of compounds with other halogens.

- (i) Bromine reacts with fluorine to form bromine(I) fluoride, BrF.  
Write an equation for this reaction.

..... [1]

- (ii) Another compound of bromine and fluorine is bromine(V) fluoride, BrF<sub>5</sub>.  
Calculate the percentage of bromine by mass in bromine(V) fluoride.

[2]

[Total: 11]

## Section B

Answer **three** questions from this section in the spaces provided.

The total mark for this section is 30.

**B6** Ammonia is made by the Haber process.

**(a) (i)** Write an equation for the formation of ammonia in the Haber process.

..... [1]

**(ii)** State the essential conditions for the Haber process.

.....  
 ..... [3]

**(b)** Ammonia is used to make fertilisers.  
 Explain why farmers use fertilisers.

.....  
 ..... [1]

**(c)** Many fertilisers are ammonium salts.  
 Explain why adding calcium hydroxide to the soil can cause the loss of nitrogen from the ammonium salts added as fertilisers.

.....  
 .....  
 ..... [2]

**(d)** Fertilisers such as ammonium nitrate and ammonium phosphate are solids.  
 They can get into lakes and cause excessive growth of algae.

**(i)** Explain how these fertilisers get into lakes.

.....  
 ..... [2]

**(ii)** What name is given to the enrichment of lakes with nitrates and phosphates which leads to the death of plant and animal life in the lakes?

..... [1]

[Total: 10]

**B7** Sulfuric acid is a strong acid. Ethanoic acid is a weak acid.

**(a)** What do you understand by the terms *strong acid* and *weak acid*?

.....  
.....  
..... [1]

**(b)** Compare and explain the difference in the electrical conductivity between a strong and a weak acid.

..... [1]

**(c)** A dilute solution of sulfuric acid contains hydrogen ions, hydroxide ions and sulfate ions. When this solution is electrolysed, hydrogen gas is formed at the cathode and oxygen gas is formed at the anode.


**(i)** Explain why hydrogen is formed at the cathode.

.....  
..... [1]

**(ii)** Write the ionic equation for the reaction at the anode.

..... [2]

(d) Magnesium reacts with dilute sulfuric acid.



- (i) Describe how you can follow the progress of this reaction.  
What measurements can you use to calculate the speed of the reaction?

.....

.....

.....

.....

.....

.....

..... [3]

- (ii) A student reacts 3.0 g of magnesium with 2.5 mol/dm<sup>3</sup> sulfuric acid.  
Calculate the minimum volume of sulfuric acid that reacts with all the magnesium.

[2]

[Total: 10]

**B8** The table gives some information about the first five members of the carboxylic acid homologous series.

carboxylic acid	formula	boiling point/°C
methanoic acid	HCO <sub>2</sub> H	101
ethanoic acid	CH <sub>3</sub> CO <sub>2</sub> H	118
propanoic acid	C <sub>2</sub> H <sub>5</sub> CO <sub>2</sub> H	141
butanoic acid		166
pentanoic acid	C <sub>4</sub> H <sub>9</sub> CO <sub>2</sub> H	

**(a) (i)** Estimate the boiling point of pentanoic acid.

..... [1]

**(ii)** Draw the structure of butanoic acid.  
Show all atoms and bonds.

[1]

**(iii)** Ethanoic acid reacts with sodium.  
Write an equation for this reaction.


..... [1]

(b) Carboxylic acids react with alcohols to form esters.

(i) Name the ester formed when ethanoic acid reacts with ethanol.

..... [1]

(ii) The diagram shows the repeat unit of poly(ethenyl ethanoate)



Draw the structure of the monomer used to make poly(ethenyl ethanoate).

[1]

(c) Carboxylic acid **X** contains 55.8% carbon, 7.0% hydrogen and 37.2% oxygen.

(i) Calculate the empirical formula of **X**.

[2]

(ii) A molecule of carboxylic acid **X** contains four carbon atoms. What is its molecular formula?

..... [1]

(iii) Carboxylic acid **X** is an unsaturated compound.  
Give a test for an unsaturated compound.

test .....

observation ..... [2]

[Total: 10]

**B9** Barium is a reactive metal in Group II of the Periodic Table. Barium reacts with water in a similar way to sodium. The products of the reaction are aqueous barium hydroxide and a colourless gas.

(a) (i) Write an equation, including state symbols, for this reaction.

..... [3]


(ii) Aqueous barium hydroxide is neutralised by hydrochloric acid. Write the simplest ionic equation for this reaction.

..... [1]

(b) Explain why barium metal conducts electricity.

..... [1]

(c) Barium oxide reacts with aluminium.



Explain how this equation shows that aluminium is a reducing agent.

..... [1]

(d) Barium sulfate is an insoluble compound.

Describe how a pure dry sample of barium sulfate is prepared from aqueous barium nitrate.

..... [4]

[Total:10]









**DATA SHEET**  
**The Periodic Table of the Elements**

		Group																			
I	II	III	IV	V	VI	VII	0														
7 <b>Li</b> Lithium 4	9 <b>Be</b> Beryllium 4	1 <b>H</b> Hydrogen 1	11 <b>B</b> Boron 5	12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 <b>O</b> Oxygen 8	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon 10													
23 <b>Na</b> Sodium 12	24 <b>Mg</b> Magnesium 12	13 <b>Al</b> Aluminium 13	27 <b>Si</b> Silicon 14	28 <b>P</b> Phosphorus 15	31 <b>S</b> Sulfur 16	32 <b>Cl</b> Chlorine 17	35.5 <b>Ar</b> Argon 18														
39 <b>K</b> Potassium 20	40 <b>Ca</b> Calcium 20	45 <b>Sc</b> Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	52 <b>Cr</b> Chromium 24	55 <b>Mn</b> Manganese 25	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	59 <b>Ni</b> Nickel 28	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36				
85 <b>Rb</b> Rubidium 38	88 <b>Sr</b> Strontium 38	89 <b>Y</b> Yttrium 39	91 <b>Zr</b> Zirconium 40	93 <b>Nb</b> Niobium 41	96 <b>Mo</b> Molybdenum 42	101 <b>Ru</b> Ruthenium 44	101 <b>Rh</b> Rhodium 45	103 <b>Pd</b> Palladium 46	106 <b>Ag</b> Silver 47	108 <b>Cd</b> Cadmium 48	112 <b>In</b> Indium 49	115 <b>Tl</b> Thallium 81	119 <b>Sb</b> Antimony 51	122 <b>Te</b> Tellurium 52	127 <b>I</b> Iodine 53	131 <b>Xe</b> Xenon 54					
133 <b>Cs</b> Caesium 56	137 <b>Ba</b> Barium 56	139 <b>La</b> Lanthanum 57	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium 77	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80	204 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83	209 <b>Po</b> Polonium 84	210 <b>At</b> Astatine 85	222 <b>Rn</b> Radon 86						
223 <b>Fr</b> Francium 88	226 <b>Ra</b> Radium 88	227 <b>Ac</b> Actinium 89																			

140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	147 <b>Pm</b> Promethium 61	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	175 <b>Lu</b> Lutetium 71
232 <b>Th</b> Thorium 90	231 <b>Pa</b> Protactinium 91	238 <b>U</b> Uranium 92	237 <b>Np</b> Neptunium 93	244 <b>Pu</b> Plutonium 94	243 <b>Am</b> Americium 95	247 <b>Cm</b> Curium 96	251 <b>Cf</b> Californium 98	252 <b>Es</b> Einsteinium 99	257 <b>Fm</b> Fermium 100	258 <b>Md</b> Mendelevium 101	260 <b>Lr</b> Lawrencium 103

$a$	<b>X</b>	$b$
$y$	<b>X</b>	$b$

8–71 Lanthanoid series  
 90–103 Actinoid series

$a$  = relative atomic mass  
 $X$  = atomic symbol  
 $b$  = atomic (proton) number

The volume of one mole of any gas is 24dm<sup>3</sup> at room temperature and pressure (r.t.p.).