

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

## CHEMISTRY

Paper 1 Multiple Choice

5070/11 October/November 2012 1 hour

Additional Materials:

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16.

This document consists of 13 printed pages and 3 blank pages.



www.papaCambridge.com It is suspected that a lollipop contains traces of a poisonous green dye (boiling poly 1 well as two harmless orange and red dyes (boiling points 69 °C and 73 °C respectively).

What is the best method by which the green dye may be detected?

- Α filtration
- В fractional distillation
- С paper chromatography
- **D** recrystallisation
- 2 Element X does not conduct electricity and has a low melting point.

Which could be element X?

- A carbon (graphite)
- В iodine
- **C** mercury
- **D** sodium
- 3 Substance Q is a soluble salt.

An aqueous solution of Q is tested as shown.

test	observation
warm Q with aqueous sodium hydroxide	alkaline gas given off, no precipitate formed
to Q add dilute nitric acid and barium nitrate solution	white precipitate forms


What is Q?

- A ammonium chloride
- **B** ammonium sulfate
- **C** zinc chloride
- **D** zinc sulfate
- Which statement explains why the gases propane, C<sub>3</sub>H<sub>8</sub>, and carbon dioxide, CO<sub>2</sub>, diffuse at the 4 same rate at room temperature and pressure?
  - Both are denser than air. Α
  - В Both compounds contain carbon.
  - С Both molecules contain covalent bonds.
  - D They have the same relative molecular mass,  $M_{\rm r}$ .

Hydrogen chloride is very soluble in water, whereas chlorine is only slightly soluble in 5

Both gases can be dried using concentrated sulfuric acid.

Which diagram represents the correct method of obtaining pure dry chlorine from damp chlorine containing a small amount of hydrogen chloride?



- Which of the following is not a mixture? 6
  - ethanol Α
  - В petrol
  - С steel
  - D tap water

www.papacambridge.com 7 The table gives the arrangements of electrons in the atoms of four different elements. Which element does not form an ionic compound with chlorine?

	arrangement of electrons
Α	2.1
В	2.4
С	2.8.1
D	2.8.2


8 A compound Y is the only substance formed when two volumes of dry ammonia gas react with one volume of dry carbon dioxide (both volumes measured at s.t.p.).

What is the most likely formula of Y?


- $(NH_4)_2CO_3$ Α
- В NH<sub>2</sub>COONH<sub>4</sub>
- С (NH<sub>2</sub>)<sub>2</sub>CO
- NH<sub>4</sub>COONH<sub>4</sub> D
- 9 For which compound is the type of bonding correct?

	compound	bonding
Α	ammonia	ionic
В	carbon dioxide	covalent
С	sodium chloride	covalent
D	water	ionic

- 10 Why do graphite and diamond have different physical properties?
  - Α Diamond has a giant molecular structure but graphite has not.
  - В Diamond occurs naturally but graphite is made artificially.
  - С Graphite is ionic whereas diamond is covalent.
  - D They contain carbon atoms covalently bonded to different numbers of other carbon atoms.



**13** In the experiment shown in the diagram, the bulb lights and a gas is produced at each electrode.




What is X?

- A aqueous copper(II) sulfate
- B concentrated aqueous sodium chloride
- **C** ethanol
- D molten lead bromide
- 14 Which element in the table is an alkali metal?

	melting point °C	density g/cm <sup>3</sup>
Α	-39	13.60
в	-7	3.10
С	98	0.97
D	1083	8.92

www.papaCambridge.com 15 The diagram shows the steps by which carbon dioxide can be converted into orga and finally returned to the atmosphere.

Which step is endothermic?




- 16 Which industrial reaction does not involve a catalyst?
  - A the cracking of hydrocarbons
  - **B** the extraction of iron from haematite in a blast furnace
  - С the production of ammonia from nitrogen and hydrogen
  - D the redox reaction involving the removal of combustion pollutants from car exhausts
- 17 Salts containing which of the following anions are always soluble in water?
  - Α carbonates
  - В chlorides
  - С nitrates
  - sulfates D
- **18** What is a property of the hydroxide, OH<sup>-</sup>, ion?
  - It combines with hydrogen to form water. Α
  - В It is present in water.
  - С It readily breaks down into hydrogen ions and oxide ions.
  - D It travels to the cathode in electrolysis of an aqueous solution.
- 19 Which method of preparation of magnesium sulfate is an example of a redox reaction?

$$\textbf{A} \quad Mg \ + \ H_2SO_4 \ \rightarrow \ MgSO_4 \ + \ H_2$$

- **B** MgO +  $H_2SO_4 \rightarrow MgSO_4 + H_2O$
- **C** Mg(OH)<sub>2</sub> + H<sub>2</sub>SO<sub>4</sub>  $\rightarrow$  MgSO<sub>4</sub> + 2H<sub>2</sub>O
- **D** MgCO<sub>3</sub> + H<sub>2</sub>SO<sub>4</sub>  $\rightarrow$  MgSO<sub>4</sub> + H<sub>2</sub>O + CO<sub>2</sub>

20 The diagram shows some reactions of copper compounds.

Which change is made by adding an acid?



- **21** Which process is a renewable energy source?
  - Α combustion of coal
  - В electrolysis of aluminium oxide
  - С fractional distillation of petroleum
  - photosynthesis D
- **22** An element X forms an ion  $X^{3-}$ .

In which group of the Periodic Table will this element be found?

- Group I Α
- Group III В
- Group V С
- D Group VII
- 23 Which two gases do not damage limestone buildings?
  - nitrogen and carbon monoxide Α
  - В nitrogen dioxide and carbon monoxide
  - С nitrogen dioxide and carbon dioxide
  - sulfur dioxide and carbon dioxide D

www.papacambridge.com 24 A metal, X, has a low melting point, reacts with water, forms only one oxide and is ex its ore by electrolysis.

What is the identity of X?

- A aluminium
- В copper
- С iron
- D sodium
- **25** Metallic objects may be decorated by having very thin layers of gold applied to them.

Which properties of gold make it suitable for this use?

	it conducts electricity	it is malleable	it is unreactive
Α	x	$\checkmark$	1
В	$\checkmark$	x	$\checkmark$
С	$\checkmark$	$\checkmark$	x
D	$\checkmark$	$\checkmark$	$\checkmark$

**26** Iron pipes corrode rapidly when exposed to sea water.

Which metal, when attached to the iron, would not offer protection against corrosion?

- A aluminium
- B copper
- C magnesium
- D zinc
- 27 Metal M will displace copper from aqueous copper(II) sulfate solution, but will not displace iron from aqueous iron(II) sulfate solution. M is extracted from its oxide by heating the oxide with carbon.

What is the order of reactivity of these four metals?

	least reactive		<b>→</b>	most reactive
Α	sodium	metal <b>M</b>	iron	copper
в	sodium	iron	metal <b>M</b>	copper
С	copper	iron	metal <b>M</b>	sodium
D	copper	metal M	iron	sodium


- Α carbon monoxide
- В carbon dioxide
- С nitrogen
- D steam
- **29** What is the function of silica, SiO<sub>2</sub>, in the equation shown below?

 $\text{CaO} \ + \ \text{SiO}_2 \ \rightarrow \ \text{CaSiO}_3$ 

- a basic oxide Α
- B a reducing agent
- C an acidic oxide
- **D** an oxidising agent
- **30** A mixture of two gases has no effect on either damp blue litmus paper or damp red litmus paper.


Which gases are present in the mixture?

- A ammonia and oxygen
- В carbon dioxide and sulfur dioxide
- С chlorine and hydrogen
- D hydrogen and oxygen
- 31 Which contains the greatest mass of nitrogen?
  - A 0.5 moles (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>
  - **B** 1 mole NH<sub>4</sub>NO<sub>3</sub>
  - С 1.5 moles (NH<sub>4</sub>)<sub>3</sub>PO<sub>4</sub>
  - D 2 moles CO(NH<sub>2</sub>)<sub>2</sub>




- **A** Nylon and *Terylene* are both polyesters.
  - **B** Proteins and nylon have the same monomer units.
  - **C** Proteins have the same amide linkages as nylon.
  - **D** *Terylene* and fats are esters but with different linkages.
- 34 Which row shows both the correct source and the correct effect of the named pollutant?

	pollutant	source	effect
Α	carbon monoxide	incomplete combustion of carbon-containing materials	global warming
В	oxides of nitrogen	decaying vegetable matter	global warming
С	ozone	photochemical reactions	acid rain
D	sulfur dioxide	volcanoes	acid rain



It can be predicted from their formulae that the compounds have the same

- **A** boiling point.
- B composition by mass.
- **C** melting point.
- D structural formula.
- 36 Which statement concerning isomers is true?
  - A Diamond and graphite are isomers of each other.
  - **B** Isomers have the general formula  $C_nH_{2n+2}$ .
  - **C** Isomers have the same molecular formula.
  - **D** Macromolecules are isomers of the small molecules from which they are made.
- 37 Which compound will react with ethanol to form an ester?





- 38 In the purification of water, what is the purpose of carbon?
  - A to desalinate
  - B to disinfect
  - C to remove odours
  - D to remove solids
- **39** Four conversions are listed.
  - 1 amino acids to proteins
  - 2 ethene to poly(ethene)
  - 3 proteins to amino acids
  - 4 starch to glucose

Which two conversions are not examples of hydrolysis?

Α	1 and 2	В	1 and 4	С	2 and 3	D	2 and 4
---	---------	---	---------	---	---------	---	---------

- **40** What is the name of the ester  $CH_3COOC_2H_5$ ?
  - A ethyl ethanoate
  - B ethyl methanoate
  - **C** methyl ethanoate
  - D methyl methanoate



**BLANK PAGE** 



**BLANK PAGE** 



**BLANK PAGE** 

c	D	He <sup>4</sup>	Helium 2	20	Ne	10 Neon	40	Argon	84	Krypton	16 9E		Xenon 54		Radon 86			175	Lutetium		Lr Lawrencium	103	- ADA	Came
	١١٨			19	ш	Fluorine 9	35.5	Chlorine 17	80	Bromine Bromine	35	127 	lodine 53	**	At Astatine 85			173	Ybb Ytterbium	2	Nobelium	102		
	١٨			16	0	Oxygen 8	32 O		62	Selenium Selenium	34	128 <b>Te</b>	Tellurium 52		Polonium 84			169		09	Md Mendelevium	101		
	>			14	z	Nitrogen 7	34 1	Phosphorus 15	75	<b>AS</b> Arsenic	33	122 <b>Sb</b>	Antimony 51	209	Bismuth 83			167	Erbium Erbium	00	<b>Fm</b>	100		
	$\geq$			12	ပ	Carbon 6	28 Ci 28	Silicon 14	73	<b>Ge</b> Germanium	32	119 <b>Sn</b>	50 Tin	207	R2 Lead			165	Holmium 67	10	<b>ES</b> Einsteinium	66	(r.t.p.).	
	≡			1	В	5 5	27	Auminium 13	70	<b>Ga</b> Gallium	31	115 <b>D</b>	Indium 49	204	<b>T</b> hallium 81			162	Dysprosium Bysprosium	00	<b>Cf</b> Californium	98	pressure	
									65	Znc Zinc	30	112 Cd	Cadmium 48	201	Mercury 80			159	Tb Terbium	60	<b>BK</b> telium	97	ture and	
									64	Cu	29	108 <b>Ag</b>	Silver 47	197	Gold 79			157	<b>Gd</b> Gadolinium	40	Curium Curium	96	n tempera	
Group									59	Nickel	28	106 Pd	Palladium 46	195	Platinum 78			152	Eu Europium	60	Am Americium	95	n³ at roon	
Gro									59	Cobalt Cobalt	27	103 <b>Rh</b>	Rhodium 45	192	Iridium 77			150	Samarium Samarium	70	Putonium	94	ıs is 24 dr	
	-	- I	Hydrogen 1						56	Fe Iron	26	101 <b>Ru</b>	Ruthenium 44	190	Osmium 76				Promethium	0	Neptunium	93	The volume of one mole of any gas is 24 dm $^3$ at room temperature and pressure (r.t.p.).	
									55	Mn Manganese	25	Tc	Technetium 43	186	Rhenium 75			144	Ę	238	<b>U</b>	92	one mole	
									25	Chromium Chromium	24	<sup>%</sup> Mo	Molybdenum 42	184	Tungsten 74			141	Praseodymium Foo	80	<b>Pa</b> Protactinium	91	olume of	
									51	Vanadium	23	93 Nb	Niobium 41	181 <b>H</b>	Tantalum 73			140	Cerium Cerium	232	Th Thorium	06	The v	
									48		22	ور <b>Zr</b>	Zirconium 40	178	Hathium 72					mic mass	nbol aic) number			
			I	[			1		45	Scandium Scandium	21	∞ ≻	Yttrium 39	139	E	227	Actinium Ro		d series series	a = relative atomic mass	X = atomic symbol	= protorr (ator		
	=			6	Be	Beryllium 4	24 M 2	Magnesium 12	40	Calcium Calcium	20	°8 S	Strontium 38	137	Barium 56	226	Radium		190-103 Actinoid series		×	2		
	_			7	:-	Lithium 3	23 No	Sodium 11	68		19	85 Rb	Rubidium 37	133 <b>C</b>	Caesium 55	ů	Francium		58-71 L		Key	٩		

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of