

**MARK SCHEME for the October/November 2010 question paper
for the guidance of teachers**

5014 ENVIRONMENTAL MANAGEMENT

5014/12

Paper 1, maximum raw mark 120

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus
	GCE O LEVEL – October/November 2010	5014

Section A

- 1 (a) (i) Two areas of igneous rock, areas 2 from B/C/D
 One area of sedimentary rock, area A / E
 One area of metamorphic rock, area F
 One area of folded rock, area A
 One area of faulted rock, area E
- All 6 correct = 3
 4/5 correct = 2
 2/3 correct = 1 [3]

- (ii) Diagrams to show difficulty caused by two of:
 Folding
 Steeply dipping
 Faulting
 Thinning seams / wash outs
 Great depth

Up to two marks for each diagram. For two marks both the geological factor and the nature of the difficulty should be made clear by labelling. .One mark for geological factor label and one for difficulty label. Unlabelled diagrams = 0. [4]

- (b) Credit ideas such as:
 As resources deplete they increase in value
 Increased / high demand results in higher price / profits
 There are large reserves beyond the geological difficulty
 There are good quality reserves beyond the geological difficulty
 Improved technology allows easier access / exploitation
 Improved / cheaper transport to the area
 Provides employment (especially in areas without any other)
 Great export value to earn foreign exchange
 Valuable minerals / minerals with special uses [3]

[Total: 10]

- 2 (a) (i) Californian / Kurile [1]
- (ii) Clockwise circulation of ocean currents
 Moved by main currents east and then south / named currents in the circle
 Minor currents move it towards Hawaii [2]
- (iii) It cannot cross the ocean currents which surround the area
 All of the currents move / push towards the centre [1]

- (b) Credit ideas such as:
 (Much of it) floats
 (Much of it) light so easily blown by wind
 Does not biodegrade / very durable / almost indestructible
 Photodegrades / disintegrates in to small pieces
 Small enough to enter the food chain via birds / marine animals
 Can absorb organic pollutants / DDT / PCB's / PAH's and become toxic [3]

Page 3	Mark Scheme: Teachers' version	Syllabus
	GCE O LEVEL – October/November 2010	5014

- (c) Credit ideas such as:
Recycle plastics
Substitute other materials or e.g. of alternative material
Enforce bans on dumping at sea
Filter / remove plastic from sewage before releasing it into the ocean
Clear beaches of plastic
Educate public about the dangers of plastic
Fines for litter dropping [3]

[Total: 10]

- 3 (a) (i) Glass sphere
Concentrates the sun's rays on one point
Metal frame behind
Reflects heat onto the recording sheet
When sun shines the recording sheet is scorched
Recording sheet has hours marked on it

Accept any other relevant method [3]
- (ii) Varied cloud / fog amount / revolution of Earth around the sun [1]
- (b) (i) Month September *difference* 0.4 hours (both needed) [1]
- (ii) Winter [1]
- (iii) Accept any way of expressing the idea that they rise to a peak in July / summer then fall to the end of year [1]
- (iv) Accept ideas, such as:
Calgary would be more suitable than Vancouver because it has higher sunshine hours in every month
Both suitable in summer because higher summer sunshine hours
Both unsuitable in winter because low sunshine hours
Calgary more suitable for more months because e.g. it has 6 months with over 6 hours of sun but Vancouver has only 5
Relevant reference to / use of values [3]

[Total: 10]

- 4 (a) (i) Sparse
Widely spaced / scattered
Low / short
Scrub
Cushion shaped / tussocky
Even height / one layer
Some lighter coloured / white
No trees / all shrubs / bushes (or grass)
Small leaves
Grass
Rocky background bare of vegetation cover [3]

Page 4	Mark Scheme: Teachers' version	Syllabus
	GCE O LEVEL – October/November 2010	5014

- (ii) Credit adaptations with climatic reason such as:
- Widely spaced to gather water from a large area after rain / competition for water
 - Shallow wide spreading roots to catch rain as soon as it falls / before it evaporates
 - Small leaves / thorns /spines minimise transpiration
 - Waxy / hairy leaves reduce transpiration
 - Thick cuticle reduces transpiration
 - Seeds lie dormant during dry periods
 - Spring to life / germinate / flower quickly / short life cycle after rain
 - Bulbous roots store water
 - Halophytic because high evaporation leads to saline soils
- [4]

- (b) Credit problems such as:
- Low carrying capacity
 - Vegetation not very nutritious/ unpalatable
 - Easily damaged by trampling
 - Easily overgrazed leading to soil erosion
 - Little rain for drinking water for animals
 - Great heat unsuitable for sheep
- [3]

[Total: 10]

Page 5	Mark Scheme: Teachers' version	Syllabus
	GCE O LEVEL – October/November 2010	5014

Section B

- 5 (a) (i) Process of photosynthesis.
Plants absorb carbon dioxide from the atmosphere, give off oxygen to support life on Earth.
Correct statement of the formula.
- 3 @ 1 mark [3]
- (ii) Decay and decomposition of leaves on forest floor, work of decomposers releases nutrients, taken up by plant roots and reused for new growth
- 2 @ 1 mark [2]
- (iii) Evaporation of water into water vapour by heating, feeds the rising warm air until it cools and moisture condenses, further cooling leads to fresh precipitation on to the Earth's surface.
- 2 @ 1 mark [2]
- (b) (i) Canopy – possible bullet points:
- Stops the impact of heavy rain on the ground.
 - Helps to prevent soil erosion.
 - Reduces leaching of minerals in the soil.
 - Provides a habitat for birds and animals.
- Two advantages such as these – 2 @ 1 mark [2]
- (ii) Tree roots – possible bullet points:
- Anchor soil / prevent it moving and eroding (especially on slopes).
 - Absorb water from the soil which is transpired through the leaves.
 - Absorb nutrients from weathered rock.
- Two advantages such as these – 2 @ 1 mark [2]
- (c) (i) Early clearances were along the coast (on both sides of the mouth of the Amazon), and in long strips following the main river valleys, whereas most recent clearances are along the southern edges, almost whole length but more extensive in east / thinner trail in far west.
- Three points such as these 3 @ 1 mark, but a maximum of two marks for separate statements without establishing a difference. [3]
- (ii) Likely reasons include:
Early access from the sea, using the rivers to reach inland areas and penetrate the forests, whereas recent settlement is from the south from the more populated part of Brazil (map evidence from the number of cities and label for the economic core of Brazil).
Trail of clearances in the south west going across river valleys suggest now following roads rather than the rivers in order to penetrate deep into the forests.
Some of the interior forests may be protected forest areas.
- Understood, with well stated reasons for the differences – 3 marks
Suggests valid reasons without full coverage – 2 marks
Limited understanding and progress – 1 mark [3]

Page 6	Mark Scheme: Teachers' version	Syllabus
	GCE O LEVEL – October/November 2010	5014

- (d) (i) Journey time to reach the river port of Santarem would be much reduced during the wet season / description of the problems on the dirt part. Remembering that distances are massive, (1700km from Cuiaba). Soybean and beef are important exports for the economy of Brazil. Would open up / encourage more forest land to be used for economic activities.

Credit statement of advantages as well as elaboration. [3]

- (ii) Economic reasons are strong will be the easiest view to explain: To use more fully natural resources such as timber and extend farming area, especially in the time of high soybean prices.

One approach if economic reasons are considered to be weak would be to focus on the short-term nature of profits before environmental damage reduces the economic benefits.

Mark according to answer worth; for both marks, the explanation must be appropriate for the strength level suggested for the economic reasons. [2]

- (iii) Evidence from the information given can be assembled to show the potential for great forest losses to occur, such as:

Trees have already gone from sides of unpaved sections despite the land being government owned.

Logging already dominates at the expense of the rule of law, 'Trees, not gold are the wealth of the Amazon'.

Already people are buying up land in anticipation that the road will improve access.

Roads are doing what rivers did in the past, by providing access into the dense rainforests.

Also plenty of evidence of the economic opportunities (at least in the short term) for selling hardwoods, soybeans and beef.

Comment about what could hold it back:

Greater pressure from international environmental groups.

Idea mooted for carbon payments whereby developing countries are paid to keep their rainforests as carbon stores.

Global economic downturns.

Attitude of the government of Brazil etc.

Statements from the information given, but limited or no comment towards question asked = 1 or 2 mark answers.

Valid comment about the question asked, well supported = 3 or 4 mark answers [4]

- (e) Greatest biodiversity on Earth. Elaborated upon or exemplified.

Greatest mass / highest primary productivity of any forest.

Elaborated upon by references to the mass of plants filling all manner of forest niches.

More vertical layers to the forest than in any other (4 or 5 of them).

Elaborated upon by stating examples.

Identification of relevant factor = 1 mark.

Elaboration = 2nd mark.

2 + 1 marks or 3 @ 1 mark

[3]

Page 7	Mark Scheme: Teachers' version	Syllabus
	GCE O LEVEL – October/November 2010	5014

(f) (i) Using / living from natural forest resources only, cannot overuse them or risk starvation / loss of living.
Only a small proportion of the resources available are taken to allow natural replacement.
They move to other areas of the forest when resources are reduced.
'No forest, no living' made clear in the answer.
Further description of individual activities to show how they match these descriptions.

Three points / comments made along these lines. [3]

(ii) Provide a living / allow survival but nothing more than this.
Can't generate surpluses without over-using natural resources.
Subject to the vagaries of nature / little or nothing stored.
Only low levels of development.

OR

Being pushed out / way of life destroyed by invasion of outsiders.
As natural ecosystems are being exploited in previously untouched areas.
No resistance to diseases, superior technology etc.
Also population pressure from outside leading to larger scale / more intensive farming.

Points made like these that demonstrate understanding. [2]

(iii) Sustainable logging involves using techniques such as cutting only mature trees, isolating and felling individual trees and in some cases replacement, whereas Brazil style logging (as elsewhere) is clearing the whole forest, using the commercially valuable trees and leaving or burning the rest.

Known and understood = 2 marks
Some idea = 1 mark [2]

(iv) Ecotourism takes into consideration the natural environment and needs of local people – instead of just what tourists want.
National Parks etc, help to preserve the natural forest and its wildlife, which is what the tourists go to see.
Local people have expertise useful to tourism – drive the canoes, act as guides as well as for general tasks.
For the future of the rainforests – motto 'if it pays, it stays' so forests are more likely to be safe in tourist areas, but the returns are steady long-term as opposed to the big short-term gains from logging and farming, which make pressures for clearance difficult to resist.

Also allow critical references to ecotourism if placed in question context such as loss of traditional indigenous values.

Knowledge and understanding of ecotourism – up to 3 marks.
Comment about the broader theme of the question – up to 3 marks. [4]

[Total: 40]

Page 8	Mark Scheme: Teachers' version	Syllabus
	GCE O LEVEL – October/November 2010	5014

- 6 (a) (i) The three main parts (for the most obvious labels) are funnel, inner container, cylinder (allow other names and descriptions).
Other labels are possible, such as 30cm for the height above the ground.
Three accurate labels = 3 marks. [3]
- (ii) To reduce / prevent evaporation of the rain water collected before it is measured, or similar. [1]
- (iii) Water collected is emptied into a measuring cylinder, which is placed on a level surface such as a table top to be read.
Reading taken at eye level.
Two points such as these. 2 @ 1 mark. [2]
- (iv) Best answer **D** = 1 mark.
In an open area on grass = 1 mark. [2]
- (v) **A** splash back from the hard surface / also sheltered from rain by the building / cannot be partly buried on a hard surface.
B in shelter of building.
C under the shelter of trees which would block some of water.
2 @ 1 mark. [2]
- (b) (i) Percentages shown with high level of accuracy = 2 marks.
At least one drawn correctly = 1 mark.
Sectors labelled or shown in a key = 1 mark. [3]
- (ii) Formation.
In hot ocean areas / over the oceans near to the Equator.
Movement.
Away from the Equator towards the two tropics, towards the west (north west in northern hemisphere, south west in the southern),
Circular patterns of movement (clockwise N, anticlockwise S of Equator).
Areas affected.
Narrow coastal strips of land,
on windward / mainly eastern coasts.
Examples of areas affected.
1 mark reserved for each heading = 3 @ 1 mark.
4th mark for further detail / elaboration for any one of them. [4]
- (iii) Dangers come from very strong winds and heavy rainfall causing floods, also the strong winds piling up the waves and driving sea water inland.
Explanation why the winds are so strong and rainfall so heavy
Up to 3 marks.
Types of damage from high winds and / or flooding.
Difficult to build homes capable of withstanding high winds above 150km/hr, especially as many countries in tropics are developing countries.
Four points made along the lines suggested. [4]

Page 9	Mark Scheme: Teachers' version	Syllabus
	GCE O LEVEL – October/November 2010	5014

- (c) (i) Landlocked – however expressed or indicated.
Reference to its latitude about 15–20° north of the Equator / in the tropics.
- (ii) Well away from the ports on the coast / long road journeys through other countries.
Has to rely upon aid materials coming by air which is more expensive.
Also cannot bring in the same amounts of food and other supplies as by sea.
- Three points made along these lines, with one mark reserved for each part. [3]
- (iii) Temperature:
Hot all year / lowest temperature 24°C in January (mid-winter).
Highest temperature 34°C in April and May.
Annual temperature range 10°C.
Temperatures fall in the wet summer season / with the arrival of the rains.
- Precipitation:
Wet season May to September / summer.
Highest rainfall 188mm in August.
Dry season October to April/May / winter.
No rain in the four months November to February.
- Four descriptive points with one mark reserved for each of temperature and precipitation. [4]
- (iv) Savanna (or one of the recognised alternative names), [1]
- (v) Points that might be made:
High temperatures all year mean high rates of evaporation.
Complete mid-winter drought.
Therefore crop farmers must rely upon the summer rains (as there is no moisture stored in the soil).
- Understood and clearly explained = 2 marks.
Some understanding = 1 mark. [2]
- (vi) Unreliable means that summer rains do not always come / wide variations in rainfall amounts from year to year = 1 mark.
- If the expected rains do not arrive, in particular for two or more years, the result is drought – everything dries up / crops fail in areas where it is not normally expected to happen = 1 mark. [2]
- (d) (i) In Niger the drought led to deaths of people (over 3 million) and animals (70% of Fulani livestock). Emergency food aid was needed.
- In Europe the drought led to reductions and losses (in farm output, and electricity) and inconveniences (not watering gardens and filling up swimming pools) but there was no mention of deaths.
- Effects in Niger = 1 mark.
Effects in Europe = 1 mark.
- Comment on differences / different nature clearly established = 1 mark. [3]

Page 10	Mark Scheme: Teachers' version	Syllabus
	GCE O LEVEL – October/November 2010	5014

- (ii) Recognition that the two factors are poverty and population increase, however both needed for the mark.
- (iii) Poverty in Niger meant that there was nothing in reserve for dealing with the drought which is why people and animals died. Aid was needed to alleviate its effects. Made worse by the high birth rate – population growth and more and more mouths to feed so that surpluses could not be built up to prepare for years with bad harvests.

Contrast this with livestock farmers in France able to use stored winter fodder. No mention of deaths and aid because shortfalls in farm output could be offset by buying food elsewhere.

Understood and clearly stated = 3 marks.
Some progress = 1 or 2 mark answers.

[3]

[Total: 40]