
Survey Map


Please be aware, that in order to preserve the scale the map, if printed, should be printed in colour onto A3 paper.

GRAHAMSDALE (ZIMBABWE)



Copyright reserved by the Government of Zimbabwe

NUMBERED LINES INDICATE THE 1 000 METRE UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 35K MODIFIED CLARKE 1880 (S.A.) SPHEROID



:

REFERENCE

City, TownHARARE Village, Business CentreMBERENGWA Boundary, International	, FENGA B.C.
" Cadastral, Original Grant	
" " Subdivision	
Road, Wide Tarred	
" Narrow Tarred	
" Gravel or Earth, Bridge	
" other	
Track, Cut Line or Game Trail	
Railway, with Embankment, Cutting, Tunnel	
Mast	A A
Trigonometrical Station and Height in metres to top of pillar	158/P
International Boundary Beacon. Magnetic Station	1190,6 ▲ BB50A
Unmarked Spot Height:Ground Survey, Photogrammetric	.1272 .1173
Power Line, 33kV and above, approximate alignment	33kV
Huts, Staff Quarters	AA
Built-up Area, Buildings	· ·
Church	
Dip Tank	X
Hill name	DOMBOSHAWA

REFERENCE

Mine Name	Copper Queen
National Monument or Place of Historical Interest	•‡•
Police Station, Post Office, Post and Telegraph Agency	PS PO PTA
District Administration Office	DAO
River, Watercourse	
Dam	
Lake	
Pan: Small, Large: Waterhole	• 🤍 • WH
Rapid, Waterfall	RH
Well, Spring, Borehole, Windpump, Reservoir	OW OS OB OWP OR
Furrow, Pipeline	EP
Seasonal Marsh	
Contours at 20 metre Vertical Interval, with Cliff Feature	1 000
Depression, Sand	900 -
Isolated Hill Feature that does not take a contour	424
Cultivation	774
Smooth Rock	
Mining or Prospecting Trench, Mine Dump, Quarry or Excavation	www.
Very Dense Bush,Dense Bush	
Medium Bush	
Sparse Bush	
Orchard or Plantation	

Six colours should appear below: if not then please return to the invigilator.



Published by the Surveyor-General, Zimbabwe, 1989

Printed by Stephen Austin & Sons Limited, Hertford. A1121.