

MARINE SCIENCE

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

5180/03

For Examination from 2014

Paper 3

SPECIMEN MARK SCHEME

1 hour 30 minutes

MAXIMUM MARK: 60

This document consists of 4 printed pages.



1	(a)	Cor cor Nea	owing correct size; [accept range 15 to 16 cm] rect proportions; [head in relation to body, length and width proportions apported] at lines; [continuous rather than sketchy lines] rect number of features; [5 fins and lateral line shown]	Unit.
	(b)	(i)	Any five of:	
			Mouth; Eye; Operculum; Lateral line; Pelvic fin; Anal Fin; Caudal fin; Dorsal fin(s);	[5]
		(ii)	Scale line on drawing correctly showing the length of the specimen as 30 cm;	[1]
	(c)	Any	v two of:	
		paiı	ales; red fins; ral line;	

operculum;

[Total: 12]

[2]

2 (a) D; A; B; E; C;

(b)

Sea urchin	Starfish	
Spherical / eq	5 arms / eq;	
Long spines present	No spines ;	
Tube feet not visible / eq	Tube feet visible / eq;	
All one colour	Two colours / eq;	

[3]

Student Bounty Com

(c) (i) 5.6 cm (+ or - 1 mm);

[1]

(ii) Calculation (e.g. $5.6 \div 14$); = $\times 0.4$;

[correct answer only gains both marks]

[2]

[Total: 11]

3 (a) Add iodine (solution);

Colour change described;

[2]

(b) Add biuret reagent;

Colour change described;

[2]

(c) Add dilute (hydrochloric) acid;

Heat;

Then cool;

Add alkali / sodium hydrogencarbonate;

To neutralise acid;

Add Benedict's reagent / Fehling's;

Heat;

Colour change described;

[6]

[Total: 10]

Student Bounty.com (a) Neat table; [lines drawn with a ruler] Column heading Fish number; Column heading Fork length in cm / eq; Column heading Mass in g / eq; Data correctly tabulated : **(b)** Axes labelled correctly; Points plotted accurately ;; [all 8 points gains two marks, 1 or 2 errors gains 1 mark] Neat line of best fit: [4] (c) Comment on direct relationship between length and mass / eq; [1] [Total: 8] 5 (a) Carry out investigation on same day / same time of day; Avoid trampling; Reference to use of quadrat; Suitable stated size (e.g. 0.5 m²); Use of tape measure / eq; Reference to a line transect / belt transect; Place quadrat at stated distance from water's edge / at top of shore; Count number of burrows (within quadrat); Repeat at stated intervals (e.g. every 1 metre); Reference to repeating transect; [8] **(b)** Reference to tabulation of results; Headings for columns, distance from water in metres / eg; Number of ghost crab burrows; Reference to calculation of means; Reference to suitable graph; [accept graph appropriate for data] Both axes labelled: Reference to calculating number of burrows per unit area; Reference to results in relation to hypothesis; [6] (c) Difficult to identify burrows / eq; Some burrows may not contain a crab: (Therefore) number of burrows may not indicate the actual number of crabs; Reference to need for more samples to support hypothesis: Repeat investigation at different times of the year; Investigate distribution of crabs in relation to another factor (e.g. distribution of organic matter): Investigate distribution of crabs on different shores / eq; [5]

[Total: 19]