www.PapaCambridge.com

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

MARK SCHEME for the May/June 2012 question paper for the guidance of teachers

4024 MATHEMATICS (SYLLABUS D)

4024/12 Paper 1, maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

F	Page 2	Mark Scheme: Teachers' version	Syllabus
		GCE O LEVEL – May/June 2012	4024
Abbre	eviations		Cally
cao	correct answe	er only	04:
cso	correct solution	on only	26
dep	dependent	•	, in
ft	follow throug	h after error	· On
isw	ignore subseq	uent working	19
oe	or equivalent	·	
CC	Smanial Casa		

Abbreviations

or equivalent Special Case oe SC

without wrong working seen or implied www

soi

Qu		Answers	Mark	Part marks
1	(a)	$\frac{18}{25}$ cao	1	
	(b)	$\frac{2k_1}{5k_1} \text{ and } \frac{2k_2}{5k_2}$	1	
2	(a)	42	1	
	(b)	4	1	
3	(a)	Drawing of kite or isosceles trapezium	1	
	(b)	2 0	1	
4	(a)	9	1	
	(b)	144	1	
5		18	2	B1 for $x^2y = k$ soi or for $2 \times 6^2 = y \times 2^2$ soi
6		64 – 9π cao isw	2	B1 for $\pi \times 3^2$ or for $64 - \pi r^2$
7	(a)	$(x) \leq 4$	1	
	(b)	-1, 0, 1	1	
8	(a)	0.95	1	
	(b)	2.8(0)	1	SC1 for both 95 and 280
9	(a)	$\frac{31}{40}$ oe	1	
	(b)	$3\frac{3}{4}$ cao	2	B1 for $\frac{5}{3} \times \frac{9}{4}$ oe

		mm
Page 3	Mark Scheme: Teachers' version	Syllabus
	GCE O LEVEL – May/June 2012	4024

22	1	OH,
22		all.
300	2	B1 for two of 20, 9, 0.6 seen
-3 cao	1	B1 for two of 20, 9, 0.6 seen
$a = \frac{b^2}{b - c}$	2	B1 for $ac = b(a-b)$ or $c = b - \frac{b^2}{a}$
$\begin{pmatrix} 5 \\ -10 \end{pmatrix}$ oe	1	•
$ \begin{array}{c} (s =) 5 \\ (t =) 2 \end{array} $	2	C1 for one correct or M1 for $\begin{pmatrix} 3s \\ -2s \end{pmatrix} + \begin{pmatrix} -3 \\ 12 \end{pmatrix} = \begin{pmatrix} 12 \\ t \end{pmatrix}$ oe
$\begin{pmatrix} 2 \\ -4 \end{pmatrix}$ oe	1	
Correct triangle	2	B1 for two vertices correct or triangle correct size and orientation
(-3, 2.5) oe	1	
$y = \frac{1}{2}x + 4 \text{ isw}$	2	B1 for $m = \frac{1}{2}$ or $c = 4$ soi
28	3	M1 for CD^2 = their $(\sqrt{65})^2 - 4^2$ oe and A1 for $CD = 7$ or B1 for their $CD \times 4$ After 0 SC1 for $(\sqrt{65})^2 = 65$
150°	2	B1 for $\frac{360}{12}$ soi or $(12-2) \times 180$ soi
Equilateral triangle	1	
1.85	1	
10 15 oe	1	
10 hours 5 minutes	2	B1 for 17 55 or 23 30 seen or M1 for 24 00 – (13 25 + 4 30) + 4 oe
11	1	
-3	1	
5^{-1} , 4^0 , 2^3 , 3^2 oe	1	
64	1	
	$-3 \operatorname{cao}$ $a = \frac{b^2}{b-c}$ $\begin{pmatrix} 5 \\ -10 \end{pmatrix} \operatorname{oe}$ $(s =) 5 \\ (t =) 2$ $\begin{pmatrix} 2 \\ -4 \end{pmatrix} \operatorname{oe}$ $\operatorname{Correct triangle}$ $(-3, 2.5) \operatorname{oe}$ $y = \frac{1}{2}x + 4 \operatorname{isw}$ 28 150° Equilateral triangle 1.85 $10 \ 15 \operatorname{oe}$ $10 \ \operatorname{hours} 5 \operatorname{minutes}$ 11 -3 $5^{-1}, 4^0, 2^3, 3^2 \operatorname{oe}$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

Page 4	Mark Scheme: Teachers' version	Syllabus er
	GCE O LEVEL – May/June 2012	4024

19	(a) (i)	-12	1	SANDA
	(ii)	$\sqrt[3]{x+4}$ oe	1	B1 for $(a-2)^2 - 3(a-2) + 1$
	(b)	$a^2 - 7a + 11$	2	B1 for $(a-2)^2 - 3(a-2) + 1$
20	(a)	1.1×10^{8}	1	
	(b)	Senegal South Korea	2	C1 for one correct in the correct place
	(c)	3.4×10^7	1	
21	(a)	Tree diagram correct	2	B1 for both $\frac{10}{25}$, $\frac{15}{25}$ oe correct or
				both $\frac{20}{30}$, $\frac{10}{30}$ oe correct
	(b)	$\frac{8}{15}$ cao	2	M1 for $\frac{10}{25} \times \frac{10}{30} + \frac{15}{25} \times \frac{20}{30}$ oe
22	(a)	11, 14, 17	1	
	(b)	3n+2	1	
	(c)	27 cao	2	M1 for $3p + 2 = 83$ ft
23	(a)	Correct frequency polygon	2	Frequency axis scaled to show 4, 8, 7, 4, 2 Plots at midpoints 2, 6, 10, 14, 18 and joined by straight lines
				B1 for 1 mis plot, everything else correct or
				if plots not joined, everything else correct or
				if there is no vertical scale, everything else correct or
				for 5 correct frequencies not at midpoints but correctly spaced, everything else correct.
				SC1 for a completely accurate frequency polygon seen alongside other graphs on the same diagram.
	(b)	$4 < t \le 8$	1	
	(c)	13	1	
	(d)	Convincing explanation	1	e.g. longest time is in the group $16 < t \le 20$, but may not be 20

Page 5	Mark Scheme: Teachers' version	Syllabus	er
	GCE O LEVEL – May/June 2012	4024	100

24	(a)	245	1	May.
	(b)	220	1	B2 for 4965 or
	(c)	465	3	
				M2 for $\frac{25}{100} \times 4500 + 320 \times 12 - 4500$ or
				B1 for 1125 or 3840 seen
25	(a) (i)	(x+4)(x-3)	1	
	(ii)	(5x+2y)(5x-2y)	1	
	(b)	$\frac{3}{2p}$ oe	1	
	(c)	x = 4 y = -2	3	C2 for one correct or M1 for correct method to eliminate one variable