

CAMBRIDGE INTERNATIONAL EXAMINATIONS

GCE Ordinary Level

www.PapaCambridge.com

MARK SCHEME for the October/November 2012 series

5054 PHYSICS

5054/41

Paper 4 (Alternative to Practical), maximum raw mark 30

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.



Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2012 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

| | | | |
|--------|-------------------------------------|----------|--|
| Page 2 | Mark Scheme | Syllabus | |
| | GCE O LEVEL – October/November 2012 | 5054 | |

- 1 (a) (i) horizontal level or point marked level with top of hook
(ii) eye / E labelled level with dotted line B1
- (b) within extension of spring /
within elastic limit / not permanently stretched /
gives smooth oscillations /
load does not jumps off spring / spring does not become slack B1 [1]
- (c) reduces human reaction error (in T) / more accurate T /
 T too small /
gives average value (of T) B1 [1]
- (d) 8.024 / 8.02 / 8.0 seen OR $\Sigma t \div 10$ C1
0.4012 / 0.401 / 0.40 (s) A1 [2]
- (e) (i) 0.401 written in table ecf (d) (3 sf required) B1 [1]
- (ii) axes: correct way round, labelled quantity and unit
scales: linear, not awkward, more than $\frac{1}{2}$ grid
e.g. x-axis: 2 cm \equiv 1 N y-axis: 2 cm \equiv 0.1 s B1
points plotted accurately within $\frac{1}{2}$ small square
neat crosses or small points (in circle) B1
smooth curve of best fit neatly drawn B1 [4]
- (iii) yes + when $W = 0$ there will be (no extension so) no oscillations B1 [1]
(allow no + when $W = 0$ there will be some extension due to mass of spring)
- (iv) non-linear with T increasing as W increases B1 [1]
- [Total: 13]**
- 2 (a) (i) lamp lights (normal brightness) B1 [1]
- (ii) any one from:
broken wire / connections not good
lamp blown / faulty
cell(s) run down B1 [1]

| | | |
|--------|-------------------------------------|----------|
| Page 3 | Mark Scheme | Syllabus |
| | GCE O LEVEL – October/November 2012 | 5054 |

- (b) (i) lamp becomes dimmer
- (ii) 1. rheostat / variable resistor / potentiometer B1
2. correct circuit symbol drawn B1 [1]
- 

3. wire is coiled B1 [1]
- [Total: 6]**

- 3 (a) withstand (high) pressure / force (from air) (outside) B1 [1]
- (b) seals bell-jar / prevents air entering B1 [1]
- (c) (i) sound gradually becomes quieter B1
 sound cannot travel through a vacuum / requires medium / air B1 [2]
- (ii) light can travel through a vacuum / does not require medium / air B1 [1]
- (d) sound / vibrations can travel through the metal plate B1 [1]
- [Total: 6]**

- 4 (a) to determine height accurately / to stop as soon as shoe moves B1 [1]
- (b) $22^\circ \pm 1^\circ$ B1 [1]
- (c) (i) any one sensible suggestion, e.g.
 protractor has edge
 protractor is small
 divisions close together
 alignment of zero difficult
 board sags
 board may move B1 [1]
- (ii) **measures** two sides of triangle and uses trig formula
 (may be shown on diagram) B1 [1]
- (d) (better grip) larger angle / ramp lifted higher or reverse argument B1 [1]
- [Total: 5]**