

Cambridge O Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

681198949

COMBINED SCIENCE

5129/21

Paper 2 Theory

October/November 2023

1 hour 45 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 Fig. 1.1 is the speed–time graph for a ball falling from the top of a tower.




Fig. 1.1

- (a) On Fig. 1.1, use:
 - (i) the letter A to label part of the graph that shows constant non-zero acceleration [1]
 - (ii) the letter **B** to label part of the graph that shows changing acceleration. [1]
- (b) Calculate the distance travelled by the ball between 2.0 s and 2.4 s.

distance = m [2]

[Total: 4]

2 The boxes on the left contain specialised cells and tissues found in plants.

The boxes on the right contain functions of plant cells and tissues.

Draw **one** straight line from each structure to its function.

Each function can be used once, more than once or not at all.

structure	function
guard cells	
	transports sucrose
palisade mesophyll	
	controls size of stomata
phloem	
	produces glucose
root hair cell	
	transports mineral ions
spongy mesophyll	
	absorbs water
xylem	

[6]

3 Ammonia, NH₃, is produced by the reaction between nitrogen and hydrogen.

The equation for the reaction is:

$$\mathrm{N_2} \ + \ \mathrm{3H_2} \ \rightarrow \ \mathrm{2NH_3}$$

[A_r: H, 1; N, 14]

(a) (i) Calculate the relative molecular mass $M_{\rm r}$ of ammonia.

М.	=	 1	ľ	
			٠.	

(ii) Complete the following sentences.

51 g of ammonia is produced from g of nitrogen.

34 g of ammonia is produced from g of hydrogen.

[2]

(b) (i) Complete Fig. 3.1 to show the outer electrons in a molecule of ammonia.




Fig. 3.1

[1]

(ii) Explain why ammonia has a low boiling point.

 	 	 [1]

[Total: 5]

4 A wooden block of mass 1.6 kg is attached by a length of string to a weight as shown in Fig. 4.1.

When the block is released, there is a resultant force of 8.0 N to the right in the string.




Fig. 4.1

(a) Calculate the acceleration of the block when it is released. State the unit of your answer.

(b) There is a frictional force of 2.0 N to the left acting against the block as it moves.

The block moves 0.75 m along the bench.

Calculate the work done against this frictional force.

[Total: 5]

5 (a) Use words from the list to complete the sentences about the circulatory system.

brain

Each word may be used once, more than once or not at all.

arteries

	thick	thin	valves	veins	villi	
Blood is pur	mped round	I the body b	y the			
Blood unde	r high press	sure flows th	nrough vessels	called		
These vess	els have		walls	s to withstand	the high pres	sure of the blood.
When blood	_		pressure, the	vessels con	tain	to

capillaries

heart

[4]

(b) Fig. 5.1 is an electron micrograph of a pathogen being engulfed by a blood cell.




Fig. 5.1

(i)	Name the type of blood cell shown in Fig. 5.1.	
		[1]
(ii)	Name one other type of blood cell.	
		[1]
	lTota	l: 6

6

			,	
Sodium,	Na, rea	acts with bromine, B	r ₂ , to form sodium bromide, NaBr.	
(a) (i)	Consti	ruct a balanced syml	bol equation for the reaction.	
				[1]
(ii)	State t	he type of bonding i	n sodium bromide.	
				[1]
		shows some observant chemicals, X , Y and	ations when aqueous solutions of sodiumnd Z .	bromide are mixed
			Table 6.1	
		chemical	observation	
		X	orange solution formed	
		Υ	no change	
		Z	cream precipitate formed	
(i)	Sugge	st the name of a hal	ogen that is chemical X .	
				[1]
(ii)	Sugge	st the name of a hal	ogen that is chemical Y .	
				[1]
(iii)	Sugge	st the name of a cor	mpound that is chemical Z .	
				[1]

7 (a) A weight of 12.0 N is placed at the end of a beam as shown in Fig. 7.1.




Fig. 7.1

Calculate the mass in kg of block \boldsymbol{X} that balances the beam.

Assume that the beam has negligible mass.

Gravitational field strength $g = 10 \,\mathrm{N/kg}$.

		mass = kg	[3]
(b)	The	block absorbs infrared radiation.	
	This	s causes its temperature to rise.	
	(i)	State the name of one renewable source of energy that gives out infrared radiation.	
			[1]
	(ii)	The block is then wrapped in thermal insulation and placed in a cold room.	
		State and explain what happens to the temperature of the block.	
			[2]

[Total: 6]

Question 8 begins over the page

8 (a) During exercise, the heart rate increases.

State two reasons why there is an increase in heart rate during exercise	State two reasons wh	v there is an	increase in	heart rate	during exercise.
---	-----------------------------	---------------	-------------	------------	------------------

reason 1	
reason 2	
	(2)

(b) Fig. 8.1 shows the heart rate of a student over a period of twenty minutes before and after three weeks of training.

The period includes:

- five minutes of resting
- · ten minutes of running quickly
- five minutes of resting after running.




Fig. 8.1

(i)	State the maximum heart rate of the student before training for three weeks.
	maximum heart rate = beats/min [1]
(ii)	Describe two effects, shown in Fig. 8.1, of the training on the heart rate of the student.
	1
	2
	ro
	[2]
	[Total: 5]
During a	an earthquake, two types of seismic wave are transmitted through the Earth.
State th	e names of these two types of seismic wave.
Describe energy.	e the difference between these two types of seismic wave and compare how they transfer
You may	y draw a labelled diagram if it helps you with your description.
	[4

9

10 Soluble magnesium sulfate is prepared from the reaction between insoluble pieces of magnesium carbonate and an aqueous acid.

equal

nitric

crystallisation

melting

(a) Use words from the list to complete the sentences to describe how a pure sample of magnesium sulfate is prepared.

excess

residue

filtrate

[Total: 7]

sulfuric

	Each word may be used once, more than once or not at all.	
	An amount of magnesium carbonate is added to	
	aqueous acid.	
	The mixture is filtered.	
	The is gently heated until occurs.	[4]
(b)	State the effect on the rate of reaction of using magnesium carbonate powder instead pieces of magnesium carbonate.	of
		[1]
(c)	Name the gas produced when magnesium carbonate reacts with an aqueous acid.	
		[1]
(d)	State the ion responsible for making aqueous solutions acidic.	
		[1]

11 Fig. 11.1 shows the human male reproductive system.




Fig. 11.1

Two structures on Fig. 11.1 are labelled **X** and **Y**.

(a)	(i)	State one function of structure X .	
			 [1]
	(ii)	State one function of structure Y .	
			 [1]
(b)	Tab	le 11.1 compares the features of a female and a male gamete.	

b) Table 11.1 compares the leatures of a female and a male gamete

Complete the comparisons in Table 11.1.

One comparison has been completed for you.

Table 11.1

feature	female gamete	male gamete
type of nucleus	haploid	haploid
relative size of cell	very large	
numbers produced per month		millions
method of movement	cannot move by itself	

[3]

[Total: 5]

12	Cle	an, d	ry air is a mixture of gases.
	(a)	(i)	Describe the motion of the gas particles in air.
			[1]
		(ii)	State the percentage of oxygen in clean, dry air.
			[1]
	(b)		te two substances found in air that are products of the incomplete combustion of alkanes etrol.
		sub	stance 1
		sub	stance 2[2]
	(c)	Car	s in the future may be powered by hydrogen-oxygen fuel cells.
		Des	scribe one advantage of using hydrogen-oxygen fuel cells instead of petrol engines in s.
			[1]
			[Total: 5]

13 Resistors R_1 , R_2 , and R_3 are connected in a circuit as shown in Fig. 13.1.




Fig. 13.1

- Resistor R $_1$ has a resistance of 22 Ω . Resistor R $_2$ has a resistance of 47 Ω . Resistor R $_3$ has a resistance of 100 Ω .
- (a) Calculate the combined resistance of the resistors that are connected in series.

combined resistance =
$$\Omega$$
 [1]

(b) The current in R_3 is 0.045A.

The current reading on the ammeter is 0.11A.

Calculate the current in R₁.

(c) Fig. 13.2 shows the electrical symbols of three circuit components A, B and C.




Fig. 13.2

State the name of component **A** and the name of component **B**.

Α	
R	

Component C is a fuse.

Describe how a fuse protects a circuit from a high current.

[Total: 5]

[2]

(a) Draw three lines from the box correct statements about the contents	c on the left to three of the boxes on the right to make the arbon cycle.
	anaerobic respiration adds carbon dioxide to the atmosphere.
	combustion adds carbon dioxide to the atmosphere.
As part of the carbon cycle,	decomposers add carbon dioxide to the atmosphere.
	fossil fuels need carbon dioxide when used as an energy source.
	plants remove more carbon dioxide from the atmosphere by photosynthesis than they add by respiration.
	entists insert the human insulin gene into the DNA of bacte
	(T-1-
	[Tota

15 Table 15.1 shows the electronic configuration of five elements, A, B, C, D and E.

The letters are not the symbols of the elements.

Table 15.1

element	electronic configuration
Α	2
В	2,1
С	2,8,1
D	2,8,7
E	2,8,8

Use the information in Table 15.1 to answer parts (a) to (d).

(a)	Explain why the elements B and C are in the same group of the Periodic Table.	
(b)	State the letter of an element that forms an ion with a charge of -1.	F.4.7
(c)	Explain why elements A and D are in different periods of the Periodic Table.	
(d)	State the letter of an element that is a noble gas.	
		[1]
	[Tota	l: 4]

16	ΑG	eiger-Muller tube is used to detect background radiation.
	(a)	Explain what is meant by 'background radiation'.
		[2]
	(b)	State the name of one other method of detecting radiation that can detect alpha-particles.
		[1]
		[Total: 3]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

		² ²	ט ב	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=>				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	П	iodine 127	85	Ą	astatine -			
	>				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ро	polonium	116	_	livermorium -
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Ъ	lead 207	114	Εl	flerovium -
	=				2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	S	copemicium
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
Group											28	Ë	nickel 59	46	Pd	palladium 106	78	五	platinum 195	110	Ds	darmstadtium -
Ģ											27	රි	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	Ħ	meitnerium -
		- ⊐	Ξ	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
											25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	QN	niobium 93	73	Б	tantalum 181	105	Op	dubnium -
						atc	- Fe				22	i=	titanium 48	40	ZĽ	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	99	Ba	barium 137	88	Ra	radium -
	_				3	:=	lithium 7	7	Na	sodium 23	19	¥	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	ቷ	francium -

71 Lu	lutetium 175	103	ئ	lawrencium -
70 Yb	ytterbium 173	102	8	nobelium
mL Tm	thulium 169	101	Md	mendelevium -
68 Er	erbium 167	100	Fm	fermium -
67 H0	holmium 165	66	Es	einsteinium -
% Dy	dysprosium 163	86	ರ	californium -
65 Tb	terbium 159	97	Ř	berkelium
64 G d	gadolinium 157	96	Cm	curium
63 Eu	europium 152	92	Am	americium -
62 Sm	samarium 150	94	Pn	plutonium
e1 Pm	promethium -	93	ď	neptunium -
9 9 8	neodymium 144	92	\supset	uranium 238
59 Pr	praseodymium 141	91	Ра	protactinium 231
58 Ce	cerium 140	06	드	thorium 232
57 La	lanthanum 139	88	Ac	actinium -

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).