



# Cambridge O Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

**COMBINED SCIENCE** 

5129/22

Paper 2 Theory

October/November 2024

1 hour 45 minutes

You must answer on the question paper.

No additional materials are needed.

### **INSTRUCTIONS**

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.


### **INFORMATION**

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

This document has 20 pages. Any blank pages are indicated.



1 Fig. 1.1 shows the human digestive system.



2

Fig. 1.1

(a)	(1)	State the name of the part labelled <b>W</b> in Fig. 1.1.
	(ii)	State the name of the part labelled <b>X</b> in Fig. 1.1.
		[1]
(b)	Stat	te <b>one</b> function for <b>each</b> of the parts labelled <b>Y</b> and <b>Z</b> on Fig. 1.1.
	func	ction of part <b>Y</b>
	func	ction of part <b>Z</b>
		[2]

(c) Fig. 1.2 shows how the activity of four different enzymes A, B, C and D varies with pH.

3




Fig. 1.2

Place a tick  $(\checkmark)$  in **three** boxes in Table 1.1 to identify three correct conclusions that can be made from the information in Fig. 1.2.

Table 1.1

Both enzyme <b>A</b> and enzyme <b>B</b> could function in the human stomach.	
Enzyme <b>B</b> is the most active enzyme.	
Enzyme <b>D</b> has the highest activity at pH 9.25.	
Enzyme <b>C</b> is active over the widest range of pH values.	
Enzymes <b>A</b> and <b>B</b> digest the same substrate.	
Enzymes <b>C</b> and <b>D</b> are equally active at pH 8.5.	

[3]

[Total: 7]

**2** (a) Fig. 2.1 shows the axes used to plot distance—time graphs.

Fig. 2.2 shows the axes used to plot speed-time graphs.




Fig. 2.1 Fig. 2.2

(i) On Fig. 2.1, draw a graph for an object that is moving with decreasing speed. [1]

. [1]

(ii) On Fig. 2.2, draw a graph for an object that is moving with constant acceleration.

**(b)** Acceleration *a*, force *F* and mass *m* are related by the equation:

$$a = \frac{F}{m}$$

Determine a value for F and a value for m that combine to produce an acceleration a of  $2.0\,\mathrm{m/s^2}$ .

State the units of force and mass in your answer.

[Total: 4]



(a) Sulfur dioxide, SO<sub>2</sub>, reacts with oxygen, O<sub>2</sub>, to form sulfur trioxide, SO<sub>3</sub>.

Construct a balanced symbol equation for the reaction.

(b) When sulfur trioxide, SO<sub>3</sub>, is mixed with water in a conical flask, a reaction takes place that forms sulfuric acid, H<sub>2</sub>SO<sub>4</sub>.

The equation for the reaction is:

$$SO_3 + H_2O \rightarrow H_2SO_4$$

Calculate the relative molecular mass  $M_r$  of sulfuric acid.

The relative atomic masses,  $A_r$ , of hydrogen, oxygen and sulfur are shown.

$$M_{\rm r} = \dots [1]$$

Complete the following sentence.

4 g of sulfur trioxide reacts with ...... g of water. [1]

Describe how the pH of the contents of the conical flask changes as the sulfur trioxide is (iii) mixed with water.

Describe how the pH of the contents of the conical flask is measured.

.....[1]

(c) A solution of sulfuric acid has a concentration of 10 g/dm<sup>3</sup>.

Calculate the mass of sulfuric acid that is dissolved in 250 cm<sup>3</sup> of the solution.

$$[1 \, dm^3 = 1000 \, cm^3]$$

[Total: 6]

The boxes on the right contain the names of organs which receive blood.

The boxes on the left contain the names of blood vessels that carry blood to organs.

Draw one straight line from each box on the left to link the blood vessel carrying the blood to the organ receiving the blood.

You must draw a total of five straight lines.

Each box containing an organ may be linked to one blood vessel, more than one blood vessel or

blood vessel carrying blood	organ receiving blood
coronary artery	heart
hepatic portal vein	stomach
pulmonary artery	
	liver
pulmonary vein	
vena cava	lung

[5]





Biofuel gas is produced by the breakdown of animal and plant waste.

Fig. 5.1 shows the biofuel gas released as the waste breaks down. This gas is purified and then stored in a large container.

7




Fig. 5.1

(a)	State the name of the energy store in biofuel gas.	
		[1]
(b)	Complete the sentences:	
	The biofuel gas is to release thermal energy.	
	This heats water in a boiler. The steam produced turns a	
	This turns a which creates electrical current.	[3]
(c)	State <b>one</b> advantage of using biofuel as an energy source.	
		[1]
	[Total	l: 5]

A student reacts solid calcium carbonate with dilute hydrochloric acid.

Carbon dioxide gas is produced.

(a) (i) Complete the word equation for the reaction.

calcium carbonate	+	hydrochloric acid	$\Bigg] \ \rightarrow$	 +	 +	carbon dioxide
						[2]

(ii)	State the name of the piece of apparatus that the student uses to measure the volume of
	carbon dioxide gas produced.

 [	1	]

result ......[2]

**(b)** The student changes the rate of the reaction using four different sets of conditions A, B, C and D.

Table 6.1 shows the different sets of conditions.

Table 6.1

conditions	temperature/°C	concentration of dilute hydrochloric acid g/dm³	state of calcium carbonate solid
А	20	10.0	powder
В	20	10.0	lumps
С	40	10.0	powder
D	20	5.0	lumps

List the four different sets of conditions A, B, C and D in order of the highest rate of reaction produced to the lowest rate of reaction produced.


[2]

[Total: 7]

Glucose ...

9

7 Draw **three** straight lines from the box on the left to the boxes on the right to make three sentences that are correct for glucose.

... contains the elements carbon, nitrogen, oxygen and hydrogen.

... is a good source of fibre in the diet.

... is digested by amylase in the ileum.

... may be found in the urine of people with Type 2 diabetes.

... is stored as glycogen in the liver.

... is transported round the body in the plasma.

[3]





8 (a) Fig. 8.1 shows a flask containing air.

When the flask is warmed, air bubbles come out of the delivery tube and enter the water in the beaker.

10





Fig. 8.1

Explain, using ideas about the motion, distances and forces between particles, why the flask enters the water in the beaker.	
	[3]



(b) Fig. 8.2 shows a hot air balloon.



11

Fig. 8.2

A pilot uses a flame to heat the air inside the balloon, and the balloon rises.

Suggest why	the pilot must	heat the air reg	gularly to keep	the balloon at t	the same height	i. 
						[3]
						[0

5129/22/O/N/24

[Total: 6]

9 Iron(III) oxide,  $Fe_2O_3$ , reacts with carbon monoxide, CO, to form iron, Fe, and carbon dioxide,  $CO_2$ .

The equation for the reaction is shown.

$$\text{Fe}_2\text{O}_3$$
 + 3CO  $\rightarrow$  2Fe + 3CO $_2$ 

(a) Explain how the equation shows that iron(III) oxide is reduced.


**(b)** Iron(III) oxide is an ionic compound.

Describe two properties of ionic compounds.

property 1	 	 	 
,			
nronerty 2			
property 2	 	 	 

(c) Complete Fig. 9.1 to show the outer electrons in a molecule of carbon dioxide.




Fig. 9.1

[2]

[2]

[Total: 5]

10 (a) Complete the description of transpiration by inserting appropriate words in the spaces.

13

Transpiration is the	of water from the surface of
cells into the ai	r spaces of a leaf and then diffusion of
water vapour out of the leaf through the	

**(b)** Fig. 10.1 shows how the rate of transpiration in a plant is affected by four different environmental factors.




Fig. 10.1

(i)	State which environmental factor causes the rate of transpiration to decrease as the factor increases.
	[1]
(ii)	State which environmental factor causes the greatest increase in the rate of transpiration as the factor increases.
	[1]
(iii)	Suggest why an increase in the light intensity when the light intensity is low causes the rate of transpiration to increase.
	[2]

[Total: 7]

[3]

11 Resistors  $R_1$ ,  $R_2$ , and  $R_3$  are connected in a circuit as shown in Fig. 11.1.






Fig. 11.1

Resistor  $R_1$  has a resistance  $R_1$  of  $100 \Omega$ .

Resistor  $R_2$  has a resistance  $R_2$  of  $50 \Omega$ .

Resistor  $R_3$  has a resistance  $R_3$  of 220  $\Omega$ .

- (a) Explain why the combined resistance of  $R_2$  and  $R_3$  is 270  $\Omega$  rather than approximately 42  $\Omega$ .
- **(b)** The reading on the ammeter is the total current I in the circuit.

The current in each branch is less than *I*.

The potential difference of the power supply is 10.0 V.

Show that I = 0.137A.

[3]

[Total: 4]



==					•••				
12	Ethene,	$C_2H_4$	undergoes	complete	combustion	to form	carbon	dioxide,	CO <sub>2</sub> , an

Ethe	ene,	$\mathrm{C_2H_4}$ , undergoes complete combustion to form carbon dioxide, $\mathrm{CO_2}$ , a	nd water, H <sub>2</sub> O.
(a)	(i)	Complete combustion requires thermal energy and a fuel. Ethene is the	ne fuel.
		State <b>one</b> other substance that must be present for the complete com	bustion of ethene.
			[1]
	(ii)	State an adverse effect of carbon dioxide.	
			[1]
(b)	(i)	Draw the displayed formula of ethene, C <sub>2</sub> H <sub>4</sub> .	
			[1]
	(ii)	Ethene has a boiling point of –103.7 °C.	
	` ,	Name the state of ethene at –90.0 °C.	
			[1]
	(iii)	Explain why ethene has a low boiling point.	
			[2]
	(iv)	Name the type of reaction that produces ethene from large alkanes.	
			[1]
	(v)	Draw a (ring) around the word that describes ethene.	

[Total: 8]

[1]

alkane

alkene

polymer

saturated

embryo	ovaries	OV	riduct	pancreas								
phagocyte	prostate gla	and	sperm	sperm ducts								
	testes	uterus	zygote									
Each word or phrase may be used once, more than once or not at all.												
In human females, egg cells develop in the												
Fertilisation occurs when the nuclei of an egg cell and afuse together.												
Sperm cells are made in the of a male.												
The fertilised egg cell	is called a		This trave	ls down								
a tube and embeds in	the wall of the				[5]							

16

14 (a) All of the regions of the electromagnetic spectrum have useful applications.

Fig. 14.1 shows three of these regions and three applications.

On Fig. 14.1, draw one straight line from each region to its application.

You must draw a total of three lines.




Fig. 14.1

[2]

(b) Ultraviolet and X-ray radiations are ionising.

State **one** other region of the electromagnetic spectrum that is ionising.

(c) Fig. 14.2 represents how another form of ionising radiation collides with and ionises an atom.

17




Fig. 14.2

The particle of ionising radiation  ${\bf P}$  collides with particle  ${\bf Q}$  which is in orbit around the central structure  ${\bf R}$ .

- (i) Deduce the name of:

  - central structure R.

[3]

(ii) In Fig. 14.2, all the particles in the central structure **R** are shown.

Use the periodic table on page 20 to explain why this atom is an isotope of boron.

.....[2]

[Total: 8]



# **BLANK PAGE**

\* 0000800000019 \*

19

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.





# The Periodic Table of Elements

													l										
		III/	2 He	helium 4	10	Ne	neon 20	18	Αr	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson	ı
		N			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ā	bromine 80	53	Н	iodine 127	85	Αt	astatine _	117	<u>8</u>	tennessine	ı
		5			80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	polonium –	116		livermorium	ı
		>			7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Ξ	bismuth 209	115	Mc	moscovium	1
		≥			9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pp	lead 207	114	Εl	flerovium	1
		≡			2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	1L	thallium 204	113	Ę	nihonium	ı
											30	Zu	zinc 65	48	ပ္ပ	cadmium 112	80	Нg	mercury 201	112	S	copernicium	ı
											59	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium	1
	Group										28	z	nickel 59	46	Pd	palladium 106	78	₫	platinum 195	110	Ds	darmstadtium	ı
	Gro										27	ပိ	cobalt 59	45	牊	rhodium 103	77	'n	iridium 192	109	₩	meitnerium	ı
			- I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	Hs	hassium	ı
											25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	pohrium	ı
						pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium	ı
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	д	tantalum 181	105	Вb	dubnium	ı
						atc	rek				22	i=	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	弘	rutherfordium	I
											21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids		
		=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	56	Ba	barium 137	88	Ra	radium	ı
		_			က	:=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	<u>г</u>	francium	ı

20

69	Tm	thulium	169	101	Md	mendelevium	ı
89	Щ	erbinm	167	100	Fm	fermium	ı
29	웃	holmium	165	66	Es	einsteinium	ı
99	۵	dysprosium	163	86	ŭ	californium	ı
65	ТР	terbium	159	26	益	berkelium	I
64	В	gadolinium	157	96	CB	curium	ı
63	En	europium	152	92	Am	americium	ı
62	Sm	samarium	150	94	Pu	plutonium	I
61	Pm	promethium	ı	93	δ	neptunium	ı
09	PN	neodymium	144	92	$\supset$	uranium	238
29	Ą	praseodymium	141	91	Pa	protactinium	231
28	Ce	cerium	140	06	H	thorium	232
22	La	lanthanum	139	88	Ac	actinium	ı

lanthanoids

actinoids

Lu Lu lutetium 175 103

Yb Yterbium 173 NO NO nobelium

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).