

Topical Worksheets for Cambridge IGCSE™
Mathematics (0580/0980)

Coordinate Geometry

Mark Scheme

1st edition, for examination until 2025

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$2x - 3$	2		B1 for $kx - 3$ or $2x + k$ $k \neq -3$	
1(b)	Ruled line perpendicular to L	1			

[Total: 3]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	(3, 1)	1			
1(b)	D plotted at $(-2, -1)$	1			
1(c)	E plotted at $(1, -2)$	2		B1 for E plotted at $(1, k)$ or $(k, -2)$ or $\vec{AE} = \begin{pmatrix} 4 \\ -3 \end{pmatrix}$	

[Total: 4]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	3	2		M1 for $\frac{3k}{1k}$	
1(b)	$y = 3x - 2$ oe	1		FT <i>their</i> (a)	

[Total: 3]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	4 7 4	2		B1 for one correct	
1(b)	Correct curve	4		B3FT for 6 or 7 points correct or B2FT for 4 or 5 points correct or B1FT for 2 or 3 points correct	
1(c)	$x = 1$ oe	1			
1(d)	-1.9 to -1.7 and 3.7 to 3.9	2		B1 for each	

[Total: 9]



Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	Kite	1			
1(b)(i)	Translation $\begin{pmatrix} 4 \\ 9 \end{pmatrix}$	2		B1 for each	
1(b)(ii)	Reflection $x = 0.5$ oe	2		B1 for each	
1(b)(iii)	Rotation 90° clockwise oe [centre] (0, 0) oe	3		B1 for each	
1(c)(i)	(-5, -6)	1			
1(c)(ii)	Image at (-5, 0), (-2, 3), (7, 0), (-2, -3)	2		B1 for correct size, wrong position or correct shape with incorrect scale factor	
					[Total: 11]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	(-1, -2)	1			
1(b)	$\begin{pmatrix} 6 \\ 0 \end{pmatrix}$	1			
1(c)	C marked at (3, 3)	1			
1(d)(i)	$\begin{pmatrix} 4 \\ 5 \end{pmatrix}$	1		FT <i>their</i> $(b) + \begin{pmatrix} -2 \\ 5 \end{pmatrix}$	
1(d)(ii)	\vec{AC}	1			
1(e)(i)	Correct parallelogram drawn	1		FT <i>their</i> (c) provided <i>ABCD</i> forms a parallelogram	
1(e)(ii)	30 cm ²	2		FT the area of <i>their</i> <i>ABCD</i> provided it is a parallelogram. B1 for each	
					[Total: 8]



Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	15.7 or 15.65...	3		M2 for $\sqrt{(-4-10)^2 + (4-(-3))^2}$ oe or M1 for $(-4-10)^2 + (4-(-3))^2$ oe	
1(b)	M1 for $\frac{-10-4}{4-(-3)} [= -2]$ oe A1 for $10 = -2(-3) + c$ or $-4 = -2(4) + c$ and correct completion to $y = -2x + 4$	2			
1(c)	$y = \frac{1}{2}x + \frac{11}{4}$ oe	4		M1 for grad = $\frac{1}{2}$ soi M1 for [midpoint =] $(\frac{1}{2}, 3)$ M1 for substitution of $(\frac{1}{2}, 3)$ into their $y = mx + c$ oe	

[Total: 9]

Question	Answer	Marks	AO Element	Notes	Guidance
1	(0, -2)	1			

[Total: 1]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$\frac{3}{8}$	2		M1 for $8y = 3x + 20$ or better	
1(b)	(0, 2.5) oe	1			

[Total: 3]



Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	15.6 or 15.62...	3		M2 for $\sqrt{(9 - -3)^2 + (-2 - 8)^2}$ oe seen or M1 for $(9 - -3)^2$ or $(-2 - 8)^2$ oe seen	
1(b)	$y = -\frac{5}{6}x + 4$ oe	3		M1 for gradient $\frac{-2 - 8}{9 - -3}$ oe M1 for substituting (6, -1) into a linear equation oe	
1(c)	$y = \frac{6}{5}x - \frac{3}{5}$ oe	4		M1 for gradient -1 /their $(-\frac{5}{6})$ B1 for midpoint at (3, 3) M1 for their midpoint substituted into $y = \text{their } m \times x + c$ oe	

[Total: 10]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$4x + 2$	3		B2 for $4x + c$ or B1 for $mx + 2, m \neq 0$ and M1 for rise/run of $\frac{4k}{k}$	
1(b)(i)	3	1			
1(b)(ii)	(0, -4)	1			
1(c)	Correct ruled line from $x = -4$ to $x = 5$	3		B2 for 2 correct points plotted or B1 for one correct point plotted soi or M1 for line with gradient -2 If B0 or M0 scored, SC1 for a correct table with a minimum of 3 correct coordinates	

[Total: 8]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	-3, -1	1			
1(b)	1.5 oe	2		M1 for rise \div run e.g. $\frac{6}{4}$	
1(c)	$[y =] 1.5x - 1$ oe	2		B1 for $jx - 1, j \neq 0$ or $1.5x + k$ or their (b) $x + k$	

[Total: 5]

Question	Answer	Marks	AO Element	Notes	Guidance
1	(0, -8)	1			

[Total: 1]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$y = 2x - 3$ oe	3		B2 for $2x - 3$ or $y = \text{their } m x - 3$ or $y = 2x + c$ or M1 for $\frac{9 - (-3)}{6 - 0}$ oe or $9 = 6m - 3$ oe or B1 for $2x$ seen or $[y =]mx - 3 \quad m \neq 0$	
1(b)	$y = -\frac{1}{2}x + 2$ oe	2		FT <i>their</i> (a) $y = -\frac{1}{\text{their } m}x + 2$ B1 for gradient $-\frac{1}{2}$, gradient FT <i>their</i> (a) or for $y = mx + 2 \quad m \neq 0$	
[Total: 5]					
Question	Answer	Marks	AO Element	Notes	Guidance
1	3	1			
[Total: 1]					
Question	Answer	Marks	AO Element	Notes	Guidance
1	13.9 or 13.92 to 13.93	3		M2 for $\sqrt{(7-2)^2 + (12--1)^2}$ oe or M1 for $(7-2)^2 + (12--1)^2$ oe	
[Total: 3]					
Question	Answer	Marks	AO Element	Notes	Guidance
1	$y = 6x$ oe	1			
[Total: 1]					
Question	Answer	Marks	AO Element	Notes	Guidance
1	(0, -3)	1			
[Total: 1]					
Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	-3 5 2	2		B1 for 2 correct	
1(b)	Correct curve	4		B3FT for 6 or 7 points correct or B2FT for 4 or 5 points correct or B1FT for 2 or 3 points correct	
1(c)(i)	Ruled line $x = 1$ drawn	1			
1(c)(ii)	$x = 1$	1			
1(d)	-0.5 to -0.3 and 2.3 to 2.5	2		B1 for each If 0 scored, B1 for $y = 4$ drawn	
1(e)(i)	Correct ruled continuous line	1			
1(e)(ii)	$[y =] 2x + 4$	3		B2 for $[y =] 2x + k$ or M1 for $\frac{\text{rise}}{\text{run}}$ B1 for $kx + 4, k \neq 0,$ or $c = 4$	
[Total: 14]					

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)(i)	16	1			
1(a)(ii)	12	1			
1(b)(i)	(5, 2)	1			
1(b)(ii)A	(-5, 2)	1			
1(b)(ii)B	(5, 10)	2		B1 for (5, k) or (7, 2)	
1(b)(iii)	$\begin{pmatrix} 44 \\ -14 \end{pmatrix}$	2		FT their (b)(i) B1 for $\begin{pmatrix} 44 \\ k \end{pmatrix}$ or $\begin{pmatrix} 49 - \text{their}5 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ -14 \end{pmatrix}$ or $\begin{pmatrix} k \\ -12 - \text{their}2 \end{pmatrix}$	
1(c)(i)	Enlargement (SF) 0.5 oe (centre) (-3, 1)	3		B1 for each	
1(c)(ii)	Rotation 180° (centre) (4, 8)	3		B1 for each	

[Total: 14]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	-1	2		M1 for $[a =] \frac{2}{3} \times 9 - 7$ or better	
1(b)	15	2		M1 for $3 = \frac{2}{3}b - 7$ or better	

[Total: 4]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$y = -2$ drawn, ruled	1			
1(b)	$y = -2x$ drawn, ruled	1			

[Total: 2]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	1.5 oe	1			
1(b)	(0, 2)	1			

[Total: 2]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	12.6 or 12.64 to 12.65	3		M2 for $\sqrt{(8 - -4)^2 + (5 - 1)^2}$ oe M1 for $(8 - -4)^2 + (5 - 1)^2$ oe	
1(b)	(2, 3)	2		B1 for each	

[Total: 5]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$[y =] 4x + 5$	3		<p>B2 for answer $[y =] 4x + c$ oe (c can be numeric or algebraic)</p> <p>OR</p> <p>M2 for $\frac{y-9}{x-1} = \frac{9-(-3)}{1-(-2)}$ oe</p> <p>OR</p> <p>M1 for $\frac{9-(-3)}{1-(-2)}$ oe</p> <p>M1 for correct substitution of $(-2, -3)$ or $(1, 9)$ into $y = (\text{their } m)x + c$ oe</p>	
1(b)	76[,0] or 75.96...	2		M1 for $\tan[] = 4$ oe	
1(c)(i)	$[y =] -\frac{1}{4}x + \frac{23}{8}$ oe	3		<p>B2FT for $[y =]$ $-\frac{1}{\text{their } m \text{ from (a)}}x + c$ oe (c can be numeric or algebraic)</p> <p>OR</p> <p>M2 for $\frac{y-2}{x-3.5} = \frac{1}{\text{their } m \text{ from (a)}}$ oe</p> <p>OR</p> <p>M1 for $\frac{1}{\text{their } m \text{ from (a)}}$ soi</p> <p>M1 for correct substitution of $(3.5, 2)$ into $y = (\text{their } m)x + c$ oe</p>	
1(c)(ii)	$(-4.5, 4)$	2		B1 for each value or for $\begin{pmatrix} -8 \\ 2 \end{pmatrix}$ seen	

[Total: 10]



Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$y = -2x + 6$ oe final answer	3		B2 for $y = -2x + c$ oe or $y = mx + 6$ oe $m \neq 0$ or for answer $-2x + 6$ or B1 for [gradient =] $-\frac{6}{3}$ oe or $c = +6$ soi	
1(b)	$y = 0.5x - 1.5$ oe final answer	3		B1 for [gradient =] -1 divided by <i>their</i> gradient from (b)(i) evaluated soi M1 for substitution of (9, 3) into $y = (\text{their } m)x + c$ seen in working	

[Total: 6]

Question	Answer	Marks	AO Element	Notes	Guidance
1	$[y =] \frac{5}{8}x + \frac{7}{4}$	4		M1 for $\frac{-5-3}{7-2}$ oe M1 for $-1/\text{their} - \frac{8}{5}$ M1 for $3 = 2 \times \text{their gradient} + c$ oe	

[Total: 4]

Question	Answer	Marks	AO Element	Notes	Guidance
1	(4.5, -1)	2		B1 for each	

[Total: 2]

Question	Answer	Marks	AO Element	Notes	Guidance
1	$[y =] -\frac{1}{2}x + 3$	3		B2 for $[y =] -\frac{1}{2}x + c$ or M1 for $\frac{\text{rise}}{\text{run}}$ or $m = \pm \frac{1}{2}$ oe and B1 for $[y =]kx + 3, k \neq 0$ or $c = 3$	

[Total: 3]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$\frac{1}{2}$ or 0.5	2		M1 for $\frac{\text{Rise}}{\text{Run}}$ e.g. $\frac{2}{4}$ or $\frac{2-1}{2-4}$	
1(b)	$y = \frac{1}{2}x + 1$ oe	1		FT <i>their</i> (a) e.g. $[y =] \text{their (a)} x + 1$ oe	

[Total: 3]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	-3, 2	1			
1(b)	B plotted at (1, -3)	1			

[Total: 2]

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	(5, 3)	1			
1(b)	Point plotted at (4, -3)	1			
1(c)	$\begin{pmatrix} -8 \\ 2 \end{pmatrix}$	1			
[Total: 3]					
Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	4 cao	1			
1(b)	-6 cao	1			
[Total: 2]					
Question	Answer	Marks	AO Element	Notes	Guidance
1	$\left(2w, \frac{r+t}{2}\right)$ final answer	2		B1 for $2w$ oe nfw or $\frac{r+t}{2}$ oe	
[Total: 2]					
Question	Answer	Marks	AO Element	Notes	Guidance
1	$-2x + 5$	4		M1 for $\frac{7-2}{9-1}$ oe M1 for gradient of perpendicular = $-\frac{1}{-1}$ <i>their</i> 0.5 M1 for (1, 3) correctly substituted into <i>their</i> $y = -2x + c$	
[Total: 4]					
Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$y = \frac{1}{2}x + 2$ oe	3		M2 for gradient = $-\frac{1}{2}$ oe soi or M1 for rise / run or gradient = $\frac{1}{2}$ and B1 for $y = mx + 2$, $m \neq 0$	
1(b)	Correct ruled line for $-5 < x < 5$	2		B1 for line through (0, -1) or line parallel to line L or correct short line at least from (-4, 1) to (4, -3)	
[Total: 5]					
Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	(-2, 5)	1			
1(b)	$\begin{pmatrix} 4 \\ -3 \end{pmatrix}$	1			
1(c)	(5, 4) plotted	1			
1(d)	B1 for parallelogram $PQRS$ correctly drawn B1 for (1, 7)	2		FT <i>their</i> R FT <i>their</i> S dep on first B1	
[Total: 5]					

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	(5, 6)	1			
1(b)	$[y =] -\frac{4}{5}x + 3$ nfw	3		B2 for $[y =] -\frac{4}{5}x + c$ nfw or M1 for $\frac{\text{rise}}{\text{run}}$ using any two of $(-5, 7)$, $(0, 3)$ and $(5, -1)$ and B1 for $[y =]mx + 3$ ($m \neq 0$)	
1(c)	$y = -\frac{4}{5}x - 2$ oe	2		FT their gradient from (b) B1 for $y = (\text{their gradient})x + c$ (c not 0) or for $y = mx - 2$ ($m \neq 0$) or for $-\frac{4}{5}x - 2$ alone	
1(d)(i)	$y = \frac{5}{4}x + 4$ oe	3		M1 for $\frac{1}{\text{their gradient}}$ from (b) M1 for $(8, 14)$ substituted into $\text{their } y = mx + c$ or $\frac{y - 14}{x - 8} = m$ or better	
1(d)(ii)	8.54 or 8.544...	3		M2 for $(14 - \text{their } 6)^2 + (8 - \text{their } 5)^2$ or better or M1 for $14 - \text{their } 6$ and $8 - \text{their } 5$ seen	
1(d)(iii)	(4, 6)	2		B1 for each	
[Total: 14]					
Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	-3, 17	2		B1 for each	
1(b)	Fully correct curve	4		B3 FT for 10 or 11 points or B2 FT for 8 or 9 points or B1 FT for 6 or 7 points	
1(c)(i)	Correct ruled tangent for <i>their</i> curve through $(0, -17)$	1			
1(c)(ii)	(1.7 to 2.2, -1 to 2.5)	1			
1(c)(iii)	$[y =] 9x - 17$ final answer	3		M2dep for answer $[y =]9x [+] - c$ OR M1dep for gradient = $\frac{\text{rise}}{\text{run}}$ for <i>their</i> tangent at any point B1 for answer $[y =]kx [+] - 17$ ($k \neq 0$)	
1(d)	$y = 3x + 2$ ruled correctly and -2.2 ... to -2.1 -0.6 to -0.4 2.6 to 2.8	4		B2 for $y = 3x + 2$ ruled or B1 for $[y =] 3x + 2$ soi or $y = 3x + k$ ruled or $y = kx + 2$ but not $y = 2$ B2 for all 3 values or B1 for 2 values	
[Total: 15]					

Question	Answer	Marks	AO Element	Notes	Guidance
1(a)	$\begin{pmatrix} 2 \\ 4 \end{pmatrix}$ cao	1			
1(b)	4.47 or 4.472...	2		MI for $(\text{their } 2)^2 + (\text{their } 4^2)$	
1(c)	(7, 10)	2		B1 for each	
1(d)	$y = 2x - 4$ oe	3		MI for gradient = $\frac{6-2}{5-3}$ oe or answer $y = mx - 4$ MI for substituting (3, 2) or (5, 6) into $y = \text{their } mx + c$ or into $y - k = \text{their } m(x - h)$ or into $\text{their } y = mx - 4$	
1(e)	(0, -4)	1		FT <i>their</i> (d)	
[Total: 9]					

