

Cambridge IGCSE[™]

CO-ORDINATED SCIENCES

Paper 2 Multiple Choice (Extended)

October/November 2024 45 minutes

0654/21

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages. Any blank pages are indicated.

- 1 Which term describes the ability to detect and respond to changes in the environment?
 - **A** excretion
 - **B** growth
 - **C** movement
 - D sensitivity
- 2 The diagram shows some cells in the gas exchange system.



Which label shows the part of the gas exchange system where these cells are found?



- 3 Which biological molecule contains the elements carbon, hydrogen, nitrogen and oxygen?
 - A carbohydrate
 - B fat
 - **C** oil
 - D protein

4 The graph shows the effect of temperature on the rate of an enzyme-controlled reaction.



Which statements are correct?

- 1 Enzyme molecules denature above 50 °C and below 20 °C.
- 2 Increasing the temperature between 10 °C and 40 °C increases the kinetic energy of enzyme molecules.
- 3 The shape of the active site changes between 40 °C and 60 °C.

Α	1, 2 and 3	В	1 and 2 only	С	1 and 3 only	D	2 and 3 only
---	------------	---	--------------	---	--------------	---	--------------

5 The diagram shows a mesophyll cell.

In which structure does photosynthesis take place?



6 The diagram shows a villus.



What are structures P and Q and which substances do they absorb?

	struc	cture	substance	absorbed
	capillary	lacteal	amino acids	fatty acids
Α	Р	Q	Р	Q
В	Р	Q	Q	Р
С	Q	Р	Р	Q
D	Q	Р	Q	Р

- 7 In which weather conditions is the rate of transpiration fastest?
 - A cold and dry
 - B cold and wet
 - **C** warm and dry
 - **D** warm and wet

8 A student breathed gently in and out of the mouthpiece of the apparatus shown.



What were the results after 10 breaths?

	Р	Q
Α	colourless	colourless
В	colourless	milky
С	milky	colourless
D	milky	milky

9 A student looks at an object at a distance and then looks at an object close by. This ability to focus on both objects is brought about by changing the shape of the lens.

What is this called?

- A accommodation
- **B** coordination
- **C** pupil reflex
- **D** transmission
- 10 Which statement describes one similarity between asexual and sexual reproduction?
 - **A** They both involve gametes.
 - **B** They both involve parent and offspring.
 - **C** They both produce genetically identical individuals.
 - **D** They both require fertilisation to take place.

11 Horn development in some cattle is controlled by a pair of alleles. The allele for not developing horns is dominant to the allele for developing horns.

The pedigree diagram shows cattle with and without horns.



- **12** What is an example of an ecosystem?
 - A a decomposing log and the organisms in it
 - **B** a food chain
 - **C** the network of burrows in which some rabbits live
 - D the oak trees in a forest
- 13 Which processes change the amount of carbon dioxide in the air?

	process causing increase in carbon dioxide	process causing decrease in carbon dioxide
Α	burning fossil fuels	photosynthesis in plants
В	photosynthesis in plants	respiration in animals
С	respiration in animals	respiration in plants
D	respiration in plants	burning fossil fuels

- 7
- **14** Sea water is heated in the apparatus shown.



Which row describes changes at positions X and Y?

	at X	at Y
Α	concentration of solution decreases	solvent condenses
В	concentration of solution decreases	solute condenses
С	concentration of solution increases	solvent condenses
D	concentration of solution increases	solute condenses

15 An experiment is assembled to measure the rate of reaction between limestone and hydrochloric acid.

In the experiment a gas is released. The volume of gas produced is measured every five seconds.

Which piece of apparatus cannot be used to measure the volume of gas?

- A burette
- B measuring cylinder
- **C** pipette
- D gas syringe
- **16** What is a property of a typical covalent compound?
 - A low electrical conductivity
 - **B** high melting point
 - C low volatility
 - D soluble in water

17 The formula of an ammonium ion is NH_4^+ .

The formula of a phosphate ion is PO_4^{3-} .

What is the formula of ammonium phosphate?

A $(NH_4)_3PO_4$ **B** $(NH_4)_2PO_4$ **C** NH_4PO_4 **D** $NH_4(PO_4)_3$

- **18** Which statement describes what happens during electrolysis?
 - **A** Covalent compounds produce more complex substances.
 - **B** Covalent compounds produce simpler substances.
 - **C** lonic compounds produce more complex substances.
 - **D** lonic compounds produce simpler substances.
- **19** When a match burns, heat and light energy are produced.

Which row describes the type of change and the type of reaction taking place?

	type of change	type of reaction
Α	chemical	endothermic
в	chemical	exothermic
С	physical	endothermic
D	physical	exothermic

20 The equation for the reaction between sulfur dioxide and oxygen is shown.

$$2SO_2(g) + O_2(g) \rightarrow 2SO_3(g)$$

Which statements explain why the rate of this reaction increases at higher temperatures?

- 1 The molecules move closer together so they collide more frequently.
- 2 The molecules move more quickly so they collide more frequently.
- 3 The activation energy is decreased.
- 4 More colliding particles possess the activation energy.

	Α	1 and 3	B 1 and 4	C 2 and 3	D 2 and 4
--	---	---------	------------------	------------------	------------------

21 All Group I metal compounds and all Group II metal chlorides are soluble in water.

All Group II metal carbonates and barium sulfate are insoluble.

Which method is used to prepare barium sulfate using barium carbonate?

- A direct combination of solid barium carbonate and dilute sulfuric acid
- **B** reaction of solid barium carbonate and hydrogen chloride gas, followed by reaction with dilute sulfuric acid
- **C** reaction of aqueous barium carbonate with dilute hydrochloric acid, followed by reaction with aqueous sodium sulfate
- **D** reaction of solid barium carbonate with dilute hydrochloric acid, followed by reaction with aqueous sodium sulfate
- **22** Which electronic structure belongs to a non-metallic element?

A 2 **B** 2,2 **C** 2,8,2 **D** 2,8,8,2

23 Tennessine is a newly discovered halogen and is below astatine in Group VII of the Periodic Table.

Which row predicts the appearance of tennessine and the effect of adding aqueous potassium iodide?

	appearance of tennessine	effect of adding aqueous potassium iodide to tennessine
Α	black solid	iodine is formed
В	black solid	no reaction
С	brown liquid	iodine is formed
D	brown liquid	no reaction

- 24 Which statement about the extraction of metals is correct?
 - A Aluminium ore is called hematite.
 - **B** Aluminium is extracted from its ore by heating with carbon.
 - **C** Iron oxide is reduced to iron by heating with carbon monoxide.
 - **D** Limestone is used to remove basic impurities in a blast furnace.

25 In a test for water, water turns anhydrous copper(II)1.... from2..... to3......

	1	2	3
Α	chloride	blue	white
В	chloride	white	blue
С	sulfate	blue	white
D	sulfate	white	blue

Which words complete gaps 1, 2 and 3?

- 26 What is a general formula for unsaturated hydrocarbons?
 - **A** C_nH_{n+2} **B** $C_{2n}H_{2n+2}$ **C** C_nH_{2n} **D** C_nH_{2n+2}
- 27 Poly(ethene) and nylon are two different types of polymer.

Which statement about these polymers is correct?

- **A** Nylon is an addition polymer.
- **B** The linkage between monomers in nylon is –CONH–.
- **C** Poly(ethene) and nylon are made from the same monomers.
- **D** Poly(ethene) and nylon have the same linkages between their monomers.
- **28** A solid, rectangular metal block has the dimensions shown.



The mass of the block is 2700 g.

What is the density of the metal?

$$\mathbf{A} \quad \frac{25 \times 5}{2700} \,\mathrm{g/cm^3}$$

$$\mathbf{B} \quad \frac{25 \times 5 \times 8}{2700} \, \mathrm{g/cm^3}$$

- ${\bm C} \quad \frac{2700}{25\times 5}\,g/cm^3$
- $\mathbf{D} \quad \frac{2700}{25 \times 5 \times 8} \, g/cm^3$

29 The length of a spring changes when a force is applied to stretch the spring.

The table shows how the length of the spring depends on the force.

force/N	0	1.0	2.0	3.0	4.0	5.0
length of spring/cm	22	25	28	31	35	45

11

What is the length of the spring when the limit of proportionality is reached?

- A exactly 22 cm
- **B** between 31 cm and 35 cm
- **c** exactly 35 cm
- D between 35 cm and 45 cm
- **30** A see-saw (teeter-totter) rests on a pivot at its centre.



A child of weight 250 N sits on one side of the see-saw at a distance of 1.6 m from the pivot.

A second child balances the see-saw by sitting on the other side of the pivot at a distance of 1.2 m from the pivot.

What is the weight of the second child?

A 190 N **B** 250 N **C** 330 N **D** 400 N

31 The Sun is the source of energy for most energy resources.

In which group of resources is energy input from the Sun the only source of energy?

- **A** coal, geothermal, gasoline
- **B** hydroelectric, tidal, waves
- **C** natural gas, solar, wind
- D nuclear, solar, wood

32 A student observes that a substance X does **not** flow.

Which statement about substance X is correct?

- A It can be either a gas or a liquid.
- B It can only be a gas.
- **C** It can only be a liquid.
- **D** It can only be a solid.

33 A ray of light travels from glass into air.



In which direction is the light refracted and how does the speed of the light change?

	direction of refracted light	speed of light
Α	bends away from the normal	decreases
В	bends away from the normal	increases
С	bends towards the normal	decreases
D	bends towards the normal	increases

34 Gamma rays and microwaves are both electromagnetic radiations.

Which statement about their frequencies and speeds in a vacuum is correct?

- A Gamma rays have greater frequencies than microwaves and travel at a greater speed.
- **B** Gamma rays have greater frequencies than microwaves and travel at the same speed.
- **C** Gamma rays have smaller frequencies than microwaves and travel at a greater speed.
- **D** Gamma rays have smaller frequencies than microwaves and travel at the same speed.
- 35 Which statement about the core of an electromagnet is correct?
 - A It is made of soft iron because soft iron is easy to magnetise.
 - **B** It is made of soft iron because soft iron does not lose its magnetism easily.
 - **C** It is made of steel because steel is easy to magnetise.
 - **D** It is made of steel because steel loses its magnetism easily.
- **36** A wire of a certain length has a resistance of 8.0Ω . A second wire made of the same material has double the length and double the cross-sectional area of the first wire.

What is the resistance of the second wire?

A 4.0Ω **B** 8.0Ω **C** 16Ω **D** 32Ω

37 A circuit contains a cell and two resistors connected in parallel. The currents in each part of the circuit are labelled I_1 , I_2 and I_3 .



What is the relationship between the currents?

A $I_1 = I_2$ **B** $I_1 = I_3$ **C** $I_1 > I_2 + I_3$ **D** $I_1 = I_2 + I_3$

38 The instructions for a household lamp state that the plug must be fitted with a 3 A fuse.

What happens if a 13 A fuse is fitted by mistake?

- **A** The fuse blows too easily.
- **B** The lamp lights less brightly.
- **C** The wires connecting the lamp to the plug overheat if a fault develops.
- **D** Too much voltage is supplied to the lamp.
- **39** A transformer with an efficiency of 100% has an input current of 10 A. The input voltage is 100 V and the output voltage is 20 V.

What is the output current?

- **A** 2.0A **B** 10A **C** 50A **D** 200A
- **40** A uranium nucleus decays into a thorium nucleus. The thorium nucleus then decays into a protactinium nucleus.

$$^{238}_{92}\text{U} \rightarrow ^{234}_{90}\text{Th} \rightarrow ^{234}_{91}\text{Pa}$$

Which emissions take place during the decays?

- A an alpha-particle followed by a beta-particle
- **B** an alpha-particle followed by another alpha-particle
- C a beta-particle followed by an alpha-particle
- **D** a beta-particle followed by another beta-particle

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

uranium 238

91 Pa protactinium 231

90 Th ^{thorium} 232

I

© UCLES 2024

The Periodic Table of Elements

				T										Γ								5]					
		₽ ~	helium 4		10	Ne	neon 20	18	Ar	argon 40	36	Ъ	krypton 84	54	Xe	xenon 131	86	Rn	radon -	118	0 0	oganesso -						
	١١٨				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Br	bromine 80	53	Ι	iodine 127	85	At	astatine 	117	Ts	tennessine -		74		Iutetium 175	103	
	5				œ	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Te	tellurium 128	84	Ро	polonium –	116	2	livermorium –		02	2 5	ytterbium 173	102	
	>			,	7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	Bi	bismuth 209	115	Mc	moscovium -		en en	۳ ۲	thulium 160	101	
	2				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Fl	flerovium -		0 U	ЗЦ	erbium 167	100	
	≡	-			5	മ	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	Tl	thallium 204	113	ЧN	nihonium I		67	S T	holmium 165	66	_
		-									30	Zn	zinc 65	48	Cd	cadmium 112	80	Hg	mercury 201	112	C	copernicium -		33		dysprosium 163	86	-
											29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -		SF SF	e F	terbium	97	
dno											28	ïZ	nickel 59	46	Ъd	palladium 106	78	ħ	platinum 195	110	Ds	darmstadtium -		54	י ל	gadolinium 157	96	
Gro											27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -		63	3 –	europium 152	95	
		- I	hydrogen 1								26	Fe	iron 56	44	Ru	ruthenium 101	76	SO	osmium 190	108	Hs	hassium -		57	s V	samarium 150	94	
											25	Mn	manganese 55	43	Ч	technetium -	75	Re	rhenium 186	107	Bh	bohrium –		54	5 0	promethium	93	-
						00	S	2			24	ŗ	chromium 52	42	Mo	molybdenum 96	74	8	tungsten 184	106	Sg	seaborgium -		CS.	ND S	neodymium	92	
			Key	•	atomic number	mic syml	name tive atomic me				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Db	dubnium –		02	ה ה מ	praseodymium	91	
						ato	den				22	F	titanium 48	40	Zr	zirconium 91	72	Η	hafnium 178	104	Ŗ	rutherfordium -		20	3 C	cerium 140	06	
								_			21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89-103	actinoids			67	5 _	lanthanum 130	68	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ba	barium 137	88	Ra	radium -		_	0	2		
	_				n		lithium 7	- 1	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ч	francium –			onether			

0654/21/O/N/24