



# Cambridge IGCSE™

CANDIDATE NAME



CENTRE NUMBER

--	--	--	--	--

CANDIDATE NUMBER

--	--	--	--



**CO-ORDINATED SCIENCES**

**0654/43**

Paper 4 Theory (Extended)

**October/November 2024**

**2 hours**

You must answer on the question paper.

No additional materials are needed.

## INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

## INFORMATION

- The total mark for this paper is 120.
- The number of marks for each question or part question is shown in brackets [ ].
- The Periodic Table is printed in the question paper.

This document has **32** pages. Any blank pages are indicated.





1 (a) Fig. 1.1 is a diagram of the gas exchange system.




Fig. 1.1

(i) Identify the parts labelled **A** and **B** in Fig. 1.1.

**A** .....

**B** .....

[2]

(ii) Alveoli are the gas exchange surface in humans.

State **two** features of an efficient gas exchange surface.

1 .....

2 .....

[2]

(iii) State the name of the cells in the gas exchange system that produce mucus.

.....

[1]





(b) A student measures their breathing rate at rest and during exercise.

Table 1.1 shows the results.

Table 1.1

breathing rate at rest /breaths per minute	breathing rate during exercise /breaths per minute
15	40

(i) Calculate the difference in breathing rate between rest and during exercise in Table 1.1.

difference in breathing rate = ..... breaths per minute [1]

(ii) Tick (✓) **two** boxes to explain the difference in breathing rate during exercise shown in Table 1.1.

There is a decrease in production of water vapour.

There is a decrease in the use of oxygen by muscles.

There is an increase in carbon dioxide concentration in the blood.

There is an increase in the rate of aerobic respiration.

There is an increase in water intake.

[2]

[Total: 8]

DO NOT WRITE IN THIS MARGIN





2 Fig. 2.1 shows the displayed formulae of some carbon compounds.




Fig. 2.1

(a) State which compound in Fig. 2.1 is **not** a hydrocarbon.

Explain your answer.

compound .....

explanation .....

.....

..... [2]

(b) State which compound in Fig. 2.1 will decolourise aqueous bromine.

..... [1]

(c) Compound **D** is used as a fuel.

State **one** other use of compound **D**.

..... [1]

(d) Compound **C** is a saturated compound.

State what is meant by saturated.

.....

..... [1]





(e) Compound **C**,  $C_3H_8$ , undergoes complete combustion in oxygen.

Construct the balanced symbol equation for this reaction.

..... [2]

(f) Compound **A** is ethene.

Complete Fig. 2.2 to show the displayed formula of the polymer poly(ethene).



Fig. 2.2

[1]

(g) The formation of poly(ethene) from ethene is an example of addition polymerisation.

Explain the differences between addition polymerisation and condensation polymerisation.

.....  
.....  
.....  
..... [2]

[Total: 10]

DO NOT WRITE IN THIS MARGIN





3 A student investigates an NTC thermistor.

(a) The student connects the thermistor in series with a cell and an ammeter.

The student also connects a voltmeter to measure the potential difference across the thermistor.

Fig. 3.1 shows an incomplete circuit diagram of the circuit used by the student.




Fig. 3.1

(i) Complete Fig. 3.1. [2]

(ii) When the thermistor is at room temperature, the ammeter reads 3.0A.

Calculate the charge that flows through the thermistor in 60s.

State the unit for your answer.

charge = ..... unit ..... [3]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN





(b) The student places the thermistor into hot water.

The student records the values shown by the ammeter and the voltmeter as the temperature of the thermistor increases.

Describe how the power output of the thermistor changes as the temperature of the thermistor increases.

.....

.....

.....

.....

..... [4]

(c) Fig. 3.2 shows the current–voltage characteristic for an ohmic resistor.




Fig. 3.2

Explain the shape of the graph shown in Fig. 3.2.

.....

.....

.....

..... [2]

[Total: 11]



DO NOT WRITE IN THIS MARGIN



4 Fig. 4.1 summarises one pathway of water through a plant.




Fig. 4.1

(a) Identify the cells labelled Y and Z in Fig. 4.1.

Y .....

Z .....

[2]

(b) Describe **two** ways that cell X in Fig. 4.1 is adapted for photosynthesis.

1 .....

.....

2 .....

.....

[2]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN







(c) Explain the effect of an increase in humidity on the process occurring at **A** in Fig. 4.1.

.....

.....

.....

.....

..... [2]

(d) Complete the sentences to explain how water is moved in part **B** in Fig. 4.1.

Water is moved up part **B** by ..... pull.

This creates a ..... gradient, drawing up a column of water molecules that are held together by .....

[3]

[Total: 9]

DO NOT WRITE IN THIS MARGIN





5 A student investigates the reaction between calcium carbonate and dilute hydrochloric acid.

Fig. 5.1 shows the apparatus the student uses.




Fig. 5.1

The student measures the volume of gas in the gas syringe every 20 seconds. Fig. 5.2 shows a graph of the student's results.




Fig. 5.2

(a) State the name of the gas made in this reaction.

..... [1]

(b) Complete the sentence.

The reaction is fastest between ..... seconds and ..... seconds. [1]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN





(c) The total volume of gas made in the experiment is 50 cm<sup>3</sup>.

Calculate the total number of moles in 50 cm<sup>3</sup> of the gas measured at room temperature and pressure (r.t.p.).

The volume of one mole of any gas is 24 dm<sup>3</sup> at r.t.p.

Show your working.

number of moles in 50 cm<sup>3</sup> of the gas = ..... [2]

(d) The student repeats the experiment using dilute hydrochloric acid at a **higher** temperature.

Explain why the reaction is faster.

Use ideas about collisions between particles.

.....

.....

.....

.....

.....

.....

..... [3]

DO NOT WRITE IN THIS MARGIN





- (e) The reaction between calcium carbonate and dilute hydrochloric acid is exothermic. Complete Fig. 5.3 to show an energy level diagram for an exothermic reaction. Label the activation energy and the energy change on your diagram.




Fig. 5.3

[3]

[Total: 10]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN





6 Fig. 6.1 shows a car suspension system.

The suspension system uses four identical coil springs.




Fig. 6.1

- (a) The weight of the car causes compression in the springs. The length of each spring is reduced from its original length.

Hooke's Law can be used for compression as well as extension:

$$F = kx$$

where  $F$  = load,  $k$  = spring constant and  $x$  = compression.

The weight of the car is 17 000 N.

Each spring has a spring constant of 2500 N/cm.

Each spring is reduced to a length of 24 cm.

Calculate the original length of each spring.

original length = ..... cm [3]



DO NOT WRITE IN THIS MARGIN



(b) Ultrasound waves are used to check for cracks in the springs of the car.

Ultrasound waves are high-frequency sound waves.

(i) The frequency of the ultrasound waves is above the audible range of a healthy human ear.

Suggest a frequency for ultrasound waves.

frequency = ..... Hz [1]

(ii) Ultrasound waves are longitudinal waves.

Complete the sentences about longitudinal waves.

Longitudinal waves are produced by vibrations which occur ..... to the direction of energy transfer.

Longitudinal waves travel through air in compressions and ..... [2]

DO NOT WRITE IN THIS MARGIN





(iii) A transmitted ultrasound wave travels through the metal of the spring and is reflected by a crack as shown in Fig. 6.2.




Fig. 6.2

The reflected wave is detected after the transmitted wave is sent, as shown in Fig. 6.3.




Fig. 6.3

The ultrasound wave travels at 5200 m/s in the metal of the spring.

Use Fig. 6.3 to determine the distance to the crack.

distance = ..... m [3]

[Total: 9]

DO NOT WRITE IN THIS MARGIN





7 (a) Fig. 7.1 shows the structure of a villus.




Fig. 7.1

(i) State the name and function of the part labelled **A** in Fig. 7.1.

name .....

function .....

.....

[2]

(ii) Explain how the structure of the part labelled **B** in Fig. 7.1 is adapted for its function.

.....

.....

.....

.....

.....

[3]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN









(b) Coeliac disease results in damage to the small intestine when gluten is eaten.

Fig. 7.2 shows villi from a person without coeliac disease and Fig. 7.3 shows villi from a person with coeliac disease.



villi from a person without coeliac disease

Fig. 7.2



villi from a person with coeliac disease

Fig. 7.3

(i) Describe **one** way the shape of the villi in Fig. 7.3 are different from the villi in Fig. 7.2.

.....  
..... [1]

(ii) Explain the effect of this difference on villi function in a person with coeliac disease.

.....  
.....  
.....  
..... [2]

(c) Gluten is a type of protein.

(i) State the name of **one** disease caused by protein-energy malnutrition.

..... [1]

(ii) State the chemical test for protein.

..... [1]



DO NOT WRITE IN THIS MARGIN



(d) Tick (✓) the boxes to show the correct features of mechanical and chemical digestion.

	involves enzymes	occurs in the mouth	produces soluble molecules
mechanical digestion			
chemical digestion			

[2]

[Total: 12]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN







- (c) Graphite is used to make electrodes for electrolysis because it is a good conductor of electricity.

Explain why graphite is a good conductor of electricity.

Use ideas about structure and bonding.

.....

.....

..... [2]

- (d) There are different isotopes of the element carbon.

Two of the isotopes are called carbon-12 and carbon-14.

- (i) Table 8.2 shows some information about one atom of each of these isotopes of carbon.

Complete Table 8.2.

Table 8.2

	number of protons	number of neutrons	number of electrons
carbon-12	6	.....	6
carbon-14	.....	.....	.....

[2]

- (ii) The different isotopes of carbon have the same chemical properties.

Explain why.

.....

..... [1]

- (e) Elements are organised in the Periodic Table in groups.

Carbon is in Group IV of the Periodic Table.

Another element, tellurium, is in Group VI of the Periodic Table.

A common compound of tellurium is sodium telluride, Na<sub>2</sub>Te.

Put a tick (✓) next to the formula of the tellurium ion in sodium telluride, Na<sub>2</sub>Te.

- Te<sup>-</sup>
- Te<sup>+</sup>
- Te<sup>2-</sup>
- Te<sup>2+</sup>
- Te<sup>6-</sup>

[1]

[Total: 9]





9 (a) Fig. 9.1 shows distance–time graphs for a car journey and a bicycle journey.




Fig. 9.1

The car and bicycle both start from the same point and travel in the same direction along the same road.

(i) Use Fig. 9.1 to describe the car journey.

.....

.....

..... [2]

(ii) State the time at which the bicycle passes the car.

time = ..... s [1]

(iii) The bicycle and rider have a combined mass of 80 kg.

Use Fig. 9.1 to calculate the kinetic energy of the bicycle during this journey.

kinetic energy = ..... J [3]



DO NOT WRITE IN THIS MARGIN



(b) Bicycles are fitted with reflectors which reflect light from car headlights.

Fig. 9.2 shows a diagram of a reflector.




Fig. 9.2

Explain why refraction does **not** occur:

(i) at point X.

.....

..... [1]

(ii) at point Y.

.....

.....

..... [2]

[Total: 9]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN





10 A farmer planted some seeds.

- (a) Explain why the farmer digs the soil to ensure there are air spaces in the soil before the seeds are planted.

.....

.....

..... [2]

- (b) The seeds grow and some of the tips are removed.

Fig. 10.1 shows the shoots after a few days.




Fig. 10.1

- (i) State the name of the tropic response shown by shoot A in Fig. 10.1.

..... [1]

- (ii) Explain why shoot B does **not** grow towards the light in Fig. 10.1.

.....

.....

.....

.....

..... [2]



DO NOT WRITE IN THIS MARGIN



(c) State the name of the type of selection the farmer could use to improve the quality of crop plants.

..... [1]

(d) The shoots eventually flower.

Fig. 10.2 is a drawing of one of the flowers.




Fig. 10.2

(i) Label the part in Fig. 10.2 that protects the developing flower. Use a label line and the correct name. [2]

(ii) Describe **one** visible feature that shows the flower in Fig. 10.2 is insect-pollinated.

.....  
..... [1]

(e) Explain the effect of a magnesium deficiency in the soil on the colour of the plant leaves.

.....  
.....  
.....  
..... [2]

[Total: 11]

DO NOT WRITE IN THIS MARGIN







11 Fig. 11.1 shows the reactivity series of some metals. The element carbon is also included in the list.




Fig. 11.1

(a) (i) Iron is extracted from the ore hematite by heating with carbon.

Use Fig. 11.1 to state and explain how magnesium is extracted from magnesium ore.

.....

.....

..... [2]

(ii) Sodium is more reactive than magnesium.

Explain why.

.....

..... [1]


DO NOT WRITE IN THIS MARGIN





(b) Carbon is used to extract an element, **X**, from its oxide.

The equation for the reaction is shown.



The sum of the relative formula masses of the reactants ( $XO_2 + C$ ) is 163.


Calculate the relative atomic mass of **X**.

[ $A_r$ : C, 12; O, 16]

relative atomic mass of **X** = ..... [2]

(c) Iron is extracted from iron oxide by reacting the iron oxide with aluminium.

The equation for the reaction is shown.



A mixture contains 162g of aluminium and 800g of iron oxide.

Show that aluminium is the limiting reactant.

[ $A_r$ : Al, 27; Fe, 56; O, 16]

aluminium is the limiting reactant because .....  
.....  
..... [3]


DO NOT WRITE IN THIS MARGIN





(d) Magnesium displaces copper from copper chloride solution.

The ionic equation for the reaction is shown.



Explain why the reaction between magnesium atoms and copper ions involves both oxidation and reduction.

.....  
.....  
..... [2]

(e) Complete the following sentences about oxidising agents and reducing agents.

An oxidising agent is a substance which ..... another substance during a redox reaction.

A reducing agent is a substance which ..... another substance during a redox reaction.

[1]

[Total: 11]

DO NOT WRITE IN THIS MARGIN





12 Fig. 12.1 shows a diagram of a nuclear power station used to generate electricity.




Fig. 12.1

- (a) (i) State the process in the reactor that releases energy.  
 ..... [1]
- (ii) Complete the sentence about energy resources.  
 The Sun is the source of energy for all our energy resources except nuclear,  
 ..... and tidal. [1]
- (b) (i) Describe, in terms of molecules, how the steam exerts pressure on the walls of the boiler.  
 .....  
 .....  
 .....  
 ..... [2]
- (ii) The steam in the boiler has a constant volume.  
 State what happens to the pressure of the steam if the temperature of the steam is increased.  
 ..... [1]

DO NOT WRITE IN THIS MARGIN





(c) The power station uses an alternating current (a.c.) generator to generate electricity.

Fig. 12.2 shows a simple a.c. generator.




Fig. 12.2

(i) Describe how a simple a.c. generator produces an output potential difference (p.d.).

.....

.....

.....

.....

..... [2]

(ii) The generator converts kinetic energy into electrical energy.

The efficiency of the generator is 75%.

Calculate the kinetic energy required to produce 3600 J of electrical energy.

kinetic energy = ..... J [2]



DO NOT WRITE IN THIS MARGIN



(d) The fuel rod contains uranium-235 ( $^{235}_{92}\text{U}$ ).

Uranium-235 decays by alpha emission.

Use correct nuclide notation to complete the decay equation for uranium-235.



[2]

[Total: 11]

DO NOT WRITE IN THIS MARGIN





**BLANK PAGE**

DO NOT WRITE IN THIS MARGIN

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at [www.cambridgeinternational.org](http://www.cambridgeinternational.org) after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.





The Periodic Table of Elements

		Group															
I	II	III	IV	V	VI	VII	VIII					VIII					
3 <b>Li</b> lithium 7	4 <b>Be</b> beryllium 9	1 <b>H</b> hydrogen 1	5 <b>B</b> boron 11	6 <b>C</b> carbon 12	7 <b>N</b> nitrogen 14	8 <b>O</b> oxygen 16	9 <b>F</b> fluorine 19	10 <b>Ne</b> neon 20	11 <b>Na</b> sodium 23	12 <b>Mg</b> magnesium 24	13 <b>Al</b> aluminium 27	14 <b>Si</b> silicon 28	15 <b>P</b> phosphorus 31	16 <b>S</b> sulfur 32	17 <b>Cl</b> chlorine 35.5	18 <b>Ar</b> argon 40	
19 <b>K</b> potassium 39	20 <b>Ca</b> calcium 40	21 <b>Sc</b> scandium 45	22 <b>Ti</b> titanium 48	23 <b>V</b> vanadium 51	24 <b>Cr</b> chromium 52	25 <b>Mn</b> manganese 55	26 <b>Fe</b> iron 56	27 <b>Co</b> cobalt 59	28 <b>Ni</b> nickel 59	29 <b>Cu</b> copper 64	30 <b>Zn</b> zinc 65	31 <b>Ga</b> gallium 70	32 <b>Ge</b> germanium 73	33 <b>As</b> arsenic 75	34 <b>Se</b> selenium 79	35 <b>Br</b> bromine 80	36 <b>Kr</b> krypton 84
37 <b>Rb</b> rubidium 85	38 <b>Sr</b> strontium 88	39 <b>Y</b> yttrium 89	40 <b>Zr</b> zirconium 91	41 <b>Nb</b> niobium 93	42 <b>Mo</b> molybdenum 96	43 <b>Tc</b> technetium —	44 <b>Ru</b> ruthenium 101	45 <b>Rh</b> rhodium 103	46 <b>Pd</b> palladium 106	47 <b>Ag</b> silver 108	48 <b>Cd</b> cadmium 112	49 <b>In</b> indium 115	50 <b>Sn</b> tin 119	51 <b>Sb</b> antimony 122	52 <b>Te</b> tellurium 128	53 <b>I</b> iodine 127	54 <b>Xe</b> xenon 131
55 <b>Cs</b> caesium 133	56 <b>Ba</b> barium 137	57–71 lanthanoids	72 <b>Hf</b> hafnium 178	73 <b>Ta</b> tantalum 181	74 <b>W</b> tungsten 184	75 <b>Re</b> rhenium 186	76 <b>Os</b> osmium 190	77 <b>Ir</b> iridium 192	78 <b>Pt</b> platinum 195	79 <b>Au</b> gold 197	80 <b>Hg</b> mercury 201	81 <b>Tl</b> thallium 204	82 <b>Pb</b> lead 207	83 <b>Bi</b> bismuth 209	84 <b>Po</b> polonium —	85 <b>At</b> astatine —	86 <b>Rn</b> radon —
87 <b>Fr</b> francium —	88 <b>Ra</b> radium —	89–103 actinoids	104 <b>Rf</b> rutherfordium —	105 <b>Db</b> dubnium —	106 <b>Sg</b> seaborgium —	107 <b>Bh</b> bohrium —	108 <b>Hs</b> hassium —	109 <b>Mt</b> meitnerium —	110 <b>Ds</b> darmstadtium —	111 <b>Rg</b> roentgenium —	112 <b>Cn</b> copernicium —	113 <b>Nh</b> nihonium —	114 <b>Fl</b> flerovium —	115 <b>Mc</b> moscovium —	116 <b>Lv</b> livermorium —	117 <b>Ts</b> tennessine —	118 <b>Og</b> oganesson —

Key

atomic number  
atomic symbol  
name  
relative atomic mass

57 <b>La</b> lanthanum 139	58 <b>Ce</b> cerium 140	59 <b>Pr</b> praseodymium 141	60 <b>Nd</b> neodymium 144	61 <b>Pm</b> promethium —	62 <b>Sm</b> samarium 150	63 <b>Eu</b> europium 152	64 <b>Gd</b> gadolinium 157	65 <b>Tb</b> terbium 159	66 <b>Dy</b> dysprosium 163	67 <b>Ho</b> holmium 165	68 <b>Er</b> erbium 167	69 <b>Tm</b> thulium 169	70 <b>Yb</b> ytterbium 173	71 <b>Lu</b> lutetium 175
89 <b>Ac</b> actinium —	90 <b>Th</b> thorium 232	91 <b>Pa</b> protactinium 231	92 <b>U</b> uranium 238	93 <b>Np</b> neptunium —	94 <b>Pu</b> plutonium —	95 <b>Am</b> americium —	96 <b>Cm</b> curium —	97 <b>Bk</b> berkelium —	98 <b>Cf</b> californium —	99 <b>Es</b> einsteinium —	100 <b>Fm</b> fermium —	101 <b>Md</b> mendelevium —	102 <b>No</b> nobelium —	103 <b>Lr</b> lawrencium —

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

