CAMBRIDGE INTERNATIONAL EXAMINATIONS

International General Certificate of Secondary Education

MARK SCHEME for the May/June 2013 series

0653 COMBINED SCIENCE

0653/63

Paper 6 (Alternative to Practical), maximum raw mark 60

www.PapaCambridge.com

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	2
	IGCSE – May/June 2013	0653	Apr.

- **1** (a) 8, 16, 15;
 - (b) correct plots; points joined by straight lines;
 - (c) (i) molecules have more energy/more collisions/nearer enzyme optimum temp; [1]
 - (ii) enzymes denatured; [1]
 - (d) (i) to allow temperature to stabilise/yeast to adjust to new temperature/reach equilibrium; [1]
 - (ii) to check reliability of results/check for anomalous results; [1]
 - (iii) because this temperature kills the yeast/yeast is dead/yeast cannot be used again; [1]
 - (e) use limewater instead of tapwater; [1]
 - (f) repeat with no yeast/killed yeast; [1]
- **2** (a) focal length = 7.7 to 7.8 (cm); [1]
 - **(b) (i)** v = 2.4; [1]
 - (ii) 24.<u>0</u>;
 - (iii) 64.0; [1]
 - (iv) 960; [1]
 - (c) (i) graph points; straight line of best fit; [2]
 - (ii) gradient = 15.0 to 16.0; clear indication of how; [2]
 - (d) the drawing in (a) is drawn at half life size; [1]

[Total: 10]

[Total: 10]

Page 3	Page 3 Mark Scheme Syllab			Vr.
<u> </u>	IGCSE – May/June 2013	0653	200	

3 (a) 12.5; 6.5;

(b) (i) 0.27, 0.53, 0.80, 1.54 (at least two correct);

(ii) greater length gives faster reaction; [1]

(iii) greater surface area gives faster reaction/ora; [1]

(iv) if states statement <u>correct</u> – max 2 marks uses times;

for 1 and 2 cm Mg;

OR

if states statement is <u>incorrect</u> – max 2 marks uses times;

for 2 and 4 cm Mg;

OR

statement both correct and incorrect;

uses two sets of time;

two sets of length; [max 3]

(c) inaccuracy (because of difficulty) of starting clock and pouring liquid at the same time;

(d) lighted splint (pops) (allow burning flame etc. but not glowing); [1]

[Total: 10]

[1]

Page 4	Mark Scheme	Syllabus	'A V
	IGCSE – May/June 2013	0653	123

			- VO
4	(a) (i)	to check it is the enzyme responsible for the reaction/control;	Cambridge
	(ii)	to check that temperature does not cause break down;	To the
	(iii)	tube 1 has become lighter/paler/less cloudy;	[1]
	(iv)	tube 3 has become lighter/paler/less cloudy than tube 1;	[1]
	(v)	[1]	
	(b) (i)	add iodine (solution) and it goes blue/black;	[1]
	(ii)	amylase/diastase;	[1]
	(iii)	set up tube with apple, pectinase, amylase; incubate at 40°C; any detail of control, e.g. tube without amylase/pectinase/volumes of substances given;	[3]
			[Total: 10]
5	(a) (i)	74 ; 128 ;	[2]
	(ii)	scales linear and labelled ; points ; smooth curve ;	[3]
	(iii)	speeds up/accelerates;	[1]
	(iv)	$(99 \div 6) = 16.5 \text{ (m/s)};$	[1]
	(iv)	<pre>(99 ÷ 6) = 16.5 (m/s); similar. constant speed; different A is faster than B;</pre>	[1]
	, ,	similar. constant speed ;	

[Total: 10]

	Page 5	Mark	Scheme	Syllabus	VC
		IGCSE – N	/lay/June 2013	0653	
6	headings ; both tests o	at drawn with a ruler; correct; s not used;			embridge com
	(ion)	test	result		

(ion)	test	result
carbonate	hydrochloric acid	bubbles
chloride	silver nitrate	white ppt

[4]

(b) adds solid to liquid;

stirs/warms;

filters;

[3]

(c) evaporation;

[1]

(d) blue;

[1]

(e) salt(s);

[1]

[Total: 10]