



Cambridge O Level

MARINE SCIENCE

5180/03

Paper 3 Practical Assessment Paper

May/June 2022

MARK SCHEME

Maximum Mark: 60

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2022 series for most Cambridge IGCSE, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of **13** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	<p><u>'List rule' guidance</u></p> <p>For questions that require <i>n</i> responses (e.g. State two reasons ...):</p> <ul style="list-style-type: none"> • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked <i>ignore</i> in the mark scheme should not count towards <i>n</i>. • Incorrect responses should not be awarded credit but will still count towards <i>n</i>. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should not be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first <i>n</i> responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Examples of how to apply the list ruleState **three** reasons.... [3]

A	1	Correct	✓	2
	2	Correct	✓	
	3	Wrong	×	

B (4 responses)	1	Correct, Correct	✓, ✓	3
	2	Correct	✓	
	3	Wrong	ignore	

C (4 responses)	1	Correct	✓	2
	2	Correct, Wrong	✓, ×	
	3	Correct	ignore	

D (4 responses)	1	Correct	✓	2
	2	Correct, CON (of 2.)	×, (discount 2)	
	3	Correct	✓	

E (4 responses)	1	Correct	✓	3
	2	Correct	✓	
	3	Correct, Wrong	✓	

F (4 responses)	1	Correct	✓	2
	2	Correct	✓	
	3	Correct CON (of 3.)	× (discount 3)	

G (5 responses)	1	Correct	✓	3
	2	Correct	✓	
	3	Correct Correct CON (of 4.)	✓ ignore ignore	

H (4 responses)	1	Correct	✓	2
	2	Correct	×	
	3	CON (of 2.) Correct	(discount 2) ✓	


I (4 responses)	1	Correct	✓	2
	2	Correct	×	
	3	Correct CON (of 2.)	✓ (discount 2)	

Key Points

- Refer to the *Instructions for Examiners (marking scripts on-screen) 2021* booklet for details of all procedures.
- As soon as you are able (usually about two days after the paper set date), please access the question paper and provisional mark scheme from the **RM support portal**. In conjunction with the provisional mark scheme, browse scripts in **RM Assessor (scoris)** and feed any issues or comments to your **Team Leader**.
- The decisions of the **Principal Examiner** are final, and the final agreed mark scheme must be applied as intended by the Principal Examiner. If you are in any doubt about applying this mark scheme, consult your **Team Leader** by telephone or by email.
- Please report any serious problems during marking to your **Team Leader / Principal Examiner** (details in the confidential package).
- If you require technical support, please contact the **RM Helpdesk**. If you require administrative support relating to the examination process, please contact the **CIE Examiner Helpdesk**. For all queries relating to payment, please contact **Cambridge Assessment Finance Division**. Up-to-date contact details for each of these can be found in the *Instructions for Examiners (marking scripts on-screen) 2021* booklet.
- The schedule of dates is very important. It is **essential** that you meet the **Batch 1** and **Batch 2** deadlines. If you experience problems, you must contact your Team Leader without delay.
- Mark strictly to the mark scheme. All marks awarded must relate directly to the mark scheme. However, always credit correct, relevant, science, even if it lies outside of the syllabus content. For answers not provided for in the mark scheme, give as far as possible equivalent marks for equivalent work. If in doubt, consult your Team Leader.
- Never transfer marks allocated for one question item to another.
- Where work has been crossed out, mark it when nothing else has been written.
- Do not penalise grammatical constructions/spelling of words that are not in the syllabus, so long as the meaning is clear.
- Credit should be given to all the candidate's correct responses, wherever they have been written (including blank pages, around diagrams, etc.).
- Additional materials may be attached and must be checked for candidates' responses. Show that you have checked blank pages for answers by placing an annotation on each blank page. Do not use crosses or ticks for this purpose, unless the points are credited as part of a response to a specific question. In this instance, please use the On Page Comment tool to clearly annotate which question part the marks relate to.
- If the candidate has left an answer blank, or has left a mark/comment that does not in any way relate to the question (for example 'my dog is black' or '----' or 'can't do' or '?') use the **NR** (No Response, #) option.
- Award 0 marks for any attempt which does not earn credit. This includes copying out all / part of the question or any working that does not earn any marks (whether crossed out or not).

PUBLISHED

- This mark scheme will use the following abbreviations:
 - ; separates marking points
 - / separates alternatives within a marking point
 - () contents of brackets are not required but should be implied / the contents set the context of the answer
 - R reject
 - A accept (answers that are correctly cued by the question or guidance you have received)
 - I ignore (mark as if this material was not present)
 - AW alternative wording (where responses vary more than usual, accept other ways of expressing the same idea)
 - AVP alternative valid point (where a greater than usual variety of responses is expected)
 - ORA or reverse argument
 - underline actual word underlined must be used by the candidate (grammatical variants excepted)
 - MAX indicates the maximum number of marks that can be awarded
 - + statements on both sides of the + are needed for that mark
 - OR separates two different routes to a mark point and only one should be awarded
 - ECF error carried forward (credit an operation from a previous incorrect response)


Question	Answer	Marks
1(a)	drawing suitable size (at least as big as the photograph) ; proportions correct ; neat lines ; features correct (two eyes, operculum in correct position, all 6 fins shown) ;	4
1(b)(i)	<p data-bbox="338 384 1055 416"><i>features correctly labelled with line touching the feature</i></p>  <p data-bbox="976 459 1128 491">lateral line ;</p> <p data-bbox="1137 628 1290 660">operculum ;</p> <p data-bbox="338 804 898 836">named median fin (dorsal, caudal or anal) ;</p>	3
1(b)(ii)	scale line added to their drawing showing 23 cm total length ;	1
1(b)(iii)	0.52 / 0.5217 / 0.522 / 0.5 ;;;	3

Question	Answer			Marks															
2(a)(i)	A: mollusc(a) ; B: arthropod(a) ;			2															
2(a)(ii)	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th data-bbox="459 347 911 411" style="text-align: center;">feature</th> <th data-bbox="911 347 1364 411" style="text-align: center;">species A</th> <th data-bbox="1364 347 1816 411" style="text-align: center;">species B</th> </tr> </thead> <tbody> <tr> <td data-bbox="459 411 911 480">number of limbs</td> <td data-bbox="911 411 1364 480" style="text-align: center;">8</td> <td data-bbox="1364 411 1816 480" style="text-align: center;">10</td> </tr> <tr> <td data-bbox="459 480 911 549">type of limbs</td> <td data-bbox="911 480 1364 549">non-jointed / arms</td> <td data-bbox="1364 480 1816 549">jointed</td> </tr> <tr> <td data-bbox="459 549 911 617">eyes</td> <td data-bbox="911 549 1364 617">embedded / on side of head</td> <td data-bbox="1364 549 1816 617">on stalks / on <u>carapace</u></td> </tr> <tr> <td data-bbox="459 617 911 686">antennae</td> <td data-bbox="911 617 1364 686">absent / 0</td> <td data-bbox="1364 617 1816 686">present / 2</td> </tr> </tbody> </table>			feature	species A	species B	number of limbs	8	10	type of limbs	non-jointed / arms	jointed	eyes	embedded / on side of head	on stalks / on <u>carapace</u>	antennae	absent / 0	present / 2	4
feature	species A	species B																	
number of limbs	8	10																	
type of limbs	non-jointed / arms	jointed																	
eyes	embedded / on side of head	on stalks / on <u>carapace</u>																	
antennae	absent / 0	present / 2																	
2(b)(i)	4:45 – 5.24 ;			1															
2(b)(ii)	2.6 ;			1															
2(b)(iii)	6 hours 48 mins ;			1															
2(c)(i)	hydrometer ;			1															
2(c)(ii)	Sample T Sample R Sample S ;			1															

PUBLISHED

Question	Answer	Marks
3(a)	calculate mass ÷ volume ; <i>plus</i> <i>any 3 from:</i> measure the mass using a balance / weighing scale ; add shells to, partially filled measuring cylinder / displacement can / eureka can ; subtract initial volume from final volume to find the total volume / collect and measure volume of water displaced ; repeat for each shell / ref. to total mass and total volume i.e. all measured at the same time / find the mean by adding together and dividing 10; ref. to breaking shells to remove air ;	4
3(b)	<i>any 4 from:</i> flume / description of a flume (filled with water) ; attach a line and weight to each shell type ; place line over pulley (at end of flume) ; (release and) time how long it takes for the shell to complete the length of the flume / stated dependent variable (time / other correct depending on method) ; the most streamlined shell takes the least time to reach the end / accept alternatives related to dependant variable ORA ; AVP ; ;	4

Question	Answer		Marks												
4(a)(i)	<table border="1" data-bbox="763 217 1514 608"> <thead> <tr> <th data-bbox="763 217 1137 280">length of shell / mm</th> <th data-bbox="1137 217 1514 280">mass of shell / g</th> </tr> </thead> <tbody> <tr> <td data-bbox="763 280 1137 344">40</td> <td data-bbox="1137 280 1514 344">16</td> </tr> <tr> <td data-bbox="763 344 1137 408">50</td> <td data-bbox="1137 344 1514 408">22</td> </tr> <tr> <td data-bbox="763 408 1137 472">60</td> <td data-bbox="1137 408 1514 472">25</td> </tr> <tr> <td data-bbox="763 472 1137 536">70</td> <td data-bbox="1137 472 1514 536">32</td> </tr> <tr> <td data-bbox="763 536 1137 600">100</td> <td data-bbox="1137 536 1514 600">45</td> </tr> </tbody> </table> <p data-bbox="338 647 647 778">column heading + unit ; ranked : data correctly linked ;</p>		length of shell / mm	mass of shell / g	40	16	50	22	60	25	70	32	100	45	3
length of shell / mm	mass of shell / g														
40	16														
50	22														
60	25														
70	32														
100	45														
4(a)(ii)	16 + 22 + 25 + 32 + 45 = 140 / 5 ; 28 ;		2												
4(a)(iii)	<u>16:7</u> ;		1												

Question	Answer	Marks
4(b)(i)	axes correctly labelled inc. units ; points accurate ($\pm \frac{1}{2}$ small square) ; ruled line of best fit ; 	3
4(b)(ii)	39 – 40.5 ;	1
4(b)(iii)	as length increases, mass increases ;	1

Question	Answer	Marks
5(a)	<p><i>any 14 from:</i> use of transect line / belt OR repeat at different heights above low tide line ; use of quadrat ; suitable stated size of quadrat (e.g. 0.25 m² max. 1 m × 1 m) ; reference to positions of quadrats along the transect / dividing belt transect / identified area into smaller areas ; (for identified areas subdivided) use of random number tables to select area for sampling ; count number of barnacles / the number of barnacle species / estimate percentage cover, in each quadrat ; reference to repetition (in each area) / stated number of samples ; repeat on at least 3 different rocky shores ; reference to safety ; key to identify different species ;</p> <p>reference to calculation of means ;</p> <p>reference to tabulation of results ; column for sample number ; column for number of barnacles / number of barnacle species / percentage cover ; results expressed as density (barnacles per unit area) ; ref. to appropriate graph (e.g. line graph for number along the transect) ; comment on results in relation to hypothesis ;</p>	14
5(b)	<p><i>up to 4 from:</i> may be difficult to count individual barnacles ; barnacles vary in size/ may be different species ; reference to more samples needed to support hypothesis ; reference to anomalous results ; results may not be representative ;</p> <p><i>AND at least 1 from:</i> repeat investigation at different times of the year ; investigate distribution of barnacles in relation to another <u>named</u> biotic / abiotic factor ; investigate east or west sides of island / different, area of the world / country ;</p>	5