

# Cambridge IGCSE<sup>™</sup>

## CHEMISTRY

Paper 1 Multiple Choice (Core)

October/November 2023 45 minutes

0620/12

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet Soft clean eraser Soft pencil (type B or HB is recommended)

### INSTRUCTIONS

- There are **forty** questions on this paper. Answer **all** questions.
- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do **not** use correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.

#### INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.

This document has 16 pages. Any blank pages are indicated.

element	melting point/°C	boiling point/°C
W	-7	60
X	-101	-34
Y	114	184
Z	39	688

**1** The melting points and boiling points of four elements are shown.


In which elements do the particles vibrate about fixed positions at 0 °C?

**A** W and X **B** W and Z **C** X and Y **D** Y and Z

- 2 Which statements about clean, dry air are correct?
  - 1 It is a mixture of elements only.
  - 2 It is a mixture of elements and compounds.
  - 3 It contains only non-metals.

Α	1 and 3	В	1 only	С	2 and 3	D 2 only
---	---------	---	--------	---	---------	----------

**3** A representation of an atom is shown.



What is the nucleon number of this atom?

**A** 6 **B** 7 **C** 12 **D** 13

- 4 Which statement describes isotopes of the same element?
  - **A** They have different electron arrangements.
  - **B** They have different nuclear charges.
  - **C** They have nuclei with masses that are the same.
  - **D** They have the same number of protons.

**5** Potassium reacts with iodine to form potassium iodide.

Which statement about potassium iodide is correct?


- **A** Each potassium atom shares a pair of electrons with an iodine atom.
- **B** In potassium iodide, the particles of potassium have more protons than electrons.
- **C** Potassium iodide has a high melting point because it is a covalent compound.
- **D** Potassium iodide has a low melting point because it is an ionic compound.
- 6 Which row describes the properties of a simple molecular substance?

	boiling point	electrical conductivity when solid	
Α	low	poor	
В	high	poor	
С	low	good	
D	high	good	

7 Different forms of an element G are used as lubricants and in cutting tools.

What is the structure of G?

- A giant covalent
- B ionic
- **C** metallic
- D simple covalent
- 8 The diagram shows the structure of a molecule of ethyl ethanoate.



What is the molecular formula of a molecule of ethyl ethanoate?

**A** CHO **B**  $C_4H_8O_2$  **C**  $C_4(H_2)_2(O_2)$  **D**  $C_2H_4O$ 

**9** The formula of a compound containing element X is  $Na_2X_2O_3$ .

The relative formula mass of the compound is 158.

What is the relative atomic mass of X?

- **A** 32 **B** 59.5 **C** 64 **D** 119
- **10** Limestone is used to reduce sulfur dioxide emissions from coal-fired power stations.

The equation for the reaction is shown.

 $CaCO_3 \ \textbf{+} \ SO_2 \ \rightarrow \ CaSO_3 \ \textbf{+} \ CO_2$ 

What is the smallest mass of CaCO<sub>3</sub> required to remove 1 tonne of SO<sub>2</sub>?

- A 1 tonne
- B 2 tonnes
- C 64 tonnes
- D 100 tonnes
- 11 Which statement about electrolysis is correct?
  - A Bromine and hydrogen are formed during the electrolysis of molten lead(II) bromide.
  - **B** Metals are formed at the positive electrode.
  - **C** Molten covalent compounds are broken down by electricity.
  - **D** Platinum is used as an inert electrode.
- 12 Which statements about hydrogen-oxygen fuel cells are correct?
  - 1 The reaction between hydrogen and oxygen is endothermic.
  - 2 The waste product in a hydrogen-oxygen fuel cell is water.
  - 3 A chemical reaction in the cell produces hydrogen which is used as the fuel.
  - 4 A hydrogen-oxygen fuel cell is used to generate electricity.

Α	1 and 2	В	1 and 3	С	2 and 4	D	3 and 4
---	---------	---	---------	---	---------	---	---------

**13** The initial and final temperatures of four different reactions are measured.

	initial temperature /°C	final temperature /°C
Α	19	25
В	21	18
С	22	17
D	22	26

Which reaction is the **least** exothermic?

**14** Solid calcium carbonate reacts with dilute hydrochloric acid.

Which changes to the reaction conditions increase the rate of reaction?

	concentration of hydrochloric acid	surface area of calcium carbonate
Α	decrease	decrease
В	decrease	increase
С	increase	decrease
D	increase	increase

**15** Zinc reacts slowly with dilute sulfuric acid at room temperature.

Bubbles of a gas, L, form on the surface of the zinc.

When a small amount of copper is added, the reaction is faster.

Which row identifies L and explains why the reaction is faster?

	gas formed in reaction	reason the reaction is faster
Α	hydrogen	copper acts as a catalyst
в	hydrogen	copper is more reactive than zinc
С	oxygen	copper acts as a catalyst
D	oxygen	copper is more reactive than zinc

- 16 Which reaction shows a colour change from white to blue?
  - A adding water to anhydrous copper(II) sulfate
  - **B** adding water to hydrated copper(II) sulfate
  - **C** heating anhydrous copper(II) sulfate
  - **D** heating hydrated copper(II) sulfate
- **17** In a blast furnace, iron(III) oxide is converted to iron and carbon monoxide is converted to carbon dioxide.

$$Fe_2O_3$$
 + 3CO  $\rightarrow$  2Fe + 3CO<sub>2</sub>

What happens to each of these reactants?

- **A** Both iron(III) oxide and carbon monoxide are oxidised.
- **B** Both iron(III) oxide and carbon monoxide are reduced.
- **C** Iron(III) oxide is oxidised and carbon monoxide is reduced.
- **D** Iron(III) oxide is reduced and carbon monoxide is oxidised.
- 18 Which products are formed when magnesium carbonate reacts with dilute hydrochloric acid?
  - A carbon dioxide, hydrogen and magnesium chloride
  - B carbon dioxide and magnesium chloride only
  - C carbon dioxide, water and magnesium chloride
  - **D** water and magnesium chloride only
- 19 Which element forms an oxide that reacts with an aqueous solution of a base?
  - A argon
  - B sulfur
  - C magnesium
  - **D** copper
- 20 Which salt is insoluble?
  - A barium sulfate
  - **B** lead(II) nitrate
  - **C** magnesium chloride
  - D sodium carbonate

**21** Some properties of element R are shown.

melting point in °C	98
boiling point in °C	883
reaction with cold water	gives off H <sub>2</sub> gas
reaction when heated with oxygen	burns to give a white solid

In which part of the Periodic Table is R found?

- A Group I
- **B** Group VII
- **C** Group VIII
- **D** transition elements
- 22 Lithium, sodium and potassium are elements in Group I.


Statements about these elements are listed.

- 1 Lithium is more dense than sodium.
- 2 Sodium is more reactive than potassium.
- 3 They all conduct electricity at room temperature.
- 4 They all react with oxygen at room temperature.

Which statements are correct?

Α	1 and 2	В	1 and 4	С	2 and 3	D	3 and 4
---	---------	---	---------	---	---------	---	---------

**23** An outline of the Periodic Table is shown.



Which name is given to the elements in column Y?

- A alkali metals
- B halogens
- **C** noble gases
- **D** transition elements
- 24 Which row describes the properties of a metal that can be used in the manufacture of aircraft?

	strength	density	ease of corrosion
Α	high	high	corrodes easily
в	high	low	resists corrosion
С	low	high	corrodes easily
D	low	low	resists corrosion

- 25 Which metallic element is added to iron in the manufacture of stainless steel?
  - A carbon
  - B copper
  - C lead
  - D nickel
- 26 Which statement about the uses of metals is correct?
  - A Aluminium is used in the manufacture of overhead electrical cables as it has a high density.
  - **B** Aluminium is used to make food containers as it conducts electricity.
  - C Stainless steel is used in cutlery because it is resistant to rusting.
  - **D** Stainless steel is used to make chemical reactors because it is a soft alloy.

27 The list gives the order of some metals and hydrogen in the reactivity series.

Metal X is also included.

most reactive	К
	Mg
	Zn
	Н
	Х
least reactive	Cu

Which row shows the properties of metal X?

	reacts with dilute acids	oxide reduced by carbon
Α	no	no
В	no	yes
С	yes	no
D	yes	yes

- 28 Which gas in the air is needed for iron to rust?
  - A argon
  - B carbon dioxide
  - C nitrogen
  - D oxygen
- 29 Why is limestone added to the blast furnace?
  - **A** It neutralises the molten slag produced.
  - **B** It reacts with impurities to form slag.
  - **C** It releases carbon dioxide which reduces the iron(III) oxide.
  - **D** It removes acidic gases such as carbon dioxide.
- 30 Which process removes carbon dioxide from the atmosphere?
  - **A** photosynthesis
  - **B** thermal decomposition of calcium carbonate
  - C combustion of fossil fuels
  - **D** reaction of sodium carbonate with an acid


31 The flow chart shows stages in the treatment of river water to produce drinking water.



What occurs at stages J and K?

	J	К
Α	distillation	chlorination
в	distillation	filtration
С	filtration	chlorination
D	filtration	distillation

- 32 Which two compounds can be mixed together to form an NPK fertiliser?
  - A ammonium phosphate and calcium hydroxide
  - B calcium phosphate and ammonium nitrate
  - **C** potassium nitrate and calcium oxide
  - **D** potassium phosphate and ammonium nitrate
- 33 What are the main substances produced by the fractional distillation of liquid air?
  - **A** oxygen and carbon dioxide
  - **B** oxygen and nitrogen
  - **C** helium and nitrogen
  - D hydrogen and oxygen
- **34** Which diagram shows the displayed formula for the named organic compound?



**35** Poly(ethene) is formed from petroleum using three separate processes.

In which order are the processes used?


- **A** cracking  $\rightarrow$  fractional distillation  $\rightarrow$  polymerisation
- **B** cracking  $\rightarrow$  polymerisation  $\rightarrow$  fractional distillation
- **C** fractional distillation  $\rightarrow$  cracking  $\rightarrow$  polymerisation
- $\textbf{D} \quad \text{fractional distillation} \rightarrow \text{polymerisation} \rightarrow \text{cracking}$
- **36** Gas oil and naphtha are two fractions obtained from petroleum.

What are uses of gas oil and naphtha?

	gas oil	naphtha
Α	jet fuel	making chemicals
В	jet fuel	making roads
С	diesel engine fuel	making chemicals
D	diesel engine fuel	making roads

**37** Ethene can be polymerised.


Which diagram represents the structure of the product formed?



- **38** An acid–base titration is described.
  - 25.0 cm<sup>3</sup> of dilute aqueous alkali is put into a conical flask.
  - Indicator is added to the flask.
  - Dilute acid is added to the aqueous alkali until the indicator changes colour.
  - The volume of acid used is then recorded.

Which use of apparatus is correct?

- **A** The  $25.0 \text{ cm}^3$  of aqueous alkali is measured using a volumetric pipette.
- **B** The 25.0 cm<sup>3</sup> of aqueous alkali is measured using the lines on the conical flask.
- **C** The volume of acid is measured using a measuring cylinder.
- **D** The volume of acid is measured using a volumetric pipette.
- **39** The apparatus shown is used to separate a mixture.



What is the mixture?

- A anhydrous copper(II) sulfate and hydrated copper(II) sulfate
- B sodium chloride and sand
- C ethanol and methanol
- D iron and steel

test	Х	Y	Z
aqueous potassium manganate(VII)	purple to colourless	no change	no change
damp red litmus paper	no change	turns blue	no change
lighted splint	no change	no change	pops

13

**40** The results of tests on three gases, X, Y and Z, are shown.

What are X, Y and Z?

	Х	Y	Z
Α	chlorine	sulfur dioxide	hydrogen
в	chlorine	sulfur dioxide	oxygen
С	sulfur dioxide	ammonia	oxygen
D	sulfur dioxide	ammonia	hydrogen

© UCLES 2023

## **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).

© UCLES 2023

The Periodic Table of Elements

1 1 1   1 1 1   1 1 1   1 1 12   Na Mg Be   11 12 Be   13 4 12   14 12 Be   133 23 24   19 20 24   133 34 39   37 38 39   37 38 39   37 38 39   37 38 39   37 38 39   37 38 39   37 38 39   37 38 39   55 56 57   56 56 57   133 137 Mutum   137 Mathemode Mutum   137 137 Mutum   137 137 Mutum   137 137	ato ato ato ato ato ato	Key atomic number atomic symbol <sup>name</sup> relative atomic mass								=	2	>	1	NII V	NIII
A Beylitum 9 9 9 9 9 9 9 9 9 9 12 24 24 24 24 24 24 24 23 26 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ato relation ato	Key atomic number mic symb name ative atomic mas											-		
A Beylilium 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	ato ato	Key atomic number mic symb name ative atomic mas			- T										<sup>2</sup> He
Beryllium 9 9 12 24 24 24 24 24 24 24 24 24 2	ato a 48 48 48	ttomic number mic symb name ative atomic mas			hydrogen 1										helium 4
Beryllium <sup>9</sup> <sup>9</sup> <sup>9</sup> <sup>9</sup> <sup>9</sup> <sup>9</sup> <sup>9</sup> <sup>9</sup>	ato relation 48	mic symb name attive atomic mas		L						5	9	7	8	6	10
Beyilium 9 9 12 12 12 24 24 24 24 24 24 24 24 24 2	rela titanium 4 8	name ative atomic mas	lo							В	U	z	0	ш	Ne
12 Magnesium 24 20 20 20 20 20 20 20 20 20 20	titanium 48		S							boron 11	carbon 12	nitrogen 14	oxygen 16	fluorine 19	neon 20
Mg 24 24 24 24 24 20 20 23 24 24 24 20 24 24 24 24 24 24 24 24 24 24 24 24 24	tianium 488									13	14	15	16	17	18
magnesium 24 26 38 88 88 88 88 88 88 88 88 88 88 88 88	ttanium 48									Al	Si	٩	ა	Cl	Ar
20 Calcium 40 88 88 88 88 88 88 88 88 88 88 88	48 tttanium									aluminium 27	silicon 28	phosphorus 31	sulfur 32	chlorine 35.5	argon 40
Calcium 40 40 88 88 88 88 88 88 88 88 88 88 88 88 88	48 titanium	23	24	25	26	27	28	29	30	31	32	33	34	35	36
ealcium 40 38 88 88 88 88 88 88 88 88 88 88 88 88	titanium 48	>	ŗ	Mn	Fe	ပိ	ïZ	Cu	Zn	Ga	Ge	As	Se	Ъ	Ϋ́
38 strontium 88 Barium 137 137 88 88	ç	vanadium 51	chromium 52	manganese 55	iron 56	cobalt 59	nickel 59	copper 64	zinc 65	gallium 70	germanium 73	arsenic 75	selenium 79	bromine 80	krypton 84
Strontium 88 56 56 137 137 88 88 88 88 88	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
strontium 88 56 56 137 137 88 88 88	Zr		Mo	Ц	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Те	Ι	Xe
56 barium 137 88 88	zirconium 91	niobium 93	molybdenum 96	technetium -	ruthenium 101	rhodium 103	palladium 106	silver 108	cadmium 112	indium 115	tin 119	antimony 122	tellurium 128	iodine 127	xenon 131
137 Barium 88 88	72		74	75	76	77	78	79	80	81	82	83	84	85	86
barlum 137 88 88	Ħ	Та	≥	Re	SO	Ir	Ъ	Au	Hg	lΤ	РЬ	<u>B</u>	Ро	At	Rn
88 CC	hafnium 178	tantalum 181	tungsten 184	rhenium 186	osmium 190	iridium 192	platinum 195	gold 197	mercury 201	thallium 204	lead 207	bismuth 209	polonium –	astatine -	radon -
ŭ	104		106		108	109	110	111	112	113	114	115	116	117	118
2	Ŗ		Sg		Hs	Mt	Ds	Rg	C	ЧN	Fl	Mc	۲	Ts	Og
francium radium	rutherfordium —	dubnium –	seaborgium -		hassium –	meitnerium -	darmstadtium -	roentgenium -	copernicium -	nihonium –	flerovium -	moscovium -	livermorium –	tennessine -	oganesson -
57			-	61	62	63	64	65	66	67	68	69	70	71	
lanthanoids La	Ce			Pm	Sm	Eu	Gd	Tb	Dy	Ч	ц	Tm	Υb	Lu	
lanthanum 139	cerium 140	min	neodymium 144	promethium _	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175	
89		91	-	93	94	95	96	97	98	66	100	101	102	103	
actinoids Ac	Ч	Ра		Np	Pu	Am	Cm	敚	Ç	Еs	Е Н	Md	No	Ļ	
actinium	thorium 232	protactinium 23.1	uranium 238	neptunium	plutonium _	americium -	curium	berkelium –	californium -	einsteinium -	fermium -	mendelevium 	nobelium 	lawrencium 	

0620/12/O/N/23